

NEW

KNIFE INFORMATION


THE BEST KNIFE MEETS YOUR NEEDS

We now offer the most comprehensive range of fixed, retractable, and snap-off knives and blades, with innovative features that meet the needs of professional contractors and craftsmen.

RETRACTABLE UTILITY KNIFE WITH 2 BLADES


EXTRA COMFORT

FAST BLADE CHANGE SYSTEM
easy blade change for most stanley knives.



STORAGE SPACE FOR 5 SPARE BLADES

BLOCKING SYSTEM WITH INTERLOCK® NOSE for added security



FIXED BLADE KNIFES

Fits all STANLEY replaceable blades. These are intended for the toughest applications. Although it is a fixed leaf, the majority of STANLEY knives include a quick blade change system.



SAFETY KNIVES

A range of safe cutting solutions. Safety above all!




SNAP-OFF KNIFES 25, 18 & 9 mm

Ideal in situations where residues stick to the blade. The snap-off blade provides consistently sharp edges, but is also strong and thick enough to withstand heavy pressure without breaking the blade.



CRAFT, SPORTS, POCKET KNIVES

A fantastic range. Handy pocket, hobby and sports knives, ideal for many types of tasks.



RETRACTABLE UTILITY KNIFES

Suitable for most replaceable blades. These offer the same performance as the fixed blade models and the blade retracts safely into the handle when the blade is not in use.



BLADES

STANLEY

STANLEY FATMAX

STANLEY CARBIDE™ BLADE



General applications

75% sharper, 2x longer life

10x more durable

RETRACTABLE UTILITY KNIFES OVERVIEW

TYPE	IMAGE	Metal housing	Bimaterial grip	Integrated magazine for spare blades	Quick blade change system	Blade locking system	
0-10-789 FATMAX® PRO		•	•	•	•	•	RETRACTABLE BLADE KNIVES
0-10-819 FATMAX® PRO		•		•	•	•	
2-10-122 TITAN		•		•	•	•	
0-10-788 INSTANT CHANGE		•	•	•	•		
0-10-778 FATMAX®		•	•	•	•		
0-10-237 AUTOLOAD		•	•	•	•		
STHT10432-0 COMPACT		•	•		•	•	
STHT10479-0 SOFTGRIP		•	•	•	•	•	
STHT10430-0 EXTENSION BLADE		•	•	•	•	•	
1-10-099 99 E		•		•		•	
0-10-088 ABS				•	•	•	
0-10-810 QUICKSLIDE		•			•	•	
XTHT0-10502 DUO EXTENDABLE FOLDING KNIFE		•	•		•		
0-10-825 FOLDABLE EXTENSION BLADE		•	•	•	•		
FMHT0-10827 FIXED FOLDING KNIFE		•	•	•	•		
STHT10424-0 FIXED FOLDING KNIFE		•			•		

FIXED BLADE UTILITY KNIFES OVERVIEW

TYPE	IMAGE	Metal housing	Bimaterial grip	Integrated magazine for spare blades	Quick blade change system	Blade locking system	
FMHT10500-0 FATMAX® TRADE SPECIFIC UTILITY KNIFE		•		•	•	•	FIXED BLADE KNIVES
FMHT10501-0 FATMAX® TRADE SPECIFIC UTILITY KNIFE		•		•	•	•	
0-10-780 FATMAX®		•	•	•	•	•	
1-10-199 199E		•		•		•	
0-10-299 299		•		•		•	

REPLACEMENT BLADES OVERVIEW


TYPE	IMAGE	Plastic materials	Carpet	Special carpet cutter	Special safety knife	Textile	Hard plastics (precision)	Leather	Fine finish	Layered material
CARBIDE		•	•	•	•	•	•	•	•	•
FATMAX®		•	•	•	•	•	•	•	•	•
1991		•	•							
1992		•	•		•					
1992 ROUNDED					•					
1996			•	•						
5192								•		
1998		•						•		



PERFORMANCE YOU CAN MEASURE

This tape measure is the strongest and most compact tape from STANLEY. Our patented twin-core™ technology provides stand-out of 4m - a tape in a compact body with a convenient design.


THE IMPORTANCE OF THE END HOOK



REGULAR END HOOK

REGULAR END HOOK

Extendable end hook with true zero position for accurate internal and external measurements.



TRUE-ZERO HOOK®




VERSATILE END HOOK

VERSATILE END HOOK

Slightly larger than a regular end hook, sticking out on all edges. A versatile end hook, easily grabs behind building materials from the top, bottom and sides, allowing for easy measurement.

SPECIAL END HOOKS



DETACHABLE END HOOK

DETACHABLE END HOOK

Some jobs require a small and precise hook, while others require a large versatile hook. The detachable hook offers all possibilities.



MAGNETIC END HOOK

MAGNETIC END HOOK


Useful when measuring metal objects.





Control the speed of the rewind and make sure that the blade does not bend to avoid uncontrolled movements

UNDERSTANDING THE BLADE – BLADE WIDTHS & MARKINGS




POWERLOCK: 2m - 3m
TYLON DUALLOCK: 3m
TYLON: 3m
STANLEY: 3m

FATMAX®: 3m

FATMAX®: 5m
POWERLOCK: 5m
BOVENINKIJKVENSTER: 3m
STANLEY MAX: 3m
TYLON DUALLOCK: 5m
TYLON: 5m
STANLEY MAX: 3m

POWERLOCK BladeArmor®:
 5m - 8m - 10m
POWERLOCK: 5m - 8m - 10m
STANLEY MAX: 5m - 8m
TYLON DUALLOCK: 8m
TYLON: 8m
STANLEY: 8m

FATMAX® NGT: 5m - 8m - 10m
FATMAX® PRO: 5m - 8m - 10m
FATMAX® PRO AUTOLOCK: 5m - 8m
FATMAX® BladeArmor®:
 5m - 8m - 10m



EUROPEAN STANDARDS FOR ACCURACY

ALLOWED TOLERANCES

Accuracy class	1m	2m	3m	5m	8m	10m
II	0,5mm	0,7mm	0,9mm	1,3mm	1,9mm	2,3mm
III	1mm	1,4mm				

All STANLEY tape measures sold in the Nordics meet European accuracy standards.

Example: for a class II tape measure of 3m, the tolerance is 0.9 mm over the entire length.

TYPE	COATING	WIDTH	EXTRA
FATMAX® PRO Next Generation 2.0	MAX SHIELD BLADE COATING Blade Armor™	32mm	DOUBLE-SIDED PRINT REACH* 4.9m
FATMAX® PRO AUTOLOCK	MYLAR® Blade Armor™	32mm	AUTO-LOCK BLADE
FATMAX® BLADEARMOR®	MYLAR® Blade Armor™	32mm	
STANLEY CONTROL-LOCK	MYLAR® Blade Armor™	19 - 25mm	AUTO-LOCK BLADE *EXCEPT 3M
STANLEY POWERLOCK	MYLAR® Blade Armor™	13 - 19 - 25mm	
STANLEY TYLON®	TYLON™	13 - 19 - 25mm	
STANLEY	TYLON™	13 - 19 - 25mm	

DURABILITY / COATING



Up to 1.5x more resistance to abrasion vs a standard coating



10x more resistance against abrasion vs a standard coating



20x more resistance against abrasion vs a standard coating



First 14 cm extra protection with thermoplastic layer reduces the risk of breaking with 95%

SHORT TAPE MEASURES WITH THUMB LOCK

FATMAX® PRO NG 2.0 TAPE MEASURE 32 MM

STANLEY
FATMAX



COMPACT DESIGN
The best ergonomics

IMPROVED BLADE DURABILITY
Built to last with an abrasion-resistant blade coating plus 20cm BladeArmor® coating to reinforce the most vulnerable part of the blade and reduce the risk of kinks or tears.

EASE OF USE: PRINTED ON BOTH SIDES
Print facilitating awkward or overhead measurements.

EASE OF USE: UP TO 4.9M STAND-OUT
4.9M of reach to help you measure confidently from a distance, even when working alone.

CODE	DESCRIPTION				PRICE
FMHT33100-0	FATMAX Pro NG 2.0 Tape measure 5m - 32mm printed on both sides	X	6	3 253560 331009	
FMHT33102-0	FATMAX Pro NG 2.0 Tape measure 8m - 32mm printed on both sides	X	6	3 253560 331023	

FATMAX® PRO TAPE MEASURE AUTOLOCK

STANLEY
FATMAX



- Can be easily secured to a belt, pocket or waistband using the integral belt clip.
- Comfortable and robust bi-material housing
- BladeArmor coating on the first 80mm to double the lifespan
- Mylar® coated tape - up to 10 times more resistant to abrasion than standard tape measures
- Detachable magnetic hook included for added convenience when measuring metallic objects.
- This versatile tape comes complete with a multi-catch hook, detachable oversized multi-catch hook and removable magnetic hook
- CLASS II accuracy, suitable for most professionals, providing a reassuring +/-0.5mm error tolerance at 1m.

CODE	DESCRIPTION				PRICE
XTHT0-33671	Tape measure FATMAX Pro Autolock 5m - 32 mm	X	6	3 253560 336714	
XTHT0-33501	Tape measure FATMAX Pro Autolock 8m - 32 mm	X	6	3 253560 335014	

FATMAX® TAPE MEASURE BLADEARMOR™ MAGNETIC

STANLEY
FATMAX



- Patented bi-material housing for durability and comfort
- Clearly readable 32 mm blade
- Mylar® protective layer on the entire belt length and BladeArmor™ on the first 150 mm for longer life
- Patented magnet position for 100% accuracy
- Magnetic end hook with patented Multi-Catch Design
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-33864	FATMAX Tape measure BA Magnetic 5m - 32 mm	X	4	3 2535601338640	
FMHT0-33868	FATMAX Tape measure BA Magnetic 8m - 32 mm	X	4	3 2535601338688	

FATMAX® TAPE MEASURE BLADEARMOR™

STANLEY
FATMAX



- Compact case design is Ergonomically shaped with a cushioned grip for maximum comfort in the hand and to use
- Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- First 14cm covered with BladeArmor™ - reduces risk of tire breakage by 95%
- The blade can extend 3.35m horizontally without kinking
- TRU-ZERO™ hook for precise inner and outer measurements
- Multi-functional hook: on top and bottom of measuring tape
- Shockproof cushion for protection of hook during belt return
- Belt clip
- Accuracy: Class II
- Double sided

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-33-720	FATMAX Tape measure BladeArmor 5m - 32 mm	X	4	3 2535601337209	
0-33-728	FATMAX Tape measure BladeArmor 8m - 32 mm	X	4	3 2535601337285	
0-33-811	FATMAX Tape measure BladeArmor 10m - 32 mm	X	4	3 2535601338114	

FATMAX® TAPE MEASURE 2M KEYCHAIN

STANLEY
FATMAX



- Tylon™ blade coating for improved durability and wear resistance versus a standard lacquered blade.
- Small, compact and lightweight design 90cm stand out
- TRU-ZERO™ hook for precise inner and outer measurements, moving back and forth along the securing rivets to account for the hook thickness.

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT1-33856	FATMAX Tape Measure 2m Keychain Display × 36	-	36	3 2535611337062	

TAPE MEASURE CONTROL-LOCK



- The tape is equipped with an integrated finger brake, providing users with maximum control, except STHT37230-0
- Double-sided printing for top and bottom measurements
- Compact, light and ergonomic design
- First 8cm treated with BladeArmor® coating
- Versatile hook with true zero position for accurate internal and external measurements
- Removable magnet for use on metal surfaces, except STHT37230-0

CODE	DESCRIPTION	☐	☒	☐	PRICE
STHT37230-0	Tape measure Control-Lock 3m - 19mm	X	4	3 2535601372309	
STHT37231-0	Tape measure Control-Lock 5m - 25mm	X	4	3 2535601372316	
STHT37232-0	Tape measure Control-Lock 8m - 25mm	X	4	3 2535601372323	
STHT37233-0	Tape measure Control-Lock 10m - 25mm	X	4	3 2535601372330	

TAPE MEASURE POWERLOCK® BLADEARMOR™



- Chrome-plated housing made of shock-resistant ABS
- Compact Ergo House- 12% smaller than traditional tape measures
- BladeArmor™ tape lasts 2x longer – 95% less likely to break
- Hook attached with 3 rivets, reduces risk of breakage if used carelessly - 40% stronger than attachment with 2 rivets
- Sliding hook with true zero - for accurate internal and external measurements
- Belt clip
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-33-514	Tape measure Powerlock BladeArmor 5m - 25 mm	X	4	3 2535601335144	
0-33-527	Tape measure Powerlock BladeArmor 8m - 25 mm	X	4	3 2535601335274	

STANLEY® FATMAX® XTREME™ TAPE MEASURE - 32 MM



- Coated blade - provides up to 10 times more resistance to abrasion than a standard lacquered blade, increasing the life of the tape and reducing wear on most heavily used sections of the blade.
- BLADEARMOR® COATING reinforces the first 7.5cm of the blade, the section most vulnerable to wear
- TRU-ZERO™ HOOK for precise inner and outer measurements
- Large, protruding oversized multi-catch hook
- Belt clip
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-33-887	STANLEY® FATMAX® Xtreme™ 5M Tape Measure	X	6	3253560338879	
0-33-892	STANLEY® FATMAX® Xtreme™ 8M Tape Measure	X	6	3253560338923	
0-33-897	STANLEY® FATMAX® Xtreme™ 10M Tape Measure	X	6	3253560338978	

TAPE MEASURE POWERLOCK® CLASSIC



- Chromed housing
- Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- TRU-ZERO™ hook for precise inner and outer measurements
- Belt lock button
- Belt clip
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-33-218	Tape measure Powerlock 3m - 12.7 mm metal	-	12	3 253561 332180	

TAPE MEASURE POWERLOCK® ABS



- Chrome-plated housing made of shock-resistant ABS
- Tape with Mylar® coating: up to 10x more protected against wear than traditional measuring tapes
- Hook fixed with 2 rivets (3 rivets from 5m) , reduces the risk of breaking
- TRU-ZERO™ hook for precise inner and outer measurements
- Belt clip
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-33-194	Tape Measure Powerlock 5m - 19mm	X	6	3 253560 331948	
1-33-194	Tape Measure Powerlock 5m - 19mm	-	18	3 253561 331947	
0-33-198	Tape measure Powerlock 8m - 25 mm	X	4	3 253560 331986	
1-33-198	Tape measure Powerlock 8m - 25 mm	-	12	3 253561 331985	
0-33-442	Tape measure Powerlock 10m - 25 mm	X	4	3 253560 334420	
1-33-442	Tape measure Powerlock 10m - 25 mm	-	12	3 253561 334429	

TAPE MEASURE POWERLOCK® TOP VIEWING WINDOW



- Top viewing window: this makes it easy and accurate to measure inside dimensions
- Chrome-plated housing made of shock-resistant ABS
- Mylar™ blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- Hook fixed with 3 rivets, reduces risk of breakage in case of careless use - 40% stronger than fastening with 2 rivets
- TTRU-ZERO™ hook for precise inner and outer measurements
- Belt lock button
- Belt clip
- Accuracy: Class II
- Double sided

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-33-932	Tape measure Powerlock 5m - 19mm top viewing window	X	6	3 253560 339326	

TAPE MEASURE TYLON DUAL-LOCK



- Innovative Dual lock mechanism, combines automatic blade locking with classic blade locking
- Soft grip for maximum comfort during use
- Shockproof housing for increased protection of the blade and mechanism
- New Tylon protective layer, 1.75x more resistant to abrasion: improved readability and longer life
- Matt, non-reflective finish of the blade prevents reflection of (sun)light
- Clearly legible digits for fast and accurate measurements
- End hook secured to the blade with 2 or 3 pop rivets for increased strength and durability
- Handy help clip to store the tape measure quickly and at hand
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
STHT36802-0	Tape measure Tylon Duallock 3m - 13 mm	X	6	3 253560 368029	
STHT36803-0	Tape measure Tylon Duallock 5m - 19 mm	X	6	3 253560 368036	
STHT36804-0	Tape measure Tylon Duallock 8m - 25 mm	X	6	3 253560 368043	

TAPE MEASURE TYLON™



- Innovative and ergonomic design: light and compact measuring tape
- Soft grip for maximum comfort during use
- Shockproof housing for increased protection of the belt and mechanism
- New Tylon protective layer, 1.5x more resistant to abrasion: improved readability and longer life
- Matt, non-reflective finish of the band prevents reflection of (sun)light
- Clearly legible digits for fast and accurate measurements
- Manual locking system
- End hook secured to the blade with 2 or 3 pop rivets for increased strength and durability
- Handy belt clip to store the tape measure quickly and at hand
- Accuracy: Class II



CODE	DESCRIPTION	☐	☒	☐	PRICE
0-30-687	Tape Measure Tylon 3m - 12.7mm	X	6	3 253560 306878	
1-30-687	Tape Measure Tylon 3m - 12.7mm	-	12	3 253561 306877	
0-30-697	Tape Measure Tylon 5m - 19mm	X	6	3 253560 306977	
1-30-696	Tape Measure Tylon 5m/16' - 19mm - Bulk tray		12	3253561306969	
1-30-697	Tape Measure Tylon 5m - 19mm	-	12	3 253561 306976	
0-30-657	Tape Measure Tylon 8m - 25mm	X	6	3 253560 306571	
1-30-657	Tape Measure Tylon 8m - 25mm	-	12	3 253561 306570	

TAPE MEASURE TYLON™ M/FT



- Innovative and ergonomic design: light and compact measuring tape
- Soft grip for maximum comfort during use
- Shockproof housing for increased protection of the belt and mechanism
- New Tylon protective layer, 1.5x more resistant to abrasion: improved readability and longer life
- Matt, non-reflective finish of the band prevents reflection of (sun)light
- Clearly legible digits for fast and accurate measurements
- Manual locking system
- End hook secured to the blade with 2 or 3 pop rivets for increased strength and durability
- Handy belt clip to store the tape measure quickly and at hand
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-30-686	Tape Measure Tylon - 3m/10'; - 12.7mm	X	6	3	2 5 3 5 6 0 3 0 6 8 6 1
0-30-696	Tape Measure Tylon - 5m/16'; - 19mm	X	6	3	2 5 3 5 6 0 3 0 6 9 6 0
0-30-656	Tape Measure Tylon - 8m/24'; - 25mm	X	36	3	2 5 3 5 6 0 3 0 6 5 6 4

TAPE MEASURE




- Polymer protective layer and sturdy ABS housing
- Clearly readable
- Chromed belt clip
- Ergonomic design with strap lock button
- TRU-ZERO™ hook for precise inner and outer measurements.
- Accuracy: Class II

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-30-487	Tape measure 3m - 12.7mm	-	12	3	2 5 3 5 6 1 3 0 4 8 7 3
0-30-497	Tape measure 5m - 19mm	X	6	3	2 5 3 5 6 0 3 0 4 9 7 3
1-30-497	Tape measure 5m - 19mm	-	12	3	2 5 3 5 6 1 3 0 4 9 7 2
0-30-457	Tape measure 8m - 25mm	X	6	3	2 5 3 5 6 0 3 0 4 5 7 7

FOLDING RULERS - FOLDING RULERS

FOLDING RULER WOOD



- Multi layered finish
- Weatherproof top layer with UV coating
- Copper fittings
- Hidden rivets and steel coil springs

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-35-455	Folding rule 2m - 15 mm wood	X	10	3	2 5 3 5 6 0 3 5 4 5 5 8

FOLDING RULER WOOD - YELLOW/WHITE



- Multi layered finish
- Weather resistant top layer with UV coating
- Copper fittings
- Hidden rivets and steel coil springs

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-35-458	Folding Ruler 2m - 15 mm Yellow/White	X	10	3	2 5 3 5 6 0 3 5 4 5 8 9

FOLDING RULER PLASTIC



- Fiberglass ruler
- Deep engraving
- Red decimal numbers
- Hollow rivets and double coil springs

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-35-229	Folding ruler 2m plastic	X	10	3	2 5 3 5 6 0 3 5 2 2 9 5



FATMAX® HAMMER

Performance from within

We have conducted extensive research to develop ANTIVIBE™ hammers. Thanks to the new technology to dampen vibrations, your hands and arms are optimally protected against shocks. And yet you have more power than with traditional hammers. So you get the ultimate power and control - in every strike.

ANTIVIBE™ HAMMERS




THE IDEAL COMBINATION OF POWER AND COMFORT

Head and core are made from 1 single piece.
 Thermal treatment of the impact area prevents wear.
 Exceptional durability head with enlarged hitting area
 Exclusive tuning fork shock absorber system for very good protection against shocks.
 Ergonomic handle in flexible polyurethane coating for optimal grip and perfect balance.

ANTIVIBE SYSTEM

This system has been specially developed to reduce vibrations and thus also reduces user fatigue.

Comparative analysis of the dampening effect



COMPO-CAST HAMMERS

NO RECOIL

Small steel balls in the head of the hammer ensure that the hammer does not bounce back after the strike.

NO SPARKS


No part of the metal is left unprotected, which allows the hammers to be used in places where even the smallest spark could cause an explosion.

SHOCKPROOF


The head and metal handle are completely covered with a thick layer of urethane to protect tools and surfaces from hammer impact.

DURABILITY

The handle is soldered to the head for longer life. Solid steel shaft for reinforcement.



With each hit, the metal balls moves to absorb vibrations, avoid recoil, and improve control.





GLASSFIBER HAMMER

The longer handle and fiberglass shaft provide even better performance and durability.

CLAW HAMMERS

FATMAX® CURVED CLAW HAMMER NEXT GENERATION

STANLEY
FATMAX

- Patented Over-Sized Strike Face 25% larger "Sweet Spot"
- Patented AntiVibe™ hammer
- Renewed design and softer hammer
- Accurately balanced head
- AntiVibe™ Proprietary Tuning Fork Designed to reduce vibration and arm fatigue



CODE	DESCRIPTION				PRICE
FMHT1-51275	FATMAX Curved Claw Hammer AntiVibe Next Gen 450gr	X	4		
FMHT1-51277	FATMAX Curved Claw Hammer AntiVibe Next Gen 570gr	X	4		

FATMAX® CLAW HAMMER NEXT GEN - STRAIGHT CLAW

STANLEY
FATMAX

- Patented Over-Sized Strike Face 25% larger "Sweet Spot"
- Patented AntiVibe™ hammer
- Renewed design and softer hammer
- Accurately balanced head
- AntiVibe™ Proprietary Tuning Fork Designed to reduce vibration and arm fatigue



CODE	DESCRIPTION				PRICE
FMHT1-51276	FATMAX Claw Hammer AntiVibe Next Gen 450gr - Straight Claw	X	4		
FMHT1-51278	FATMAX Claw Hammer AntiVibe Next Gen 570gr - Straight Claw	X	4		

CURVED CLAW HAMMER FIBERGLASS

- Bi-material non-slip hammer
- Longer Hammer for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use



CODE	DESCRIPTION				PRICE
STHT0-51309	Claw hammer Fiberglass 450gr	-	4		
STHT0-51310	Claw hammer Fiberglass 560gr	-	4		

CLAW HAMMER STEELMASTER™

- Tempered steel head for strength, durability and safety
- Tempered head edge –for durability and safety
- Ergonomically shaped Hammer (DynagGrip® Pro) – for comfortable grip and more safety
- Connection of head and Hammer - withstands a 5 ton impact
- Tubular oval shaft combines strength with a lightweight feel



CODE	DESCRIPTION				PRICE
1-51-031	Claw hammer Steelmaster 450gr	-	4	0 0 0 3 6 6 1 5 1 0 3 1 6	
1-51-033	Claw hammer Steelmaster 570gr	-	4	0 0 0 3 6 6 1 5 1 0 3 3 0	

CLAW HAMMER BLUE STRIKE

- Tempered and forged head for strength and durability
- Tubular oval shaft combines strength with a lightweight feel



CODE	DESCRIPTION				PRICE
1-51-488	Claw hammer Blue Strike 450gr	-	6	2 5 3 5 6 1 1 5 1 4 8 8 3	
1-51-489	Claw hammer Blue Strike 570gr	-	6	3253561514890	

BLACKSMITH HAMMERS

BLACKSMITH HAMMER FIBERGLASS

- Bi-material non-slip hammer
- Longer hammer for improved performance
- Overstrike protection for added durabilityFiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use



CODE	DESCRIPTION				PRICE
STHT0-54158	Blacksmith Hammer Fiberglass 160gr	-	4	2 5 3 5 6 0 1 5 4 1 5 8 3	
STHT0-54159	Blacksmith Hammer Fiberglass 315gr	-	4	2 5 3 5 6 0 1 5 4 1 5 9 0	
STHT0-54160	Blacksmith Hammer Fiberglass 500gr	-	4	2 5 3 5 6 0 1 5 4 1 6 0 6	

BLACKSMITH HAMMER WOOD

- Ash wood hammer (high quality) for durability and balance
- Tempered steel head for strength, durability and safety
- Flat head with chamfered corners gives strength and prevents damage
- Unbreakable hammer thanks to super strong connection of head and Hammer - for more safety
- DIN 6475



CODE	DESCRIPTION				PRICE
1-54-638	Blacksmith Hammer Wood 100gr*	-	4	2 5 3 5 6 1 1 5 4 6 3 8 9	
1-54-641	Blacksmith Hammer Wood 315gr*	-	4	2 5 3 5 6 1 1 5 4 6 4 1 9	
1-54-642	Blacksmith Hammer Wood 400gr*	-	4	2 5 3 5 6 1 1 5 4 6 4 2 6	
1-54-643	Blacksmith Hammer Wood 500gr*	-	4	2 5 3 5 6 1 1 5 4 6 4 3 3	

*Not in the Nordic assortment - special order required

LOCKSMITH HAMMERS

LOCKSMITH HAMMER FIBERGLASS



- Bi-material hammer
- Longer hammer for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength and durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use

CODE	DESCRIPTION				PRICE
STHT0-51906	Locksmith hammer Fiberglass 200gr	-	4	3	
STHT0-51907	Locksmith hammer Fiberglass 300gr	-	4	3	
STHT0-51908	Locksmith hammer Fiberglass 500gr	-	4	3	
STHT0-51909	Locksmith hammer Fiberglass 800gr	-	4	3	
STHT0-51910	Locksmith hammer Fiberglass 1000gr	-	4	3	

LOCKSMITH HAMMER FIBERGLASS



- Bi-material non-slip hammer
- Longer hammer for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use

CODE	DESCRIPTION				PRICE
STHT0-54129	Locksmith hammer Fiberglass 200gr	-	4	3	
STHT0-54131	Locksmith hammer Fiberglass 300gr	-	4	3	
STHT0-54154	Locksmith hammer Fiberglass 500gr	-	4	3	
STHT0-54155	Locksmith hammer Fiberglass 800gr	-	2	3	
STHT0-54156	Locksmith hammer Fiberglass 1000gr	-	2	3	
STHT0-54157	Locksmith hammer Fiberglass 1250gr	-	2	3	

LOCKSMITH HAMMER WOOD



- Ash wood hammer (high quality) for durability and balance
- Tempered steel head for strength, durability and safety
- Flat head with chamfered corners provides strength and prevents damage
- Unbreakable hammer thanks to super strong connection of head and hammer - for more safety

CODE	DESCRIPTION				PRICE
1-51-171	Locksmith Hammer Wood 100gr*	-	4	3	
1-51-172	Locksmith Hammer Wood 200gr	-	4	3	
1-51-173	Locksmith Hammer Wood 300gr	-	4	3	
1-51-174	Locksmith Hammer Wood 400gr*	-	4	3	
1-51-175	Locksmith Hammer Wood 500gr*	-	4	3	
1-51-178	Locksmith Hammer Wood 800gr*	-	2	3	

*Not in the Nordic assortment - special order required

CLUB HAMMERS

CLUB HAMMER FIBERGLASS



- Bi-material non-slip club
- Longer club for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use

CODE	DESCRIPTION				PRICE
STHT0-54126	Club hammer Fiberglass 1000gr	-	2	3	
STHT0-54127	Club hammer Fiberglass 1250gr	-	2	3	
STHT0-54128	Club hammer Fiberglass 1500gr	-	2	3	

CLUB HAMMER WOODEN



- Ash wood club (high quality) for durability and balance
- Tempered steel head for strength, durability and safety
- Flat head with chamfered corners gives strength and prevents damage
- Unbreakable club thanks to super strong connection of head and club - for more safety

CODE	DESCRIPTION				PRICE
1-54-051	Club 1000gr	-	2	3	
1-54-052	Club 1250gr	-	2	3	
1-54-053	Club 1500gr	-	2	3	

CONSTRUCTION HAMMERS

RHINE TUBULAR STEELMASTER HAMMER



- Tempered steel head for strength and durability
- Ergonomically shaped hammer (Dynagrip® Pro) – for comfortable grip and more safety
- 5 ton force fit head to handle assembly for improved safety
- Sharp chisel for cutting bricks and slate

CODE	DESCRIPTION				PRICE
1-51-039	Rhine tubular steelmaster hammer 500gr	-	6	3	

COFFREUR HAMMER 750GR



- Bi-material non-slip hammer
- Longer club for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use

CODE	DESCRIPTION				PRICE
STHT0-54123	Coffreur hammer 750gr	-	2	3	

LATH HAMMER FIBERGLASS 600GR



- Bi-material grip non-slip lath hammer
- Longer hammer for improved performance
- Overstrike protection for added durability
- Fiberglass handle for strength & durability
- Epoxy bonded head provides tough connection to ensure no separation during normal use

CODE	DESCRIPTION				PRICE
STHT0-51311	Lath hammer Fiberglass 600gr	-	6	3	

LATH HAMMER ANTIVIBE 600GR



- Flexible ergonomic handle
- Head and handle forged in one part
- Heat treatment anti-glare of the zone of striking
- Flat squared head
- Patented AntiVibe™ hammer

CODE	DESCRIPTION				PRICE
1-51-937	Lath hammer Antivibe 600gr	-	6		3253561519376



PRACTICAL INFO

THE BEST SAWS TO MEET YOUR NEEDS

Choosing a hand saw is about selecting the right size and type of saw teeth for a specific job. Tooth size is measured in the number of full teeth per inch (tpi). Fewer and larger teeth give a fast cut, while more and smaller teeth ensure a finer finish.

The table below is a quick guide to which sawtooth size is best suited for different requirements. The number of teeth and the suggested applications can be found in the properties for all saws on the following pages.

FATMAX® BLADEARMOR® ☆☆☆☆☆

STANLEY
FATMAX

BLADE THICKNESS:
1 mm

BLADEARMOR - APPLIFLON INDUCTION
HARDENED PROTECTIVE COATING
For less resistance during sawing and against
rust formation


TRI-MATERIAL HANDLE
WITH FINGER REST
for extra comfort

INDUCTION HARDENED TEETH
for extra long life



TRIPLE GROUND TOOTH TECHNOLOGY
for faster and smoother sawing:
cutting in both push and pull motion

BLADE MARKINGS
for quickly marking of different angles



SHARPCUT ☆☆

STANLEY

Blade thickness: 0,85 mm



JET-CUT BLADEARMOR® ☆☆☆☆☆

STANLEY

Blade thickness: 0,85 mm*
Deeper teeth



*ook beschikbaar zonder BladeArmor®



TRADECUT ☆☆☆

STANLEY

Blade thickness: 0,85 mm



SPECIALITY HAND SAWS

For specific applications and materials
such as jab saws, drywall saws,
aerated concrete saws, hacksaws, etc.



SAWS

STANLEY saws are designed for manual precision, accuracy, and sharpness, our handsaws can cut through endless tasks. Whether you're working with molding, trim, or cutting with or across the woodgrain, we have the tool for you.

	SAW APPLICATION	SAW TEETH REQUIRED
CONSTRUCTION WORK	Construction carpentry, joists, stud framing, chipboard	LARGE TEETH 7 teeth per inch
FINISH WORK	Architraves and mouldings panelling, flooring, PVC	SMALL TEETH 11 teeth per inch
SPECIALIST WORK	Flooring, PVC pipes and mouldings, plasterboard and drywall panels, cellular concrete	SPECIALLY DESIGNED SAWS With different numbers and types of teeth to suit specific tasks

SAWS FOR WOOD

FATMAX® JETCUT HAND SAW

STANLEY
FATMAX

AVAILABLE IN 7 TEETH PER INCH - for rough cuts
AVAILABLE IN 11 TEETH PER INCH - for fine cutting



CODE	DESCRIPTION				PRICE
2-20-528	FATMAX JetCut Hand saw 380 mm - 7T/inch	-	6	3	2 5 3 5 6 2 1 2 0 5 2 8 5
2-20-529*	FATMAX JetCut Hand saw 500 mm - 7T/inch	-	6	3	2 5 3 5 6 2 1 2 0 5 2 9 2
2-20-530	FATMAX JetCut Hand saw 550 mm - 7T/inch	-	6	3	2 5 3 5 6 2 1 2 0 5 3 0 8
2-20-533*	FATMAX JetCut Hand Saw 450mm - 11T/inch	-	6	3	2 5 3 5 6 2 1 2 0 5 3 3 9

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

JETCUT HAND SAW SP



- Bi-Material handle for reduces vibrations and increased comfort - improved comfort and control
- With APPLIFLON coating for lower resistance during cutting and against corrosion
- Tothing with 3 cutting edges - for faster and smoother cuts
- Blade thickness: 0.85mm - less wobbling, better control
- Deeper cut teeth for faster cutting
- Special teeth for 20-50% faster and smoother cutting
- Induction hardened teeth - the blade stays sharp longer
- Handle with marking angles for 45° and 90°
- Available in 7 teeth per inch for coarse cuts

CODE	DESCRIPTION				PRICE
2-20-151*	JetCut Hand Saw SP 500mm - 7T/inch	-	6	3	2 5 3 5 6 2 1 2 0 1 5 1 5

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

JETCUT HAND SAW LAMINATOR



- Universal "Hardpoint" teeth and handle with marking angles for 45° and 90°
- Suitable for laminate

CODE	DESCRIPTION				PRICE
2-20-180	JetCut Laminator 450mm - 11T/inch	-	6	3	2 5 3 5 6 2 1 2 0 1 8 0 5

JETCUT HAND SAW



- Bi-Material handle for reduces vibrations and increased comfort - improved comfort and control
- Tothing with 3 cutting edges - for faster and smoother cuts
- Blade thickness: 0.85mm - less wobbling, better control
- Deeper cut teeth for faster cutting
- Induction hardened teeth - the blade stays sharp longer
- Handle with marking angles for 45° and 90°
- Available in 7 teeth per inch for coarse cuts - for soft wood, plastic coated chipboard and PVC
- Available in 11 teeth per inch for fine cuts - for both hard and soft wood, as well as a wide selection of plastic coated chipboard

CODE	DESCRIPTION				PRICE
2-15-281*	JetCut Hand saw SP 380 mm - 7T/inch*	-	6	3	2 5 3 5 6 2 1 1 5 2 8 1 7
2-15-283*	JetCut Hand Saw SP 450mm - 7T/inch*	-	6	3	2 5 3 5 6 2 1 1 5 2 8 3 1
2-15-288*	JetCut Hand Saw SP 500mm - 7T/inch*	-	6	3	2 5 3 5 6 2 1 1 5 2 8 8 6
2-15-289	JetCut Hand saw SP 550 mm - 7T/inch	-	6	3	2 5 3 5 6 2 1 1 5 2 8 9 3
2-15-594	JetCut Hand saw HP Fine 380 mm - 11T/inch	-	6	3	2 5 3 5 6 2 1 1 5 5 9 4 8
2-15-595*	JetCut Hand saw HP Fine 450 mm - 11T/inch*	-	6	3	2 5 3 5 6 2 1 1 5 5 9 5 5
2-15-599	JetCut Hand saw HP Fine 500 mm - 11T/inch	-	6	3	2 5 3 5 6 2 1 1 5 5 9 9 3
2-15-244	JetCut Hand saw HP Fine 550 mm - 11T/inch	-	6	3	2 5 3 5 6 2 1 1 5 2 4 4 2

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

TRADECUT HAND SAW

- Bi-Material handle for reduces vibrations and increased comfort - improved comfort and control
- Ergonomic design, optimal position of the fingers for extra control and comfort
- Tothing with 3 cutting edges - for faster and smoother cuts
- Blade thickness: 0.85mm - less wobbling, better control
- Induction hardened teeth - the blade stays sharp longer
- Ultrasonically welded saw blade and handle for extra durability
- Handle with marking angles for 45° and 90°
- Available in 8 teeth per inch for coarse cuts
- Available in 11 teeth per inch for fine cutting



CODE	DESCRIPTION				PRICE
STHT20348-1	Tradecut Hand saw Universal 380 mm - 8T/inch	-	10	3 253561 203480	
STHT20354-1	Tradecut Hand saw Universal 450 mm - 8T/inch*	-	10	3 253561 203541	
STHT20350-1	Tradecut Hand saw Universal 500 mm - 8T/inch*	-	10	3 253561 203503	
STHT1-20352	Tradecut Hand saw Universal 550 mm - 8T/inch	-	10	3 253561 203527	
STHT20349-1	Tradecut Hand saw Fine 380 mm - 11T/inch	-	10	3 253561 203497	
STHT20355-1	Tradecut Hand saw Fine 450 mm - 11T/inch*	-	10	3 253561 203558	
STHT20351-1	Tradecut Hand saw Fine 500 mm - 11T/inch*	-	10	3 253561 203510	
STHT1-20353	Tradecut Hand saw Fine 550 mm - 11T/inch	-	10	3 253561 203534	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SHARPCUT HAND SAW

- Eronomic bi-material handle - improved comfort and control
- Ergonomic design, optimal position of the fingers for extra control and comfort
- Tothing with 2 cutting surfaces
- Blade thickness: 0.85mm- less wobbling, better control
- Induction hardened teeth - the blade stays sharp longer
- Ultrasonically welded saw blade and handle for extra durability
- Handle with marking angles for 45° and 90°
- Available in 7 teeth per inch for coarse cuts
- Available in 11 teeth per inch for fine cutting



CODE	DESCRIPTION				PRICE
STHT20366-1	SharpCut Hand saw 380 mm - 7T/inch	-	10	3 253561 203664	
STHT20369-1	SharpCut Hand saw 380 mm - 11T/inch	-	10	3253561203695	
STHT20367-1*	SharpCut Hand Saw 500mm - 7T/inch*	-	10	3 253561 203671	
STHT20368-1	SharpCut Hand saw 550 mm - 7T/inch	-	10	3 253561 203688	
STHT20371-1*	SharpCut Hand Saw 500mm - 11T/inch*	-	10	3 253561 203718	
STHT20372-1	SharpCut Hand Saw 550mm - 11T/inch	-	10	3 253561 203725	
STHT20368-9	SharpCut Hand Saw 550mm - 7T/inch - Display x24	-	24	3253569203680	
STHT20372-9	SharpCut Hand Saw 550mm - 11T/inch - Display x24	-	24	3253569203727	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® TENON SAW

STANLEY
FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- Reinforced back for better control when cutting
- Tothing with 3 cutting edges - for faster and smoother cuts
- Handle with marking angles for 45° and 90°
- Available in 11 teeth per inch
- Available in 13 teeth per inch

CODE	DESCRIPTION				PRICE
2-17-199	FATMAX Tenon Saw 300mm - 11T/inch	X	4	3 253562 171993	
2-17-202	FATMAX Tenon Saw 350mm - 13T/inch	X	4	3 253562 172020	

FATMAX® FLOORBOARD SAW

STANLEY
FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- Extra teeth on the round nose for cutting blind slots and holes
- Handles with marking angles 45° and 90°

CODE	DESCRIPTION				PRICE
2-17-204	FATMAX Floorboard Saw 350 mm - 14T/inch	X	4	3 253562 172044	

STANLEY® FATMAX® REVERSIBLE FLUSH CUT SAW

STANLEY
FATMAX



- Quick reversible towel saw
- Ergonomic handle
- Reinforced back
- Extra wide saw blade for fine wood cutting

CODE	DESCRIPTION				PRICE
0-15-252	FATMAX Reversible Flush Cut Saw	-	8	3 253560 152529	

MITER BOXES

MITER BOX METAL ADJUSTABLE



- Precision miter box
- Specially hardened and tempered replacement blade with extra fine teeth
- Tightening screw on blade facilitates blade changes and ensures a clean and precise cut
- Miter box and saw guides
- Miter adjustable at 30, 45, 60, and 90°
- Adjustable length gauge for repeated cuts
- Handle with comfortable elastomer strip
- Workpiece can be fastened quickly by adjustable clamp nails
- Including saw blade (1-20-809) 560 mm

CODE	DESCRIPTION				PRICE
1-20-800	Miter Box Metal Adjustable L560 mm/W143 mm/H95 mm	-	1	3	2 5 3 5 6 1 1 2 0 8 0 0 3
1-20-809	Spare Blade Miter Saw 1-20-800	-	1	3	2 5 3 5 6 1 1 2 0 8 0 9 6


PLASTIC MITER BOX WITH MITER SAW



- Plastic miter box - miter saw with fine teeth included
- Built-in saw stop to prevent damage to the miter box
- Adjustable to angles of 90°, 45° and 22.5°
- Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION				PRICE
1-20-600	Plastic Miter Box with Miter Saw L300 mm/W130 mm/H80 mm	X	6	3	2 5 3 5 6 1 1 2 0 6 0 0 9


PLASTIC MITER BOX WITHOUT MITER SAW



- Plastic miter box
- Built-in saw stop to prevent damage to the miter box
- Adjustable to angles of 90°, 45° and 22.5°
- Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION				PRICE
1-20-112	Miter box Plastic L300 mm/W130 mm/H80 mm	-	6	3	2 5 3 5 6 1 1 2 0 1 1 2 7

MITER BOX PLASTIC ABS WITH MITER SAW



- Light anti-choc ABS miter box with miter saw
- Holes in the bottom to attach miter box to workbench
- Adjustable to angles of 90°, 45° and 22.5°
- Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION				PRICE
1-19-800	Plastic Miter Box with Miter Saw L350 mm/W143 mm/H95 mm	-	8	3	2 5 3 5 6 1 1 9 8 0 0 7

MITER BOX PLASTIC ABS WITHOUT MITER SAW



- Light anti-shock ABS miter box
- Holes in the bottom to attach miter box to workbench
- Adjustable to angles of 90°, 45° and 22.5°
- Object can be fixed thanks to 2 supplied pins

CODE	DESCRIPTION				PRICE
1-19-212	Miter box Plastic L300 mm/W143 mm/H95 mm	-	8	3	2 5 3 5 6 1 1 9 2 1 2 8

MITER BOX WOOD



- Traditional miter box made of dried beech wood, capacity: 120 mm
- Glued and screwed for strength
- Adjustable to angles of 45° and 90°
- Equipped with suspension eye to fix the miter box to the work table

CODE	DESCRIPTION				PRICE
1-19-194*	Miter Box Wood L350 mm/W122 mm/H60 mm	-	2	3	2 5 3 5 6 1 1 9 1 9 4 7

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

MITER BOX WOOD STANDARD



- Traditional miter box made of dried beech wood
- Glued and screwed for strength
- Adjustable to angles of 45° and 90°
- Equipped with suspension eye to fix the miter box to the work table

CODE	DESCRIPTION				PRICE
1-19-190*	Miter Box Wood L250 mm/W65 mm/H40 mm	-	2	3	2 5 3 5 6 1 1 9 1 9 0 9

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SPECIFIC SAWS

FATMAX® HAND SAW FOR PVC

STANLEY
FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- Tothing with 3 cutting edges - for faster and smoother cuts

CODE	DESCRIPTION				PRICE
2-17-206	FATMAX PVC Hand saw 300 mm - 11T/inch	X	4		

FATMAX® COMPASS SAW

STANLEY
FATMAX



- Bi-Material handle for reduces vibrations and increased comfort bolted to the blade
- Fine-toothed - 9 teeth per inch
- Tothing with 3 cutting edges - for faster and smoother cuts

CODE	DESCRIPTION				PRICE
2-17-205	FATMAX Compass saw 300 mm	X	4		

FATMAX® JAB SAW

STANLEY
FATMAX



- Sharpened point and thicker blade for easier cutting through drywall
- Tothing with 3 cutting edges - for faster and smoother cuts
- Hardened and tempered blade - ergonomic handle
- Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- Long, smooth pad, facilitates blade pushing and turning through drywall
- 2-20-556: Supplied with pouch

CODE	DESCRIPTION				PRICE
0-20-556	Jab saw FATMAX 355 mm - 7T/ inch	X	6		
2-20-556	Jab saw FATMAX 355 mm - 7T / inch + Holder	X	6		

FATMAX® FOLDABLE JAB SAW

STANLEY
FATMAX



- 8T/inch - suitable for drywall
- Tothing with 3 cutting edges - for faster and smoother cuts
- Locking mechanism in 3 positions (90°, 135° and 180°) for maximum flexibility - suitable for work in corners and against ceilings
- Ergonomic handle
- Folds compactly for safety
- Sharp point for piercing drywall

CODE	DESCRIPTION				PRICE
FMHT0-20559	FATMAX Foldable Saber Saw	X	6		

JAB SAW



- Suitable for cut-outs for sockets in drywall
- Sharpened point and thicker blade for easier cutting through drywall
- Long, smooth pad, facilitates blade pushing and turning through drywall

CODE	DESCRIPTION				PRICE
0-15-206*	Jab Saw 150mm - 6T/inch*	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® JAPANESE SAW

STANLEY
FATMAX



- Tothing with 3 cutting edges - for faster and smoother cuts
- Bi-Material handle for reduces vibrations and increased comfort
- Flexible saw blade for difficult work : resharpenable

CODE	DESCRIPTION				PRICE
0-20-331	FATMAX Japanese Saw	X	6		
3-20-331	FATMAX Japanese Saw Blades (1 piece)	X	4		

FATMAX® JAPANESE SAW FINE

STANLEY
FATMAX



- Saw blade for fine work at the workplace (17 teeth/inch)
- Tothing with 3 cutting edges - for faster and smoother cuts
- Bi-Material handle for reduces vibrations and increased comfort
- Flexible saw blade for difficult work : resharpenable
- Saw blade size: 250 mm

CODE	DESCRIPTION				PRICE
0-20-500*	Japanese Saw Fine 600 mm*	X	4		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® JAPANESE SAW FINE AND COARSE

**STANLEY
FATMAX**



- Saw blade for fine (17 teeth/inch) & coarse (8 teeth/inch) work
- Tothing with 3 cutting edges - for faster and smoother cuts
- Bi-Material handle for reduces vibrations and increased comfort
- Flexible saw blade for difficult work: resharpenable
- Saw blade size: 250 mm

CODE	DESCRIPTION				PRICE
0-20-501	Japanese Saw Fine/Coarse 600 mm	X	4	2 5 3 5 6 0 1 2 0 5 0 1 0	

JETCUT PLASTERBOARD SAW APPLIFLON



- Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- Induction hardened teeth - the blade stays sharp longer
- Tothing with 3 cutting edges - for faster and smoother cuts
- Combination saw with conventional teeth at the front for ease of starting cuts and long flexible teeth at the back for a quick and clean finish
- Handle with marking angles for 45° and 90°
- With APPLIFON coating for lower resistance during cutting and against rust formation
- Ideal for cutting plasterboard

CODE	DESCRIPTION				PRICE
2-20-149*	JetCut Plasterboard Saw APPLIFLON 550 mm - 7T/inch	-	6	2 5 3 5 6 2 1 2 0 1 4 9 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CELLULAR CONCRETE SAW



- Hand saw with coarse teeth (1.2 teeth per 25 mm), ideal for building blocks and soft stone
- Anti-choc ABS handle attached to saw with 2 screws
- Handle with marking angles for 45° and 90°
- Induction hardened teeth - the blade stays sharp longer

CODE	DESCRIPTION				PRICE
1-15-441	Cellular Concrete Saw 650mm - 1.2T/inch	-	4	2 5 3 5 6 1 1 5 4 4 1 6	

JETCUT DRYWALL SAW



- Handle made of anti-shock plastic and soft elastomer for a better, comfortable grip and control
- HardPoint teeth, does not need to be sharpened
- JetCut teeth with three cutting edges for faster and smoother cuts
- Combination saw with conventional teeth at the front for ease of starting cuts and long flexible teeth at the back for a quick and clean finish
- Handle with marking angles for 45° and 90°
- Ideal for cutting plasterboard

CODE	DESCRIPTION				PRICE
2-20-037	JetCut Drywall Saw 550mm - 7T/ inch	-	6	2 5 3 5 6 2 1 2 0 0 3 7 2	

JIGSAW




- Round, chrome-plated steel frame stretched
- Hardened and tempered High carbon steel for sharpness retention saw blade
- Blade is tightened by turning the handle
- Supplied with 3 spare blades

CODE	DESCRIPTION				PRICE
0-15-106	FATMAX Jigsaw 6 3/4	X	6	2 5 3 5 6 0 1 5 1 0 6 5	
0-15-061	Jigsaw blade	X	10	2 5 3 5 6 0 1 5 0 6 1 7	



PRACTICAL INFO




**PATENTED QUICK BLADE CHANGE AND
PATENTED BLADE TENSION**
Easy tension memorisation and adjustment
using a tightening wheel

HACK SAW FRAME

TURBO CUT!

1. H.L.E.-steel blade
2. Bi-material handle for intensive use. Groove support for precise guidance



SAW APPLICATION

For cutting soft or hard materials: semi-soft steel, cast iron, bronze.

For cutting hard metals, steel and obtuse angles. Best suited for all uses.

For cutting material with a thickness of less than 3 mm, fine tubes/pipes, profiles and sharp corners.

REQUIRED SAW TEETH

8 TEETH PER CM

10 TEETH PER CM

12 TEETH PER CM

SAWING METAL

HACKSAW FATMAX®

STANLEY
FATMAX



- Front handle with thumb rest
- Sturdy injection molded steel frame
- Tensioning mechanism protects the regulating wheel
- Spring-operated tension system
- Non-slip handle with magazine for spare blades
- Tension up to 150 kg
- Maximum cutting capacity 127 mm

CODE	DESCRIPTION				PRICE
1-20-531	FATMAX Hacksaw 300mm - 24T/inch	-	2	3 2535611205316	

FATMAX® 5 IN 1 HACKSAW

STANLEY
FATMAX



- Unique saw with 5 different saw blade settings
- Standard position of the hacksaw blade 90° with large cutting depth (120 mm) - can also be placed at an angle of 45°
- Hacksaw blade can be placed on the yellow handle as a compact hacksaw
- Saw blade can be mounted on the front of the yellow or black handle as a scrub saw
- Load up to 100kg
- Magazine for spare blades in the handle: Supplied with hacksaw blade and wood saw blade

CODE	DESCRIPTION				PRICE
0-20-108	FATMAX 5in1 Hacksaw	-	4	3 2535601201081	

HACKSAW TURBOCUT



- Fiberglass clad steel frame for maximum strength, rigidity and shock absorption
- Ergonomically designed bi-material frame and comfortable handle
- Patented quick tension and release system to replace and tighten the blade
- Maximum cutting capacity 110 mm
- Tension up to 80kg

CODE	DESCRIPTION				PRICE
1-20-110	Hacksaw frame Bi-Material Turbocut 300 mm - 24T/inch	-	4	3 2535611201103	


HACKSAW



- Sturdy steel frame
- Ribbed plastic handle for better grip
- Four blade positions for vertical and horizontal cutting
- Traditional wing nut for clamping the saw blade
- Maximum cutting capacity 95 mm
- Tension up to 100kg

CODE	DESCRIPTION				PRICE
1-15-122	Hacksaw frame 300 mm - 24T/inch	-	6	3 2535611151224	

HACKSAW - WOODEN HANDLE



- Saw blade adjustable in 4 positions
- Supplied with flexible LION saw blade
- Maximum cutting capacity 95 mm
- Total length 510 mm

CODE	DESCRIPTION				PRICE
1-15-123	Hacksaw - wooden handle*	-	5	3 2535611151231	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® MINI HACKSAW 300

STANLEY
FATMAX



- Rigid steel frame with knurled blade mounting screw
- Straight injection molded handle
- Blade length adjustable
- Flexible blade can be used for recessed cuts
- Suitable for all blade lengths and broken blades

CODE	DESCRIPTION				PRICE
0-15-211	FATMAX Mini Hacksaw Frame 300 mm	X	10	3 2535601152116	

MINI HACKSAW 250



- One piece injection molded frame with blade fixing screw
- Blade length adjustable
- Flexible blade can be used for recessed cuts
- Suitable for all blade lengths and broken blades

CODE	DESCRIPTION				PRICE
0-20-807	Hacksaw frame Mini 300 mm	X	6	3 2535601208073	

HACKSAW JUNIOR



- Comfortable molded handle
- Nickel plated square section frame for high strength and impact resistance
- Quick release lever to clamp and replace the blade

CODE	DESCRIPTION				PRICE
0-15-218	Hacksaw frame Junior 150 mm	X	10		
3-15-905	Hacksaw blade 150 mm - 5 pcs/card	X	10		

MINI HACKSAW WITH PLASTIC PISTOL GRIP



- Easy tensioning of the saw blade with the tensioning screw
- Supplied with 150mm saw blade

CODE	DESCRIPTION				PRICE
1-15-317	Hacksaw frame Mini 150 mm	-	12		
3-15-905	Hacksaw blade 150 mm - 5 pcs/card	X	10		

SPARE BLADES HACKSAWS

FATMAX® HACKSAW BLADES

STANLEY
FATMAX



- Bimaterial, flexible saw blade
- 3x sharper and 15x longer life than standard carbon steel saw blades
- Available in 300mm (18, 24 and 32 TPI)

CODE	DESCRIPTION				PRICE
FMHT0-20194	FATMAX Hacksaw Blades 300 mm 18TPI - 2 pcs	X	10		
FMHT0-20195	FATMAX Hacksaw Blades 300 mm 24TPI - 2 pcs	X	10		
FMHT0-20196	FATMAX Hacksaw Blades 300 mm 32TPI - 2 pcs	X	10		
FMHT0-20232	FATMAX Hacksaw blades 300 mm mix - 5 pieces*	X	5		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HACKSAW BLADE LASER CUT



- Fully heat treated high speed steel (HSS)
- Sturdy and strong performing blade

CODE	DESCRIPTION				PRICE
1-15-558	Hacksaw blade 300 mm - 24T/ inch (box 100)*	-	1		
1-15-559	Hacksaw blade 300 mm - 32T/ inch (box 100)*	-	1		
2-15-558	Hacksaw blade 300mm - 24T/ inch (5pcs/card)*	X	5		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HACKSAW BLADE RUBIS



- Fully heat treated molybdenum steel (HSS)
- Rigid, extra durable blade - designed to cut all types of metal

CODE	DESCRIPTION				PRICE
0-15-900*	Hacksaw blade 300 mm - Mix (5 pieces/card)	X	5		
0-15-906	Hacksaw blade 300mm - 24T/ inch (2pcs/card)	X	5		
1-15-906	Hacksaw blade 300 mm - 24T/ inch (box 100)	-	1		
2-15-906*	Hacksaw blade 300mm - 24T/ inch (5pcs/card)	X	5		
1-15-907*	Hacksaw blade 300 mm - 32T/ inch (box 100)	-	1		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HACKSAW BLADE LION



· Flexible general purpose tool steel hacksaw blade

CODE	DESCRIPTION				PRICE
0-15-801*	Hacksaw blade 300 mm - Mix (5 pcs/card)*	X	5	3	2 5 3 5 6 0 1 5 8 0 1 9
0-15-842	Hacksaw Blade 300mm - 24T/inch (2pcs/card)	X	10	3	2 5 3 5 6 0 1 5 8 4 2 2
1-15-842*	Hacksaw blade 300mm - 24T/inch (box 100)*	-	1	3	2 5 3 5 6 1 1 5 8 4 2 1
2-15-842	Hacksaw Blade 300mm - 24T/inch (5pcs/card)	X	5	3	2 5 3 5 6 2 1 5 8 4 2 0

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SAW SETS

3 IN 1 SAW



· 3 saws in 1: a universal pull saw blade, a hacksaw blade and a scrub saw
· Soft grip handle for enhanced control and comfort

CODE	DESCRIPTION				PRICE
0-20-092	3in1 Saw	X	2	3	2 5 3 5 6 0 2 0 0 9 2 3

TREE/PRUNING SAWS

RAKER TOOTH BOW SAW HP



· Oval tubular steel frame, for strength
· Simple system for changing and tensioning saw blades
· American teeth induction hardened - the blade stays sharp longer
· Handle with anti-shock hand protection
· Blade with straight teeth, suitable for green and wet wood

CODE	DESCRIPTION				PRICE
1-15-379	Raker Tooth Bow Saw HP 530 mm	-	6	3	2 5 3 5 6 1 1 5 3 7 9 2
1-15-368	Raker Tooth Bow Saw HP 610 mm	-	6	3	2 5 3 5 6 1 1 5 3 6 8 6
1-15-403	Raker Tooth Bow Saw HP 760 mm	-	6	3	2 5 3 5 6 1 1 5 4 0 3 4

RAKER/HACKSAW



· Medium duty, tubular steel frame with oval section for strength
· Steel hand protection
· Simple system to replace and tighten the blade
· Supplied with a raker blade for green wood and one hacksaw blade for hacksaws

CODE	DESCRIPTION				PRICE
1-20-447	Tree/Hacksaw 300 mm	-	6	3	2 5 3 5 6 1 2 0 4 4 7 0
1-20-437	Raker saw blade 300 mm	-	10	3	2 5 3 5 6 1 2 0 4 3 7 1



SPARE BLADES TREE/PRUNING SAWS

RAKER SAW BLADE



- Straight teeth for dried wood
- Made of high quality Swedish steel
- Induction hardened teeth - the blade stays sharp longer

CODE	DESCRIPTION				PRICE
1-15-382	Raker saw blade 530 mm	-	10	3 2 5 3 5 6 1 1 5 3 8 2 2	

RAKER TOOTH BOW SAW BLADE



- Blade with American teeth, suitable for green and wet wood
- Made of high quality Swedish steel
- Induction hardened teeth - the blade stays sharp longer

CODE	DESCRIPTION				PRICE
1-15-439	Raker Tooth Bow Saw blade 530 mm	-	10	3 2 5 3 5 6 1 1 5 4 3 9 3	
1-15-446	Raker Tooth Bow Saw blade 610 mm	-	10	3 2 5 3 5 6 1 1 5 4 4 6 1	
1-15-448	Raker Tooth Bow Saw blade 750 mm	-	10	3 2 5 3 5 6 1 1 5 4 4 8 5	

THE MEASURE OF A PRO™



SCREWDRIVERS, BITS HEX KEYS

Drive bolts and screws with reliable precision. STANLEY® screwdrivers and hex keys deliver dependable, no-nonsense performance every time. Comfort, quality and versatility are the three attributes we engineer into our screwdriver line. Stanley screwdriver handles are shaped and sized to provide comfort in the hand and torque at the fastener head. The materials and construction are of the highest quality to resist corrosion, chipping and breaking. And with tips ranging from standard to Phillips® to Torx® to flat, STANLEY screwdrivers cover almost every application.

PRACTICAL INFO

OUR ASSORTMENT

Large selection of screwdrivers adapted to each type of screw.

STANLEY ESSENTIAL	STANLEY CUSHION GRIP	STANLEY FATMAX
		
<p>Chrome vanadium blade Soft handle for comfort Hardened tip</p>	<p>Magnetic tip Steel blade with chrome finish Bi-material handle</p>	<p>STAINLESS STEEL Stainless steel blade Doesn't give rust a chance</p> <p>BOLSTER These screwdrivers incorporate an additional hexagonal bolster for high torque applications, when used with an open end spanner.</p> <p>EXTRA DURABLE TIP 50% longer life*</p>


* Compared to STANLEY Cushion Grip screwdrivers

				
FLARED	PARALLEL	PHILLIPS	POZI	TORX
The collar is flared	The tip has the same width as of the screw			

FATMAX® SCREWDRIVERS

FATMAX® SCREWDRIVER STANDARD FLAT

STANLEY
FATMAX



CODE	DESCRIPTION	☒	☒	☒	PRICE
1-65-477*	FATMAX Screwdriver Standard flat 2.5 x 50 mm*	-	6	3	2 5 3 5 6 1 6 5 4 7 7 0
0-65-478*	FATMAX Screwdriver Standard flat 2.5 x 75 mm*	X	6	3	2 5 3 5 6 0 6 5 4 7 8 8
1-65-478*	FATMAX Screwdriver Standard flat 2.5 x 75 mm*	-	6	3	2 5 3 5 6 1 6 5 4 7 8 7
0-65-479	FATMAX Screwdriver Standard flat 3 x 75 mm	X	6	3	2 5 3 5 6 0 6 5 4 7 9 5
1-65-479*	FATMAX Screwdriver Standard flat 3 x 75 mm*	-	6	3	2 5 3 5 6 1 6 5 4 7 9 4
1-65-480*	FATMAX Screwdriver Standard flat 3 x 100 mm*	-	6	3	2 5 3 5 6 1 6 5 4 8 0 0
0-65-016	FATMAX Screwdriver Standard flat 4 x 100 mm	X	6	3	2 5 3 5 6 0 6 5 0 1 6 2
0-65-481	FATMAX Screwdriver Standard flat 4 x 125 mm	X	6	3	2 5 3 5 6 0 6 5 4 8 1 8
1-65-481*	FATMAX Screwdriver Standard flat 4 x 125 mm*	-	6	3	2 5 3 5 6 1 6 5 4 8 1 7
0-65-098	FATMAX Screwdriver Standard flat 5.5 x 100 mm	X	6	3	2 5 3 5 6 0 6 5 0 9 8 8
1-65-098*	FATMAX Screwdriver Standard flat 5.5 x 100 mm*	-	6	3	2 5 3 5 6 1 6 5 0 9 8 7
0-65-482	FATMAX Screwdriver Standard flat 5.5 x 125 mm	X	6	3	2 5 3 5 6 0 6 5 4 8 2 5
1-65-482*	FATMAX Screwdriver Standard flat 5.5 x 125 mm*	-	6	3	2 5 3 5 6 1 6 5 4 8 2 4

CODE	DESCRIPTION	☒	☒	☒	PRICE
0-65-483*	FATMAX Screwdriver Standard flat 5.5 x 150 mm*	X	6	3	2 5 3 5 6 0 6 5 4 8 3 2
1-65-483*	FATMAX Screwdriver Standard flat 5.5 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 4 8 3 1
0-65-141	FATMAX Screwdriver Standard flat 6.5 x 150 mm	X	6	3	2 5 3 5 6 0 6 5 1 4 1 1
1-65-141*	FATMAX Screwdriver Standard flat 6.5 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 1 4 1 0
0-65-137	FATMAX Screwdriver Standard flat 8 x 150 mm	X	6	3	2 5 3 5 6 0 6 5 1 3 7 4
1-65-137*	FATMAX Screwdriver Standard flat 8 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 1 3 7 3
0-65-138	FATMAX Screwdriver Standard flat 8 x 175 mm	X	6	3	2 5 3 5 6 0 6 5 1 3 8 1
1-65-138*	FATMAX Screwdriver Standard flat 8 x 175 mm*	-	6	3	2 5 3 5 6 1 6 5 1 3 8 0
0-65-139	FATMAX Screwdriver Standard flat 10 x 200 mm	X	6	3	2 5 3 5 6 0 6 5 1 3 9 8
1-65-139*	FATMAX Screwdriver Standard flat 10 x 200 mm*	-	6	3	2 5 3 5 6 1 6 5 1 3 9 7
0-65-143	FATMAX Screwdriver Standard flat 12 x 250 mm	X	6	3	2 5 3 5 6 0 6 5 1 4 3 5
1-65-143*	FATMAX Screwdriver Standard flat 12 x 250 mm*	-	6	3	2 5 3 5 6 1 6 5 1 4 3 4

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS PARALLEL

STANLEY
FATMAX



CODE	DESCRIPTION	☒	☒	☒	PRICE
0-65-006	FATMAX Screwdrivers Parallel 2.5 x 50 mm	X	6	3	2 5 3 5 6 0 6 5 0 0 6 3
1-65-006*	FATMAX Screwdrivers Parallel 2.5 x 50 mm*	-	6	3	2 5 3 5 6 1 6 5 0 0 6 2
0-64-978	FATMAX Screwdrivers Parallel 3 x 50 mm	X	6	3	2 5 3 5 6 0 6 4 9 7 8 4
1-64-978*	FATMAX Screwdrivers Parallel 3 x 50 mm*	-	6	3	2 5 3 5 6 1 6 4 9 7 8 3
0-65-008*	FATMAX Screwdrivers Parallel 3 x 100 mm*	X	6	3	2 5 3 5 6 0 6 5 0 0 8 7
1-65-008*	FATMAX Screwdrivers Parallel 3 x 100 mm*	-	6	3	2 5 3 5 6 1 6 5 0 0 8 6
0-64-979*	FATMAX Screwdrivers Parallel 3 x 150 mm*	X	6	3	2 5 3 5 6 0 6 4 9 7 9 1
1-64-979	FATMAX Screwdrivers Parallel 3 x 150 mm	-	6	3	2 5 3 5 6 1 6 4 9 7 9 0
0-64-983*	FATMAX Screwdrivers Parallel 3.5 x 75 mm*	X	6	3	2 5 3 5 6 0 6 4 9 8 3 8
1-64-983*	FATMAX Screwdrivers Parallel 3.5 x 75 mm*	-	6	3	2 5 3 5 6 1 6 4 9 8 3 7
0-64-984*	FATMAX Screwdrivers Parallel 3.5 x 100 mm*	X	6	3	2 5 3 5 6 0 6 4 9 8 4 5
1-64-984*	FATMAX Screwdrivers Parallel 3.5 x 100 mm*	-	6	3	2 5 3 5 6 1 6 4 9 8 4 4
0-65-017	FATMAX Screwdrivers Parallel 4 x 100 mm	X	6	3	2 5 3 5 6 0 6 5 0 1 7 9
1-65-017*	FATMAX Screwdrivers Parallel 4 x 100 mm*	-	6	3	2 5 3 5 6 1 6 5 0 1 7 8
0-65-093*	FATMAX Screwdrivers Parallel 4 x 150 mm*	X	6	3	2 5 3 5 6 0 6 5 0 9 3 3
1-65-093*	FATMAX Screwdrivers Parallel 4 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 0 9 3 2
1-65-476*	FATMAX Screwdrivers Parallel 5.5 x 125 mm*	-	6	3	2 5 3 5 6 1 6 5 4 7 6 3
0-65-094	FATMAX Screwdrivers Parallel 5.5 x 150 mm	X	6	3	2 5 3 5 6 0 6 5 0 9 4 0
1-65-094*	FATMAX Screwdrivers Parallel 5.5 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 0 9 4 9
0-65-096	FATMAX Screwdrivers Parallel 6.5 x 150 mm	X	6	3	2 5 3 5 6 0 6 5 0 9 6 4
1-65-096*	FATMAX Screwdrivers Parallel 6.5 x 150 mm*	-	6	3	2 5 3 5 6 1 6 5 0 9 6 3
1-65-097*	FATMAX Screwdrivers Parallel 6.5 x 200 mm*	-	6	3	2 5 3 5 6 1 6 5 0 9 7 0

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS PARALLEL STUBBY

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
1-65-484	FATMAX Screwdrivers Parallel 4 x 30 mm	-	6		
0-65-400	FATMAX Screwdrivers Parallel 5.5 x 30 mm	X	6		
1-65-400*	FATMAX Screwdrivers Parallel 5.5 x 30 mm*	-	6		
0-65-404*	FATMAX Screwdrivers Parallel 6.5 x 30 mm*	X	6		
1-65-404*	FATMAX Screwdrivers Parallel 6.5 x 30 mm*	-	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER PHILLIPS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-65-204	FATMAX Screwdriver Phillips PH00 x 50 mm	X	6		
1-65-204*	FATMAX Screwdriver Phillips PH00 x 50 mm*	-	6		
0-65-206	FATMAX Screwdriver Phillips PH0 x 75 mm	X	6		
1-65-206*	FATMAX Screwdriver Phillips PH0 x 75 mm*	-	6		
0-65-207	FATMAX Screwdriver Phillips PH1 x 100 mm	X	6		
1-65-207*	FATMAX Screwdriver Phillips PH1 x 100 mm*	-	6		
1-65-208*	FATMAX Screwdriver Phillips PH1 x 250 mm*	-	6		
0-65-209*	FATMAX Screwdriver Phillips PH2 x 125 mm*	X	6		
1-65-209	FATMAX Screwdriver Phillips PH2 x 125 mm	-	6		
0-65-224*	FATMAX Screwdriver Phillips PH2 x 250 mm*	X	6		
1-65-224*	FATMAX Screwdriver Phillips PH2 x 250 mm*	-	6		
0-65-316*	FATMAX Screwdriver Phillips PH3 x 150 mm*	X	6		
1-65-316	FATMAX Screwdriver Phillips PH3 x 150 mm	-	6		
0-65-317*	FATMAX Screwdriver Phillips PH4 x 200 mm*	X	6		
1-65-317*	FATMAX Screwdriver Phillips PH4 x 200 mm*	-	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER PHILLIPS STUBBY

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-65-406	FATMAX Screwdriver Phillips PH1 x 30 mm	X	6		
1-65-406*	FATMAX Screwdriver Phillips PH1 x 30 mm*	-	6		
0-65-407	FATMAX Screwdriver Phillips PH2 x 30 mm	X	6		
1-65-407*	FATMAX Screwdriver Phillips PH2 x 30 mm*	-	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER POZIDRIV

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-65-319	FATMAX Screwdriver Pozidriv PZ0 x 75 mm	X	6		
1-65-319*	FATMAX Screwdriver Pozidriv PZ0 x 75 mm*	-	6		
0-65-335	FATMAX Screwdriver Pozidriv PZ1 x 100 mm	X	6		
1-65-335*	FATMAX Screwdriver Pozidriv PZ1 x 100 mm*	-	6		
0-65-336*	FATMAX Screwdriver Pozidriv PZ1 x 250 mm*	X	6		
1-65-336*	FATMAX Screwdriver Pozidriv PZ1 x 250 mm*	-	6		
0-65-337	FATMAX Screwdriver Pozidriv PZ2 x 125 mm	X	6		
1-65-337*	FATMAX Screwdriver Pozidriv PZ2 x 125 mm*	-	6		
0-62-571*	FATMAX Screwdriver Pozidriv PZ2 x 250 mm*	X	6		
1-62-571*	FATMAX Screwdriver Pozidriv PZ2 x 250 mm*	-	6		
0-65-338	FATMAX Screwdriver Pozidriv PZ3 x 150 mm	X	6		
1-65-338*	FATMAX Screwdriver Pozidriv PZ3 x 150 mm*	-	6		
0-65-339*	FATMAX Screwdriver Pozidriv PZ4 x 200 mm*	X	6		
1-65-339*	FATMAX Screwdriver Pozidriv PZ4 x 200 mm*	-	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVER POZIDRIV STUBBY

STANLEY
FATMAX



CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-408	FATMAX Screwdriver Pozidriv PZ1 x 30 mm*	X	6	3	2 5 3 5 6 0 1 6 5 4 0 8 5
1-65-408*	FATMAX Screwdriver Pozidriv PZ1 x 30 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 0 8 4
0-65-409*	FATMAX Screwdriver Pozidriv PZ2 x 30 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 0 9 2
1-65-409*	FATMAX Screwdriver Pozidriv PZ2 x 30 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 0 9 1

FATMAX® SCREWDRIVERS TORX

STANLEY
FATMAX



CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-340	FATMAX Screwdriver Torx T10 x 75 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 4 0 8
1-65-340*	FATMAX Screwdriver Torx T10 x 75 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 4 0 7
0-65-395	FATMAX Screwdriver Torx T15 x 75 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 9 5 8
1-65-395*	FATMAX Screwdriver Torx T15 x 75 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 9 5 7
0-65-396	FATMAX Screwdriver Torx T20 x 100 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 9 6 5
1-65-396*	FATMAX Screwdriver Torx T20 x 100 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 9 6 4
0-65-397	FATMAX Screwdriver Torx T25 x 100 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 9 7 2
1-65-397*	FATMAX Screwdriver Torx T25 x 100 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 9 7 1
0-65-398	FATMAX Screwdriver Torx T30 x 125 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 9 8 9
1-65-398*	FATMAX Screwdriver Torx T30 x 125 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 9 8 8
0-65-399	FATMAX Screwdriver Torx T40 x 125 mm	X	6	3	2 5 3 5 6 0 1 6 5 3 9 9 6
1-65-399*	FATMAX Screwdriver Torx T40 x 125 mm*	-	6	3	2 5 3 5 6 1 1 6 5 3 9 9 5
FMHT65387-0	FATMAX Screwdriver Torx set - T10 - T15 - T25 - T27 - T30 - T40	-	6		3253560653873

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FMHT65387-0



FATMAX® SCREWDRIVERWRENCH TORX TAMPERPROOF/RESITORX

STANLEY
FATMAX



CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT65380-0	FATMAX Screwdriver Torx T10 x 75 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 0 4
FMHT65381-0	FATMAX Screwdriver Torx T15 x 75 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 1 1
FMHT65382-0	FATMAX Screwdriver Torx T20 x 100 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 2 8
FMHT65383-0	FATMAX Screwdriver Torx T25 x 100 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 3 5
FMHT65384-0	FATMAX Screwdriver Torx TT27 x 125 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 4 2
FMHT65385-0	FATMAX Screwdriver Torx T30 x 125 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 5 9
FMHT65386-0	FATMAX Screwdriver Torx T40 x 125 mm tamperproof	X	6	3	2 5 3 5 6 0 1 6 5 3 8 6 6

FATMAX® 5 PCS SCREWDRIVER SET PARALLEL/STANDARD FLAT/PHILLIPS

STANLEY
FATMAX



- Parallel 3.5×75mm, 5.5×125mm
- Standard flat 8 × 100mm
- Phillips PH1×100mm, PH2×125mm

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-436*	FATMAX Screwdriver set 5-pcs St/Par/Ph*	X	6	3 2 5 3 5 6 0 1 6 5 4 3 6 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 5 PCS SCREWDRIVER PARALLEL/PHILLIPS DRIVER SET

STANLEY
FATMAX



- Parallel 3.5 × 75mm, 4 × 100mm, 5.5 × 125mm
- Phillips PH1×100mm, PH2×125mm

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-440	FATMAX Screwdriver set 5 Pcss Par/Ph	X	6	3 2 5 3 5 6 0 1 6 5 4 4 0 5	

FATMAX® 6 PCS SCREWDRIVER SET TORX

STANLEY
FATMAX



- Torx T10×75mm, T15×75mm, T20×100mm, T25×100mm, T30×125mm, T40×125mm

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-099	FATMAX Screwdriver set 6-pcs Torx	X	6	3 2 5 3 5 6 0 1 6 5 0 9 9 5	

FATMAX® 6 PCS SCREWDRIVER SET PHILLIPS

STANLEY
FATMAX



- Content: 3.5×75, 4×100, 5.5×125, PH0, PH1 & PH2

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-62626*	FATMAX Screwdriver set 6-pcs PH*	X	6	3 2 5 3 5 6 0 1 6 2 6 2 6 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 6 PCS SCREWDRIVER SET POZIDRIV

STANLEY
FATMAX



- Parallel 3.5×75mm, 5.5×150mm
- Standard flat 5.5×100mm, 8×150mm
- Pozidriv PZ1×100, PZ2×125mm

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-428*	FATMAX Screwdriver set 6-pcs St/Par/Poz*	X	6	3 2 5 3 5 6 0 1 6 5 4 2 8 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 6 PCS SCREWDRIVER SET WITH WATERPUMP PLIER

STANLEY
FATMAX



- Content: 3.5 × 75, 4 × 100, 5.5 × 125, PH1, PH2 & pipe wrench

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-62639	FATMAX Screwdriver set Water pump plier 6 pcs	X	6	3 2 5 3 5 6 0 1 6 2 6 3 9 6	

FATMAX® 7 PCS SCREWDRIVER SET PHILLIPS/POZIDRIV

STANLEY
FATMAX



- Parallel 3.5×75mm, 5.5×125mm
- Standard flat 6.5 × 150mm
- Phillips PH1×100mm, PH2×125mm
- Pozidriv PZ1 × 100mm PZ2 × 125mm

CODE	DESCRIPTION	☐	☒	☐	PRICE
0-65-438	FATMAX Screwdriver set 7-pcs St/Par/Ph/Poz	X	6	3 2 5 3 5 6 0 1 6 5 4 3 8 2	

FATMAX® 7 PCS SCREWDRIVER SET PHILLIPS

STANLEY
FATMAX

· Content: 2.5x50, 3.5x75, 4x100, 5.5x125, 6.5x150, PH1 & PH2

CODE	DESCRIPTION				PRICE
FMHT0-62627*	FATMAX Screwdriver set 7-pcs PH*	X	6	3 25356011626273	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.



FATMAX® 7 PCS SCREWDRIVER SET POZIDRIV

STANLEY
FATMAX

· Parallel 3.5x75mm, 3x100mm
· Standard flat 5.5x100mm, 8x150mm
· Pozidriv PZ0 x 75mm, PZ1 x 100mm, PH2 x 125mm

CODE	DESCRIPTION				PRICE
0-65-425	FATMAX Screwdriver set 7-pcs St/Par/Poz	X	6	3 25356011654252	



FATMAX® 8 PCS SCREWDRIVER SET PHILLIPS

STANLEY
FATMAX

· Parallel 3.5x75mm, 5.5x125mm
· Standard flat 4 x 100mm, 6.5 x 150mm, 8 x 150mm
· Phillips PH0 x 75mm, PH1 x 100mm, PH2 x 125mm

CODE	DESCRIPTION				PRICE
0-65-437	FATMAX Screwdriver set 8-pcs St/Par/Ph	X	6	3 25356011654375	



FATMAX® 9 PCS SCREWDRIVER SET POZIDRIV

STANLEY
FATMAX

· Parallel 3 x 50mm, 4 x 100mm, 6.5 x 30mm
· Standard flat 5.5 x 100mm, 6.5 x 150mm, 8 x 150mm
· Pozidriv PZ0 x 75mm, PZ1 x 100mm, PZ2 x 100mm

CODE	DESCRIPTION				PRICE
FMHT65424-0*	FATMAX Screwdriver set 9-pcs St/Par/Poz*	X	10	3 25356111654244	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.



FATMAX® 10 PCS SCREWDRIVER SET PHILLIPS

STANLEY
FATMAX

· Parallel 3 x 50mm, 4 x 100mm
· Standard flat 5.5 x 100mm, 6.5 x 150mm, 8 x 150mm
· Phillips PH00 x 50mm, PH0 x 75mm, PH1 x 100mm, PH2 x 125mm
· Voltage tester

CODE	DESCRIPTION				PRICE
FMHT65439-0*	FATMAX Screwdriver set 10-pcs St/Par/Ph/Voltage tester	X	10	3 25356111654398	51.50

*Not in the Nordic assortment - special order required. Minimum order quantity applied.



FATMAX® 12 PCS SCREWDRIVER SET PHILLIPS/POZIDRIV

STANLEY
FATMAX

· Parallel 2.5 x 50mm, 4 x 100mm, 5.5 x 150mm, 6.5 x 30mm
· Standard flat 5.5x100mm, 8x150mm
· Phillips PH0 x 75mm, PH1 x 100mm, PH2 x 125mm
· Pozidriv PZ0 x 75mm, PH1 x 100mm, PZ2 x 125mm

CODE	DESCRIPTION				PRICE
FMHT65426-0*	FATMAX Screwdriver set 12-pcs St/Par/Ph/Poz*	X	10	3 25356111654268	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.



FATMAX® BOLSTER SCREWDRIVERS

FATMAX® BOLSTER SCREWDRIVERS STANDARD FLAT

STANLEY
FATMAX



- Additional hex Bolster for high torque applications - use with an open end spanner
- Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-62619	FATMAX Bolster Standard flat 6.5 × 150mm	X	6	3	2 5 3 5 6 0 6 2 6 1 9 8
FMHT0-62620	FATMAX Bolster Standard flat 8 × 175 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 0 4
FMHT0-62621	FATMAX Bolster Standard flat 10 × 200 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 1 1

FATMAX® BOLSTER SCREWDRIVER PHILLIPS

STANLEY
FATMAX



- Use more force when screwdriving thanks to the attachment
- Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-62622	FATMAX Bolster Screwdriver PH2 × 125 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 2 8
FMHT0-62623	FATMAX Bolster Screwdriver PH3 × 150 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 3 5

FATMAX® BOLSTER SCREWDRIVER POZIDRIV

STANLEY
FATMAX



- Additional hex Bolster for high torque applications - use with an open end spanner
- Large diameter handle for excellent torque transmission and grip
- With soft-grip handle for comfortable use and color coded for quick selection of the right screwdriver
- Chrome vanadium steel blade for high resistance and limited risk of tip breakage
- Sandblasted tip for better screw grip and longer life

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMHT0-62624	FATMAX Bolster Screwdriver PZ2 × 125 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 4 2
FMHT0-62625	FATMAX Bolster Screwdriver PZ3 × 150 mm	X	6	3	2 5 3 5 6 0 6 2 6 2 5 9

PRACTICAL INFO

FATMAX® SCREWDRIVERS VDE

- High quality steel blade
- Black oxidized tip for extra protection
- Polyamide protective layer
- Guaranteed up to 1000 Volts
- Red handle (VDE)
- Identification on the handle




STANLEY
FATMAX
BORNEO Tip
For a better grip and fewer damaged screws



FATMAX® VDE SCREWDRIVERS

FATMAX® SCREWDRIVERS PARALLEL VDE

**STANLEY
FATMAX**



CODE	DESCRIPTION	☐	☒	☒	PRICE
0-65-410	FATMAX Screwdriver Parallel VDE 2.5 × 50 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 0 8
1-65-410*	FATMAX Screwdriver Parallel VDE 2.5 × 50 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 0 7
0-65-411	FATMAX Screwdriver Parallel VDE 3.5 × 75 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 1 5
1-65-411*	FATMAX Screwdriver Parallel VDE 3.5 × 75 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 1 4
0-65-412	FATMAX Screwdriver Parallel VDE 4 × 100 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 2 2
1-65-412*	FATMAX Screwdriver Parallel VDE 4 × 100 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 2 1
0-65-413	FATMAX Screwdriver Parallel VDE 5.5 × 150 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 3 9
1-65-413*	FATMAX Screwdriver Parallel VDE 5.5 × 150 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 3 8

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® FATMAX® VDE MULTI-BIT 10 PIECE SCREWDRIVER SET IN POUCH

**STANLEY
FATMAX**



- Heat-treated tips deliver improved torque, corrosion protection and long working life
- Heavy-duty plastic sheath insulation runs the full length of the bar to protect the user from live current. VDE compliant and certified to 1,000V for professional applications
- Large diameter, comfortable soft-grip handle provides excellent torque for driving screws
- 10 piece set that includes: Tip blades – 1 x Slotted 3.5mm, 1 x Slotted 5.5mm, 1 x 1-Point Phillips, 1 x 2-Point Phillips, 1 x Pozi 1, 1 x Pozi 2, mains tester (125-250V), large and small handles, compact and durable tool pouch

CODE	DESCRIPTION	☐	☒	☒	PRICE
FMHT66426-0	STANLEY® FATMAX® VDE Multi-Bit 10 Piece Screwdriver Set In Pouch	X	-	-	3253560664268



NEW

FATMAX® SCREWDRIVERS PHILLIPS VDE

**STANLEY
FATMAX**



CODE	DESCRIPTION	☐	☒	☒	PRICE
0-65-414	FATMAX Screwdriver Phillips VDE PH0 × 75 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 4 6
1-65-414*	FATMAX Screwdriver Phillips VDE PH0 × 75 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 4 5
0-65-415	FATMAX Screwdriver Phillips VDE PH1 × 100 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 5 3
1-65-415*	FATMAX Screwdriver Phillips VDE PH1 × 100 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 5 2
0-65-416	FATMAX Screwdriver Phillips VDE PH2 × 125 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 6 0
1-65-416*	FATMAX Screwdriver Phillips VDE PH2 × 125 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 6 9

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS POZIDRIV VDE

**STANLEY
FATMAX**



CODE	DESCRIPTION	☐	☒	☒	PRICE
0-65-417	FATMAX Screwdriver Pozidriv VDE PZ0 × 75 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 7 7
1-65-417*	FATMAX Screwdriver Pozidriv VDE PZ0 × 75 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 7 6
0-65-418	FATMAX Screwdriver Pozidriv VDE PZ1 × 100 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 8 4
1-65-418*	FATMAX Screwdriver Pozidriv VDE PZ1 × 100 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 8 3
0-65-419	FATMAX Screwdriver Pozidriv VDE PZ2 × 125 mm	X	6	3	2 5 3 5 6 0 1 6 5 4 1 9 1
1-65-419*	FATMAX Screwdriver Pozidriv VDE PZ2 × 125 mm*	-	6	3	2 5 3 5 6 1 1 6 5 4 1 9 0

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® SCREWDRIVERS VDE BORNEO - PHILLIPS & POZI

STANLEY
FATMAX

- VDE Borneo Screwdrivers for a better grip and less damaged on the screw
- Insulated blade for safety - all STANLEY® VDE screw drivers are tested to 10,000 volts and guaranteed safe to 1,000 volts
- Soft-grip handle for comfortable use



CODE	DESCRIPTION				PRICE
FMHT0-62649	FATMAX Screwdriver set VDE Borneo Pozi PZ1 & PZ2 x 125mm	X	6		
FMHT0-62648	FATMAX Screwdriver set VDE Borneo 2 pcs: PH1 x 100mm & PH2 x 125mm	X	6	3253560626488	

FATMAX® 10 PCS SCREWDRIVER SET VDE - PHILLIPS/POZIDRIV

STANLEY
FATMAX

- Content: Parallel 2.5 x 50 mm, 3.5 x 75 mm, 5.5 x 150 mm -Phillips 0 x 75 mm, 1 x 100 mm, 2 x 125 mm - Pozidriv 0 x 75 mm, 1 x 100 mm , 2 x 125 mm - Voltage tester 3 x 64 mm



CODE	DESCRIPTION				PRICE
FMHT62573-0*	FATMAX Screwdriver set VDE 10-pcs -Par/Ph/Poz/Voltage tester*	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 6 PCS SCREWDRIVER SET VDE - PHILLIPS

STANLEY
FATMAX

- Content: Parallel 2.5 x 50 mm, 3.5 x 75 mm, 5.5 x 150 mm - Phillips 1 x 100 mm, 2 x 125 mm - Voltage tester 3 x 64 mm



CODE	DESCRIPTION				PRICE
0-65-441	FATMAX Screwdriver set VDE 6 Pcss - Par/Ph/Voltage tester	X	6		

FATMAX® 5 PCS PRO SCREWDRIVER SET VDE - NARROW TIP

STANLEY
FATMAX

- VDE Borneo Screwdrivers for a better grip and less damaged on the screw
- Insulated blade for safety - all STANLEY® VDE screwdrivers are tested to 10,000 volts and guaranteed safe to 1,000 volts
- Soft-grip handle for comfortable use
- Narrow tip



CODE	DESCRIPTION				PRICE
XTHT0-62692*	FATMAX Pro Screwdriver set VDE 5 Pcs - PH Narrow Tip*	X	6		
XTHT0-62693*	FATMAX Pro Screwdriver set VDE 5 Pcs - PZ Narrow Tip*	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® 6 PCS SCREWDRIVER SET VDE - POZIDRIV

STANLEY
FATMAX

- Content: Parallel 2.5 x 50 mm, 3.5 x 75 mm, 5.5 x 150 mm - Pozidriv 1 x 100 mm, 2 x 125 mm - Voltage tester 3 x 64 mm



CODE	DESCRIPTION				PRICE
0-65-443	FATMAX Screwdriver set VDE 6 Pcss - Par/Poz/Voltage tester	X	6		

VDE SCREWDRIVER SETS



- Moulded handle to bar connection for longer life and more torque transfer from handle to screw
- Thinner towards the tip of the screwdriver
- Chrome vanadium bar
- VDE & GS qualified - Tested to 10,000V, rated to 1,000V AC
- Conforms to DIN/ ANSI regulations and is usable in all industries
- Lanyard hang hole for easy storage and for applying more torque

· STHT60030-0: Pozi: PZ2 x 100mm , Slotted: 4.0 x 100mm


· STHT65556-0: 3 x Slotted: 0.4 x 2.5 x 75mm, 0.8 x 4.0 x 100mm and 1.0 x 5.5 x 125mm 2 x Pozidriv: PZ1 x 80mm and PZ2 x 100mm

· STHT60031-0: 4 x Slotted: 2.5mm x 75mm, 3.5mm x 75mm, 4mm x 100mm, 5.5 x 125mm 2 x Pozidriv: PZ1 x 80mm, PZ2x 100mm, Voltage Tester

CODE	DESCRIPTION				PRICE
STHT60030-0	VDE Pozi and Slotted Screwdriver Set - 2 pcs	X	-	3253560600303	
STHT65556-0	VDE Screwdriver Set - 5 pcs	X	-	3253560655563	
STHT60031-0	VDE Screwdriver Set - 7 pcs	X	-	3253560600310	

CUSHION GRIP SCREWDRIVERS

CUSHIONGRIP SCREWDRIVERS STANDARD FLAT



CODE	DESCRIPTION				PRICE
STHT16146-0	Cushion grip Screwdriver Standard flat 5.5 x 100 mm	X	12		
STHT16148-0	Cushion grip Screwdriver Standard flat 6.5 x 150 mm	X	12		
STHT16149-0	Cushion grip Screwdriver Standard flat 8 x 150 mm	X	12		
STHT16150-0*	Cushion grip Screwdriver Standard flat 10 x 200 mm*	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS STANDARD FLAT STUBBY



CODE	DESCRIPTION				PRICE
STHT16147-0*	Cushion grip Screwdriver Standard flat 6.5 x 45 mm*	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS PARALLEL



CODE	DESCRIPTION				PRICE
STHT16151-0*	Cushion grip Screwdriver Parallel 2.5 x 60 mm*	X	12		
STHT16152-0*	Cushion grip Screwdriver Parallel 3.5 x 75 mm*	X	12		
STHT16195-0*	Cushion grip Screwdriver Parallel 4 x 100 mm*	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS PHILLIPS



CODE	DESCRIPTION				PRICE
STHT16153-0	Cushion grip Screwdriver Phillips PH0 x 60 mm	X	12		
STHT16155-0	Cushion grip Screwdriver Phillips PH1 x 75 mm	X	12		
STHT16158-0	Cushion grip Screwdriver Phillips PH2 x 100 mm	X	12		
STHT16159-0	Cushion grip Screwdriver Phillips PH3 x 150 mm	X	12		

CUSHIONGRIP SCREWDRIVERS PHILLIPS STUBBY



CODE	DESCRIPTION				PRICE
STHT16154-0*	Cushion grip Screwdriver Phillips PH1 x 45 mm*	X	12		
STHT16157-0*	Cushion grip Screwdriver Phillips PH2 x 45 mm*	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS POZIDRIV



CODE	DESCRIPTION				PRICE
STHT16161-0	Cushion grip Screwdriver Pozidriv PZ0 x 60 mm	X	12		
STHT16162-0	Cushion grip Screwdriver Pozidriv PZ1 x 75 mm	X	12		
STHT16196-0*	Cushion grip Screwdriver Pozidriv PZ2 x 45 mm*	X	12		
STHT16163-0	Cushion grip Screwdriver Pozidriv PZ2 x 100 mm	X	12		
STHT16164-0	Cushion grip Screwdriver Pozidriv PZ3 x 150 mm	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVERS TORX



CODE	DESCRIPTION				PRICE
STHT16177-0	Cushion grip Torx T10 x 75 mm	X	12		
STHT16178-0	Cushion grip Torx T15 x 75 mm	X	12		
STHT16179-0	Cushion grip Torx T20 x 100 mm	X	12		
STHT16180-0	Cushion grip Torx T25 x 100 mm	X	12		
STHT16181-0*	Cushion grip Torx TT27 x 100 mm*	X	12		
STHT16182-0	Cushion grip Torx T30 x 100 mm	X	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHIONGRIP SCREWDRIVER SET 8 PCS: PH, STANDARD FLAT, PARALLEL



- Phillips: PH0 x 60mm, PH1 x 75mm, PH2 x 45mm, PH2 x 100mm
- Parallel: 3.5x60mm, 4x100mm
- Standard flat: 5.5x100mm, 6.5x45mm

CODE	DESCRIPTION				PRICE
STHT16167-0	Cushiongrip Screwdriver set 8 pcs: PH, Standard flat, Parallel	X	4		

CUSHIONGRIP SCREWDRIVER SET 6 PCS: PZ, PARALLEL, STANDARD FLAT



- Pozidriv: PZ1x75mm, PZ2x100mm
- Parallel: 3.5 x 60mm, 4.0 x 100mm
- Standard flat: 5.5x100mm, 6.5x150mm

CODE	DESCRIPTION				PRICE
STHT16172-0*	Cushiongrip Screwdriver set 6 pcs: PZ, Parallel, Standard flat*	X	4		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

CUSHION GRIP SCREWDRIVER SET 6 PCS: PH, PARALLEL, STANDARD FLAT, VOLTAGE TESTER



- Phillips: PH1 x 75mm, PH2 x 45mm, PH2 x 100mm
- Parallel: 4.0 x 100mm
- Standard flat: 5.5x100mm, 6.5x45mm

CODE	DESCRIPTION				PRICE
STHT16166-0	Cushion Grip Screwdriver Set 6 Pcs: PH, Parallel, Standard flat, Voltage Tester	X	4		

CUSHIONGRIP SCREWDRIVER SET 6 PCS: PH, PARALLEL, STANDARD FLAT



- Phillips: PH1x75mm, PH2x100mm
- Parallel: 3.5 x 60mm, 4.0 x 100mm
- Standard flat: 5.5x100mm, 6.5x150mm

CODE	DESCRIPTION				PRICE
STHT16165-0*	Cushiongrip Screwdriver set 6 pcs: PH, Parallel, Standard flat*	X	4		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® CUSHIONGRIP SCREWDRIVER SET 4 PCSS: PH, STANDARD FLAT



- Phillips: PH1x75mm, PH2x100mm
- Standard flat: 5.5x100mm, 6.5x150mm

CODE	DESCRIPTION				PRICE
STHT16169-0	Cushiongrip Screwdriver set 4 pcs: PH, Standard flat	X	24		

STANLEY® CUSHION GRIP SCREWDRIVER SET 3 PCS: PH, PZ, STANDARD FLAT



- Phillips: PH2×100mm
- Pozidriv: PZ2 × 100mm
- Standard flat: 6.5 × 150mm

CODE	DESCRIPTION				PRICE
STHT16168-0*	CushionGrip Screwdriver set 3 pcs: PH, PZ, Standard flat*	X	4		

**Not in the Nordic assortment - special order required. Minimum order quantity applied.*

CUSHIONGRIP SCREWDRIVER SET 10-PCS STANDARD FLAT/PHILLIPS



- Standard flat: 6.5 × 45mm, 8 × 150mm, 3 × 75mm, 6.5 × 150mm, 5 × 100mm
- Phillips: #2 × 45mm, #1 × 100mm, #2 × 100mm, #0 × 60mm, #3 × 150mm

CODE	DESCRIPTION				PRICE
2-65-005*	CushionGrip Screwdriver set 10-pcs St/Ph*	X	6		

**Not in the Nordic assortment - special order required. Minimum order quantity applied.*

CUSHIONGRIP SCREWDRIVER SET 10-PCS STANDARD FLAT/POZIDRIV



- Standard flat 3 × 75mm, 5 × 100mm, 6.5 × 45mm, 6.5 × 100mm, 8 × 150mm
- Pozidriv PZ0 × 60mm, PZ1 × 75mm, PZ2 × 45mm, PZ2 × 100mm, PZ3 × 150mm

CODE	DESCRIPTION				PRICE
2-65-014	CushionGrip Screwdriver set 10-pcs St/Pz	X	6		

SCREWDRIVERS ESSENTIAL

STANLEY® SCREWDRIVER ESSENTIALS

- Essential™ series screwdriver, combines good quality for everyday use and low price
- Chrome vanadium bar for strength and corrosion resistance
- Essential screwdriver for everyday use
- Hanging hole



CODE	DESCRIPTION				PRICE
STHT0-60273	Stanley Essential screwdriver pozidriv PZ0 x 50mm carded	X	6		3253560602734
STHT0-60274	Stanley Essential screwdriver pozidriv PZ1 x 100mm carded	X	6		3253560602741
STHT0-60275	Stanley Essential screwdriver pozidriv PZ2 x 30mm Stubby carded	X	6		3253560602758
STHT0-60276	Stanley Essential screwdriver pozidriv PZ2 x 100mm carded	X	6		3253560602765
STHT0-60280	Stanley Essential screwdriver Phillips PH0 x 50mm carded	X	6		3253560602802
STHT0-60308	Stanley Essential screwdriver Phillips PH1 x 100mm carded	X	6		3253560603083
STHT0-60329	Stanley Essential screwdriver Phillips PH2 x 30mm Stubby carded	X	6		3253560603298
STHT0-60335	Stanley Essential screwdriver Phillips PH2 x 100mm carded	X	6		3253560603359
STHT0-60358	Stanley Essential screwdriver Parallel 4mm x 100mm carded	X	6		3253560603588
STHT0-60378	Stanley Essential screwdriver Parallel 3mm x 75mm carded	X	6		3253560603786
STHT0-60389	Stanley Essential screwdriver Flared 5,5mm x 150mm carded	X	6		3253560603892
STHT0-60401	Stanley Essential screwdriver Flared 6,5mm x 30mm Stubby carded	X	6		3253560604011
STHT0-60413	Stanley Essential screwdriver Flared 6,5mm x 150mm carded	X	6		3253560604134

SCREWDRIVERS ESSENTIAL - SETS

STANLEY® SCREWDRIVER SET ESSENTIAL 6 PCS



- Screwdriver for daily use
- Soft handle for comfort
- Chrome vanadium blade for strength and corrosion resistance
- Hardened tip for longer life
- Content: (STHT0-60208): PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 6.5 × 150mm, Parallel 3 × 75mm
- Content: (STHT0-60209): PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 8 × 175mm, Parallel 4 × 100mm, 6.5 × 150mm

CODE	DESCRIPTION				PRICE
STHT0-60208*	Screwdriver set Essential 6 pcs*	-	24	3 2 5 3 5 6 0 1 6 0 2 0 8 6	
STHT0-60209	Screwdriver set Essential 6 pcs	-	24	3 2 5 3 5 6 0 1 6 0 2 0 9 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® SCREWDRIVER SET ESSENTIAL 8 PCS



- Screwdriver for daily use
- Soft handle for comfort
- Chrome vanadium blade for strength and corrosion resistance
- Hardened tip for longer life
- Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 3 × 75mm, 5.5 × 100mm, 8 × 175mm, Parallel 4 × 100mm, 6.5 × 150mm

CODE	DESCRIPTION				PRICE
STHT0-60210*	Screwdriver set Essential 8 pcs*	-	24	3 2 5 3 5 6 0 1 6 0 2 1 0 9	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® SCREWDRIVER SET ESSENTIAL 10 PCS



- Screwdriver for daily use
- Soft handle for comfort
- Chrome vanadium blade for strength and corrosion resistance
- Hardened tip for longer life
- Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 8 × 175mm, Parallel 3 × 75mm, 4 × 100mm, 6.5 × 150mm, PZ1 × 100mm, PZ2×100mm

CODE	DESCRIPTION				PRICE
STHT0-60211*	Screwdriver set Essential 10 pcs*	-	16	3 2 5 3 5 6 0 1 6 0 2 1 1 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® SCREWDRIVER SET ESSENTIAL 12 PCS



- Screwdriver for daily use
- Soft handle for comfort
- Chrome vanadium blade for strength and corrosion resistance
- Hardened tip for longer life
- Content: PH1 × 75mm, PH2 × 100mm, Standard flat 5.5 × 100mm, 6.5 × 150mm, 8 × 175mm, Parallel 4 × 100mm, 5.5 × 100mm, PZ1 × 100mm, PZ2×100mm, T15×100mm, T20×100mm, T25×100mm

CODE	DESCRIPTION				PRICE
STHT0-60212*	Screwdriver set Essential 12 pcs*	-	12	3 2 5 3 5 6 0 1 6 0 2 1 2 3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® SCREWDRIVER SET ESSENTIAL 20 PCS



- Screwdriver for daily use
- Soft handle for comfort
- Chrome vanadium blade for strength and corrosion resistance
- Hardened tip for longer life
- Content: PH0 × 50mm, PH1 × 75mm, PH2 × 100mm (×2), Standard flat 5.5 × 100mm (×2), 6.5 × 150mm (×2), 8 × 175mm, Parallel 2.5 × 50mm, 3 × 75mm (×2), 4 × 100mm (×2), PZ1 × 100mm, PZ2 × 100mm (×2), T10 × 100mm, T15 × 100mm, T20 × 100mm

CODE	DESCRIPTION				PRICE
STHT0-60213	Screwdriver set Essential 20 pcs	-	8	3 2 5 3 5 6 0 1 6 0 2 1 3 0	

SPECIALITY SCREWDRIVERS

STANLEY® FATMAX® AWL STANLEY FATMAX



- Suitable for making holes in wood before drilling and screwing
- Ergonomic handle
- Awl 0 x 75 mm

CODE	DESCRIPTION				PRICE
0-65-491	FATMAX Awl 0 x 75 mm	X	6		

STANLEY® BRADAWL



- Hardened, tempered and sharpened blades for efficient performance
- Plastic sleeve for effortless pushing and turning
- Rust resistant Nickel plating
- Textured handle for improved grip

CODE	DESCRIPTION				PRICE
0-69-014	Stanley Awl 32 x 2 mm	X	6	3253560690144	

FATMAX® VOLTAGE TESTER

STANLEY
FATMAX



- Non-conductive up to 250V
- Complies with VDE, GSE and CE Standard
- Belt clip for comfort and easy storage (not on STHTO-62685)
- Visible flashing light when electrical current is detected

CODE	DESCRIPTION				PRICE
FMHT0-64985	FATMAX Voltage tester 220V-250V - tip 3.5 mm	X	36		

STANLEY® VOLTAGE TESTER 220V-250V



- Non-conductive up to 250V
- Complies with VDE, GSE and CE Standard flats
- Belt clip for comfort and easy storage (not on STHTO-62685)
- Visible flashing light when electrical current is detected

CODE	DESCRIPTION				PRICE
STHT0-66121	Voltage tester 220V-250V - tip 3.5 mm	X	6		
STHT0-62685	Extra Long Voltage tester 105 mm	X	6		

PRECISION SCREWDRIVERS

STANLEY® PRECISION SCREWDRIVER MULTIBIT 8 PCS



- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in convenient, reusable storage box
- Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5 & PH000, PH00

CODE	DESCRIPTION				PRICE
STHT0-62629*	Precision screwdriver Multibit 8 pcs	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION SCREWDRIVER MULTIBIT 16 PCS



- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in handy storage box
- Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5 & PH000, PH00 & T5, T6, T7, T8 & Hex 0.9, 1.3, 1.5, 2

CODE	DESCRIPTION				PRICE
STHT0-62633*	Precision screwdriver Multibit 16 pcs	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION TURNER HEX BIT 32 PCS



- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in a handy storage box
- Content: Parallel 1, 1.2, 1.5, 1.8, 2, 2.5, 3 & PH000, PH00, PH0 & PZ0, PZ1 & T5, T6, T7, T8, T9 & Hex 0.9, 1.3, 1.5, 2, 2.5, 3, 4 & T10, T15, T20 & Triwing 2, 3, 4 & Square 2, 3

CODE	DESCRIPTION				PRICE
STHT0-62634*	Precision Turner 32 Pcs Hex	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION SCREWDRIVER SET 4 PCS TORX

- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in a handy storage box
- Content: T6, T7, T8, T9



CODE	DESCRIPTION				PRICE
STHT0-62630*	Precision wrench Torx 4 pcs	X	6	3 253560 626303	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION SCREWDRIVER SET 6 PCS 1-1.8

- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in a handy storage box
- Content: Parallel 1, 1.2, 1.5, 1.8 & PH000, PH00



CODE	DESCRIPTION				PRICE
STHT0-62631*	Precision screwdriver set 6 Pcs 1-1.8	X	6	3 253560 626310	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION SCREWDRIVER SET 6 PCS 2-3

- Multibit set with convenient storage of bits in the handle
- Precise clamp for holding bits
- In accordance with the relevant DIN & ISO Standards
- Soft-grip handle for greater comfort and optimal control
- Supplied in a convenient storage box
- Content: Parallel 2, 2.5, 3 & PH000, PH00, PH0



CODE	DESCRIPTION				PRICE
STHT0-62632*	Precision screwdriver set 6 pcs 2-3	X	6	3 253560 626327	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® PRECISION SCREWDRIVER SET 6 PCS

STANLEY
FATMAX



- Ergonomic handle
- Parallel 3x100, 3x50, 2.5x50 - Phillips PH00x50, PH0x75 - Pozidriv PZ0x75

CODE	DESCRIPTION				PRICE
0-65-492*	FATMAX Precision screwdriver Set 6 pcs	X	6	3 253560 654924	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® PRECISION INSTRUMENT SCREWDRIVER SET 6 PCS

- Complete set of 6 screwdrivers with hexagonal handle and revolving head
- Nickel-plated, fluted handles for finger tip control and rust preventions
- Tempered and blued steel for long life
- Parallel 1.4, 2, 2.4, 3mm
- Pozidriv PZ0, PZ1



CODE	DESCRIPTION				PRICE
1-66-039	Precision Instrument Screwdriver set 6 pcs	X	6	3 253561 660399	

STANLEY® CUSHIONGRIP PRECISION SCREWDRIVER SET 6 PCS

- Bi-material handles designed for easy and comfortable grip
- Soft cushion grip for comfort
- Swivel-head handles provide precision and reach
- Magnetic tip
- Colour coded ends for instant identification of the right screwdriver
- Parallel 3mm, 2.4mm, 2mm, 1.4mm
- Phillips PH0, PH1



CODE	DESCRIPTION				PRICE
0-66-052	Cushion grip precision Screwdriver set 6 pcs Par/Ph	X	6	0 076174 660524	

STANLEY® PRECISION SCREWDRIVER SET 5-PCS METAL

- Set of precision Screwdrivers with 0.8mm, 1mm, 1.2mm, 1.6mm & 2mm screwdrivers
- Fast rotary movements ensure easy and fast work in precision applications
- Nickel finish for longer life and easy cleaning



CODE	DESCRIPTION				PRICE
STHT0-62686*	Precision screwdriver set 5-pcs Metal	X	6	3 253560 626860	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

BIT SCREWDRIVERS

STANLEY® FATMAX® RATCHETING SCREWDRIVER

**STANLEY
FATMAX**

SPEEDDRIVE DRIVE TECHNOLOGY
drives screws up to 2X Faster* for speed and efficiency (*Versus standard STANLEY FATMAX Multi-Bit ratchet FMHT0-62690)

TORQUE ZONE
For added grip texture and geometry for heavy torque applications.

PRECISION TACTILE ZONE
Provides extra rotation control for precision tasks

INTERNAL BIT STORAGE
Supplied with 3x 2" double sided bits (Ph1/PH2, PZ1/PZ2, Parallel 4mm/5mm)

ERGONOMIC GRIP
Textured handle provides exceptional comfort and grip, particularly for heavier torque applications

LOCKING BIT HOLDER
Affords a secure hold on any fastener drive



CODE	DESCRIPTION				PRICE
FMHT62692-0	STANLEY® FATMAX® Ratcheting Screwdriver	X	4	5 0 5 4 9 0 5 2 9 5 6 1 5	

STANLEY® FATMAX® 4V POWER ASSIST SCREWDRIVER

**STANLEY
FATMAX**

- 4V Power Assist Screwdriver operates at up to 300rpm
- 0.9Nm of torque, balanced to complement the speed of operation
- 1.5Ah rechargeable battery for superior runtime (USB cable included)
- 3 colour LED Charge indicator
- Features an integrated magnetic bit holder
- Fits neatly in the hand and can be easily carried in a pocket or toolbox
- Push-button functionality for quick and simple operation. Switches seamlessly between forward and reverse modes with a single key press
- Bits: Philips 1-2mm, Pozidriv 1-2mm, Slotted 4 -5.5mm



CODE	DESCRIPTION				PRICE
FMHT66719-0	STANLEY® FATMAX® 4V Power Assist Screwdriver	X	6	3 2 5 3 5 6 0 6 6 7 1 9	

STANLEY® FATMAX® LED RATCHET SCREWDRIVER

**STANLEY
FATMAX**

- Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- Bi-material handle for grip, comfort and high torque loads
- LED for dark areas - initial brightness: 3.5 Lumens
- Magnetic bit retention prevents bit loss
- 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20



CODE	DESCRIPTION				PRICE
FMHT0-62689	FATMAX Ratchet Screwdriver LED	X	6	3 2 5 3 5 6 0 6 2 6 8 9 1	

STANLEY® FATMAX® PISTOL GRIP RATCHET

**STANLEY
FATMAX**

- Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- Bi-material handle for grip, comfort and high torque loads
- 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- Pistol grip for higher torque loads
- Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20



CODE	DESCRIPTION				PRICE
FMHT0-62691	FATMAX Ratchet Screwdriver Pistol Grip	X	6	3 2 5 3 5 6 0 6 2 6 9 1 4	

STANLEY® FATMAX® RATCHET SCREWDRIVERS - 7 & W12 BITS

**STANLEY
FATMAX**

- Fine 45-tooth ratchet delivers extremely high torque with a 9° working arc
- Large soft-grip handle with bit storage for greater comfort and ease of use
- 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting
- Content: 5, 6.5, 8, PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15 & T20
- FMHT0-62688: Content: 5, 6.5, PH1, PH2, PZ1 & PZ2



CODE	DESCRIPTION				PRICE
FMHT0-62690	FATMAX Ratchet Screwdriver 12 Bits	X	6	3 2 5 3 5 6 0 6 2 6 9 0 7	

CODE	DESCRIPTION				PRICE
FMHT0-62688	FATMAX Ratchet Screwdriver Stubby - 7 bits	X	6	3 2 5 3 5 6 0 6 2 6 8 8 4	

STANLEY® FATMAX® BIT ADAPTOR

**STANLEY
FATMAX**

- Handle moulded direct to bar virtually unbreakable bond. Highly reliable and providing an extra long life
- Colour coded ends make it easy to identify the correct screwdriver for each screw type
- Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage
- Smooth domed end for fast spinning action – speed and comfort



CODE	DESCRIPTION				PRICE
0-65-490	FATMAX Bit adaptor x 125mm	X	6	3 2 5 3 5 6 0 1 6 5 4 9 0 0	

STANLEY® PISTOL GRIP RATCHET BIT SCREWDRIVER SET 38 PCS

- 1 pistol grip ratchet bit screwdriver
- 1 extension
- 6 long bits: Phillips® n° 1, n° 2, n° 3 - Parallel 5, 6, 7 mm
- 24 Standard flat bits: Phillips® n° 0, n° 1, n° 2 (X3)n° 3 - Parallel 5, 6, 7 mm - Hex 2, 3, 4, 5, 5.5, 6 mm - Square S1, S2, S3 - Torx® T10, T15, T20, T25, T27, T30
- 6 sockets 5, 6, 8, 9, 10, 11mm



CODE	DESCRIPTION				PRICE
0-63-038	Pistol Grip Ratchet Bit screwdriver Set 38 pcs	X	6	3 2 5 3 5 6 0 1 6 3 0 3 8 6	

STANLEY® PISTOL GRIP RATCHET BIT SCREWDRIVER SET 22 PCS

- 1 pistol grip ratchet bit
- 1 extension
- 2 long bits : Phillips® n°2 - Parallel 6 mm
- 12 Standard flat bits : Phillips® n°1, n°2, n°3 - Parallel 5, 6, 7 mm - Torx® T10, T15, T20 - Hex 3, 4, 5 mm
- 6 sockets 5, 6, 8, 9, 10, 11 mm



CODE	DESCRIPTION				PRICE
0-63-022	Pistol Grip Ratchet Bit screwdriver Set 22 pcs	X	6	3 2 5 3 5 6 0 1 6 3 0 2 2 5	

MULTI-BIT SCREWDRIVER 35 PCS

- 12x Hex bits: 3x2 - 5x3 - 4 - 5 - 8
- 7x Flat bits: 4 - 4.5 - 5.5 - 6 - 6.5 - 8 mm
- 8x Phillips bits: PH0 - PH1 - PH2x2 - PH3 x2 - PH4 x2
- 7x PZ bits: PZ0 - PZ1 - PZ2 x2 - PZ3 x2 - PZ4
- 6x Torx bits: T10 - T15 - T20 - T25 - T27 - T30
- 21x Tamperproof Torx: 3xTX10 - 3xTX15 - 6xTX20 - 3xTX25 - 3xTX30 - 3xTX40
- 1x Magnetic bit holder 60 mm



CODE	DESCRIPTION				PRICE
STHT0-70885	Multi-bit Screwdriver bits 35 pcs			3 2 5 3 5 6 0 1 6 3 2 5 3 5 6 0	3253560708856

MULTI-BIT RATCHETING SCREWDRIVER WITH BITS

- Patented bit storage in handle and cap for ease of visibility, access and security
- Durable bi-material handles for comfortable grip
- Pawl mechanism with three positions (right, left, fixed)
- Parallel 6,5 & 5 mm - Phillips n°1, 2 - Pozidriv n°1, 2 - Torx T10, T15 - Square n°1, 2



CODE	DESCRIPTION				PRICE
0-68-010	Multi-bit ratcheting Screwdriver with bits	X	6	3 2 5 3 5 6 0 1 6 8 0 1 0 7	

STUBBY MULTI-BIT RATCHETING SCREWDRIVER

- Magnetic bit holder
- Ratcheting mechanism- Right, left and stop
- Smart magazine solution with 6 bits in the cap
- Content: PH1, PH2, PZ1, PZ2, flat 4.5 mm, flat 6 mm



CODE	DESCRIPTION				PRICE
0-66-358	Stubby Multibit Ratcheting Screwdriver	X	3	3 2 5 3 5 6 0 1 6 6 3 5 8 2	

STUBBY MULTI-BIT SCREWDRIVER

- Magnetic bit holder
- Durable bi-material handle
- Smart magazine solution with 6 bits in the cap
- Content: PH1, PH2, PZ1, PZ2, St 4.5 mm, St 6 mm



CODE	DESCRIPTION				PRICE
0-66-357	Stubby Multi-bit Screwdriver	X	3	3 2 5 3 5 6 0 1 6 6 3 5 7 5	

SCREWDRIVING SET - BITS

STANLEY® FATMAX® 61 PIECE - SL, PH, PZ, T, RT, HEX



- 1/4" bits:
Slot: 4 - 4.5 - 5.5 - 6 - 6.5 - 8 mm
PH0 - PH1 - 2 x PH2 - 2 x PH3 - PH4
PZ1 - 2 x PZ2 - 2 x PZ3 - PH4
Torx: 10 - 15 - 20 - 25 - 27 - 30
Resistorx: 3 x T10 - 3 x T15 - 6 x T20 - T25 - T30 - T40
Hex: 2 x 3 - 4 - 5 - 3 x 6 - 8mm
- Magnetic bit holder 60 mm

CODE	DESCRIPTION				PRICE
1-13-902	STANLEY® bit set 1/4" Bit holder 61-pcs	-	10		
FMHT1-81017	Stanley FATMAX 61PC Bits set, Display x10	X	10	3253561810176	

STANLEY® BIT SET 1/4" - MAGNETIC BIT HOLDER WITH LOCK-RING 40 PCS



- 1/4" bits:
Slot: 4 - 5.5 - 6.5 - 8 mm
PH1 - PH2 - PH3
PZ1 - PZ2 - PZ3
Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40
Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40
: 3 - 4 - 5 - 6mm
- Magnetic bit holder 60 mm
- 1/4" sockets: 6 - 7 - 8 - 10 - 11 - 12 - 13 mm
- 1/4" ratchet wrench

CODE	DESCRIPTION				PRICE
1-13-906	STANLEY® bit set 1/4" Ratchet wrench 40-pcs	-	10		

STANLEY® BIT SET 1/4" - RATCHET WRENCH, BIT HOLDER - 40 PCS



- 1/4" bits:
Slot: 4 - 5.5 - 6.5 - 8 mm
PH1 - PH2 - PH3
PZ1 - PZ2 - PZ3
Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40
Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40
: 3 - 4 - 5 - 6mm
- Magnetic bit holder lock-ring 60 mm
- 1/4" sockets: 6 - 7 - 8 - 10 - 11 - 12 - 13 mm
- 1/4" ring ratchet wrench

CODE	DESCRIPTION				PRICE
1-13-907	STANLEY® bit set 1/4" Combination wrench 40-pcs	-	10		

STANLEY® BIT SET 1/4" - RATCHET WRENCH 32 PCS



- 1/4" bits:
Slot: 4 - 5.5 - 6.5 - 8 mm
PH1 - PH2 - PH3
PZ1 - PZ2 - PZ3
Torx: T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40
Resistorx: T10 - T15 - T20 - T25 - T27 - T30 - T40
: 3 - 4 - 5 - 6mm
- Magnetic bit holder lock-ring 60 mm
- 1/4" ratchet wrench

CODE	DESCRIPTION				PRICE
1-13-904*	STANLEY® bit set 1/4" Ratchet wrench 32 pcs	-	10		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® BIT SET 1/4" - BIT HOLDER - 31 PCS



- 1/4" bits:
Slot: 4 - 4.5 - 5.5 mm
PH1 - PH2 - PH3
PZ1 - PZ2 - PZ3
Torx: T10 - T15 - 2 x T20 - 2 x T25 - 2 x T27 - 2 x T30 - 2 x T40
Resistorx: T10 - T15 - T20 - T25 - T30
: 3 - 4 - 5 - 6mm
- Magnetic bit holder lock-ring 60 mm

CODE	DESCRIPTION				PRICE
1-13-903	STANLEY® bit set 1/4" Bit holder 31-pcs	-	6		

STANLEY® BIT SET 1/4" - BIT HOLDER - 19 PCS



- 1/4" bits:
Slot: 4.5 - 5.5 - 6.5 mm
PH1 - PH2
PZ1 - PZ2 - PZ3 - PZ4
Torx: 10 - 15 - 20 - 25 - 30 - 40
Hex: 3 - 4 - 5 mm
- Magnetic bit holder 60 mm

CODE	DESCRIPTION				PRICE
1-13-901	STANLEY® bit set 1/4" Bit holder 19-pcs	-	6		

STANLEY® PHILLIPS® 1/4" INSERT BIT

· Suitable for industry, construction and DIY



CODE	DESCRIPTION				PRICE
1-68-942*	1/4" Bits Phillips No1 × 25 mm 25 pcs	-	48	3	2 5 3 5 6 1 1 6 8 9 4 2 0
0-68-946*	1/4" Bits Phillips No2 × 25 mm 3 pcs	X	1	3	2 5 3 5 6 0 1 6 8 9 4 6 9
1-68-946*	1/4" Bits Phillips No2 × 25 mm 25 pcs	-	48	3	2 5 3 5 6 1 1 6 8 9 4 6 8
3-68-946*	1/4" Bits Phillips No2 × 25 mm 100 pcs	-	10	3	2 5 3 5 6 3 1 6 8 9 4 6 6
1-68-947*	1/4" Bits Phillips No2 × 50 mm 10 pcs	-	48	3	2 5 3 5 6 1 1 6 8 9 4 7 5
1-68-950*	1/4" Bits Phillips Nr3 × 25 mm 25 pcs	-	48	3	2 5 3 5 6 1 1 6 8 9 5 0 5

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® INSERT BIT POZIDRIV 1/4"

· Suitable for industry, construction and DIY



CODE	DESCRIPTION				PRICE
1-68-945*	1/4" Bits Pozidriv Nr1 × 25 mm 25 pcs	-	1	3	2 5 3 5 6 1 1 6 8 9 4 5 1

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® INSERT BIT TORX® 1/4"

· Suitable for industry, construction and DIY



CODE	DESCRIPTION				PRICE
0-68-842*	1/4" Bits Torx T20 × 25 mm - 3 pcs	X	1	3	2 5 3 5 6 0 1 6 8 8 4 2 4
1-68-842*	1/4" Bits Torx T20 × 25 mm - 25 pcs	-	1	3	2 5 3 5 6 1 1 6 8 8 4 2 3
1-68-843*	1/4" Bits Torx T25 × 25 mm - 25 pcs	-	1	3	2 5 3 5 6 1 1 6 8 8 4 3 0
1-68-845*	1/4" Bits Torx T30 × 25 mm - 25 pcs	-	1	3	2 5 3 5 6 1 1 6 8 8 4 5 4

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® MAGNETIC BIT HOLDER

· 1/4" Hex
· Magnetic cavity holds 1/4 bits securely



CODE	DESCRIPTION				PRICE
0-68-732	1/4" Magnetic Bit Holder 60 mm - 1 pcs	X	1	3	2 5 3 5 6 0 1 6 8 7 3 2 8
1-68-732*	1/4" Magnetic Bit Holder 60 mm - 5 pcs	-	1	3	2 5 3 5 6 1 1 6 8 7 3 2 7
3-68-729*	1/4" Magnetic Bit Holder 75 mm - 5 pcs	-	10	3	2 5 3 5 6 3 1 6 8 7 2 9 5

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® 6-WAY SCREWDRIVER



- All in one screwdriver
- Attach wrench to bolster nut for additional leverage and torque
- Available in an attractive 24 piece merchandiser
- Bar is chrome plated for rust resistance
- Built in bolster allows additional leverage
- High quality bits for long life
- Slip resistant rubber grip provides comfort
- Soft, diamond textured handle provides a firm grip for extra torque without strain
- Tri lobular handle, bimaterial handle for torque and comfortable grip

CODE	DESCRIPTION				PRICE
0-68-012	Stanley 6-Way Screwdriver	-	-		3 2 5 3 5 6 0 6 8 0 1 2 1

STANLEY® BITS SET - 10 PCS



- 9 bits and bit holder in plastic storage box
- 1-68-724 Phillips n°2 - Pozidriv n°1, n°2, n°3 - Torx T10, T15, T20, T25, T30
- 1-68-734 Parallel 4.5 × 0.6 mm, 5.5 × 1.0 mm, 6.5 × 1.2 mm - Phillips n°1, n°2, n°3 - Pozidriv n°1, n°2, n°3

CODE	DESCRIPTION				PRICE
1-68-724*	Bits set - 10 pcs	X	20	3	2 5 3 5 6 1 1 6 8 7 2 4 2
1-68-734*	Bits set - 10 pcs	X	20	3	2 5 3 5 6 1 1 6 8 7 3 4 1

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® BITS SET - 7 PCS



- 6 bits and bit holder (60 mm) in plastic storage box
- 0-68-735 Parallel 0.6 × 4.5 mm, 1.0 × 5.5 mm, 1.2 × 6.5 mm - Phillips n°0, 1, 2 - Magnetic bit holder
- 0-68-737 Parallel 0.8 × 5.0 mm, 1.2 × 6.5 mm - Phillips n°0, 1, 2 - Pozidriv n°1, 2 - Magnetic bit holder
- 0-68-738 Parallel 0.6 × 4.5 mm, 1.0 × 5.5 mm, 1.2 × 6.5 mm - Pozidriv n°0, 1, 2 - Magnetic bit holder
- 0-68-739 T10, T15, T20, T25, T30, T40 - Magnetic Bit Holder

CODE	DESCRIPTION				PRICE
1-68-735*	Bits set 7 pcs	X	24	3	2 5 3 5 6 1 1 6 8 7 3 5 8
1-68-737*	Bits set 7 pcs	X	24	3	2 5 3 5 6 1 1 6 8 7 3 7 2
1-68-738*	Bits set 7 pcs	X	24	3	2 5 3 5 6 1 1 6 8 7 3 8 9
1-68-739*	Bits set 7 pcs	X	24	3	2 5 3 5 6 1 1 6 8 7 3 9 6

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® REVERSIBLE RATCHETING WRENCH SET

STANLEY
FATMAX



- Anti-slip design provides improved bolt contact
- 12-point reversible ratcheting box end - 15° offset
- Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- 7 pcs: 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 12 pcs: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

CODE	DESCRIPTION				PRICE
FMMT82844-0	FATMAX Combination wrench set 7 pieces	X	10		
FMMT82845-0	FATMAX Combination spanner set 12 pcs	X	10		

COMBINATION WRENCH SET



- Anti-slip design provides improved bolt contact
- 12-point reversible ratcheting box end - 15° offset
- Forged in corrosion-resistant chrome vanadium steel - chrome finish
- 7 pcs: 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 12 pcs: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

CODE	DESCRIPTION				PRICE
STMT82842-0	Combination Wrench Set - 7 pcs	X	8		
STMT82843-0	Combination Wrench Set- 12 pcs	X	4		

COMBINATION WRENCHES - ESSENTIAL


- 12-point versatile box end - for easy fitting over nuts and bolts finish
- 15° offset open and box end - bringing improved access

CODE	DESCRIPTION				PRICE
STMT95908-0	Combination Wrench 8 mm	X	8		3253560959081
STMT95787-0	Combination Wrench 9 mm	X	8		3253560957872
STMT95788-0	Combination Wrench 10 mm	X	8		3253560957889
STMT95789-0	Combination Wrench 11 mm	X	8		3253560957896
STMT95790-0	Combination Wrench 12 mm	X	8		3253560957902
STMT95791-0	Combination Wrench 13 mm	X	8		3253560957919
STMT95792-0	Combination Wrench 14 mm	X	8		3253560957926
STMT95909-0	Combination Wrench 15 mm	X	8		3253560959098
STMT95910-0	Combination Wrench 16 mm	X	8		3253560959104
STMT95793-0	Combination Wrench 17 mm	X	8		3253560957933
STMT95911-0	Combination Wrench 18 mm	X	8		3253560959111
STMT95912-0	Combination Wrench 19 mm	X	8		3253560959128



FATMAX® ANTI-SLIP REVERSIBLE RATCHETING WRENCHS

STANLEY
FATMAX



ANTI-SLIP DESIGN
Providing improved bolt contact, preventing slipping

72T RATCHET MECHANISM
Allowing for 5° increments, ensuring tightening capacity and accuracy within narrow spaces

15° OFFSET OPEN AND BOX END
Bringing improved access

SWITCH LEVER
Allowing for easy, one-handed operation

12-POINT VERSATILE BOX END
For easy fitting over nuts and bolts

CODE	DESCRIPTION				PRICE
FMMT13081-0	FATMAX Anti-slip reversible ratcheting wrench 8 mm	X	10		
FMMT13082-0	FATMAX Anti-slip reversible ratcheting wrench 9 mm	X	10		
FMMT13083-0	FATMAX Anti-slip reversible ratcheting wrench 10 mm	X	10		
FMMT13084-0	FATMAX Anti-slip reversible ratcheting wrench 11 mm	X	10		
FMMT13085-0	FATMAX Anti-slip reversible ratcheting wrench 12 mm	X	10		
FMMT13086-0	FATMAX Anti-slip reversible ratcheting wrench 13 mm	X	10		
FMMT13087-0	FATMAX Anti-slip reversible ratcheting wrench 14 mm	X	10		
FMMT13088-0	FATMAX Anti-slip reversible ratcheting wrench 15 mm	X	10		
FMMT13089-0	FATMAX Anti-slip reversible ratcheting wrench 16 mm	X	10		
FMMT13094-0	FATMAX Anti-slip reversible ratcheting wrench 17 mm	X	10		
FMMT13095-0	FATMAX Anti-slip reversible ratcheting wrench 18 mm	X	10		
FMMT13096-0	FATMAX Anti-slip reversible ratcheting wrench 19 mm	X	10		



FATMAX® ANTI-SLIP STUBBY RATCHETING WRENCH

STANLEY
FATMAX

- Anti-slip design provides improved bolt contact
- 72-tooth ratchet with a one pawl mechanism, with 5° increment/arc swing
- 12-point reversible ratcheting box end - 15° angle offset
- Open-ended wrench in 15° angle - optimum accessibility
- Made of chrome vanadium steel with matt chrome finish



CODE	DESCRIPTION				PRICE
FMMT13097-0*	FATMAX Anti-slip stubby ratcheting wrench 8 mm	X	10		
FMMT13098-0*	FATMAX Anti-slip stubby ratcheting wrench 10 mm	X	10		
FMMT13109-0*	FATMAX Anti-slip stubby ratcheting wrench 12 mm	X	10		
FMMT13111-0*	FATMAX Anti-slip stubby ratcheting wrench 13 mm	X	10		
FMMT13112-0*	FATMAX Anti-slip stubby ratcheting wrench 14 mm	X	10		
FMMT13113-0*	FATMAX Anti-slip stubby ratcheting wrench 17 mm	X	10		
FMMT13115-0*	FATMAX Anti-slip stubby ratcheting wrench 19 mm	X	10		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® ANTI-SLIP COMBINATION WRENCH

STANLEY
FATMAX

- Non-slip design - providing improved bolt contact, preventing slipping
- 12-point versatile box end
- 15° offset
- Made of chrome vanadium steel with matt chrome finish



CODE	DESCRIPTION				PRICE
FMMT13029-0*	FATMAX Combination wrench 6 mm Anti-slip	X	10		
FMMT13030-0*	FATMAX Combination wrench 7 mm Anti-slip	X	10		
FMMT13031-0*	FATMAX Combination wrench 8 mm Anti-slip	X	10		
FMMT13032-0*	FATMAX Combination wrench 9 mm Anti-slip	X	10		
FMMT13033-0*	FATMAX Combination wrench 10 mm Anti-slip	X	10		
FMMT13034-0*	FATMAX Combination wrench 11 mm Anti-slip	X	10		
FMMT13035-0*	FATMAX Combination wrench 12 mm Anti-slip	X	10		
FMMT13036-0*	FATMAX Combination wrench 13 mm Anti-slip	X	10		
FMMT13037-0*	FATMAX Combination wrench 14 mm Anti-slip	X	10		
FMMT13038-0*	FATMAX Combination wrench 15 mm Anti-slip	X	10		
FMMT13039-0*	FATMAX Combination wrench 16 mm Anti-slip	X	10		
FMMT13040-0*	FATMAX Combination wrench 17 mm Anti-slip	X	10		
FMMT13041-0*	FATMAX Combination wrench 18 mm Anti-slip	X	10		
FMMT13042-0*	FATMAX Combination wrench 19 mm Anti-slip	X	10		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

OPEN END WRENCH SETS

FATMAX® OPEN END WRENCH SETS

STANLEY
FATMAX



- Anti-slip design provides improved bolt contact
- Double wrench - 2 sizes for one wrench
- 15° offset
- Forged in corrosion-resistant chrome vanadium steel with a satin chrome finish and an anti-slip profile
- 7 pcs: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
- 12 pcs : 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x 32mm

CODE	DESCRIPTION				PRICE
FMMT82901-0	FATMAX Open End Wrench set 7 pcs	X	2		
FMMT82902-0	FATMAX Open End Wrench set 12 pcs	X	6		

FATMAX® ANTI-SLIP OPEN-END WRENCH

STANLEY
FATMAX

- Anti-slip design provides improved bolt contact
- Double wrench - 2 sizes for one wrench
- 15° offset
- Made of chrome vanadium steel with matt chrome finish



CODE	DESCRIPTION				PRICE
FMMT13062-0*	FATMAX Anti-slip open-end wrench 6 x 7 mm	X	10		
FMMT13065-0	FATMAX Anti-slip open-end wrench 8 x 9 mm	X	10		
FMMT13066-0	FATMAX Anti-slip open-end wrench 10 x 11 mm	X	10		
FMMT13067-0	FATMAX Anti-slip open-end wrench 12 x 13 mm	X	10		
FMMT13068-0*	FATMAX Anti-slip open-end wrench 14 x 15 mm	X	10		
FMMT13069-0*	FATMAX Anti-slip open-end wrench 16 x 17 mm	X	10		
FMMT13070-0*	FATMAX Anti-slip open-end wrench 18 x 19 mm	X	10		
FMMT13071-0*	FATMAX Anti-slip open-end wrench 20 x 22 mm	X	10		
FMMT13072-0*	FATMAX Anti-slip open-end wrench 21 x 23 mm	X	4		
FMMT13073-0*	FATMAX Anti-slip open-end wrench 24 x 27 mm	X	4		
FMMT13074-0*	FATMAX Anti-slip open-end wrench 25 x 28 mm	X	4		
FMMT13077-0*	FATMAX Anti-slip open-end wrench 30 x 32 mm	X	4		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

ADJUSTABLE WRENCHES

FATMAX® QUICK ADJUSTABLE WRENCH BI-MATERIAL

STANLEY
FATMAX



QUICK ADJUSTMENT MECHANISM
Bringing fast and accurate settings

CODE	DESCRIPTION				PRICE
FMHT13125-0	FATMAX Adjustable wrench bimat 150 x 24 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 5 8
FMHT13126-0	FATMAX Adjustable wrench bimat 200 x 29 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 6 5
FMHT13127-0	FATMAX Adjustable wrench bimat 250 x 33 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 7 2
FMHT13128-0	FATMAX Adjustable wrench bimat 300 x 38 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 8 9

ADJUSTABLE WRENCH METAL



- Parallel jaws placed at a 15° angle provide a firm grip and best reach
- Metric/Inch scale - maximizing the tightening applications

CODE	DESCRIPTION				PRICE
STHT13121-0	Adjustable wrench 150 x 19 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 1 0
STHT13122-0	Adjustable wrench 200 x 24 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 2 7
STHT13123-0	Adjustable wrench 250 x 29 mm	X	2	3	2 5 3 5 6 0 1 3 1 2 3 4
STHT13156-0	Adjustable wrench 300 x 36 mm	X	2	3	2 5 3 5 6 0 1 3 1 5 6 2

ADJUSTABLE WRENCH BI-MATERIAL



CODE	DESCRIPTION				PRICE
0-90-947	Adjustable wrench bimat 150 x 26 mm	X	2	3	2 5 3 5 6 0 1 9 0 9 4 7 5
0-90-948	Adjustable wrench bimat 200 x 31 mm	X	2	3	2 5 3 5 6 0 1 9 0 9 4 8 2
0-90-949	Adjustable wrench bimat 250 x 36 mm	X	2	3	2 5 3 5 6 0 1 9 0 9 4 9 9
0-90-950	Adjustable wrench bimat 300 x 40 mm	X	2	3	2 5 3 5 6 0 1 9 0 9 5 0 5

FATMAX® ADJUSTABLE WRENCH

STANLEY
FATMAX

- Chrome vanadium steel
- Ergonomic handle
- Rust resistant chrome finish



CODE	DESCRIPTION				PRICE
0-95-872*	FATMAX Adjustable Wrench 150 x 26 mm	X	4	3	2 5 3 5 6 0 1 9 5 8 7 2 5
0-95-873*	FATMAX Adjustable Wrench 200 x 31 mm	X	4	3	2 5 3 5 6 0 1 9 5 8 7 3 2
0-95-874*	FATMAX Adjustable Wrench 250 x 37 mm	X	4	3	2 5 3 5 6 0 1 9 5 8 7 4 9
0-84-540*	FATMAX Adjustable Wrench 300 x 43 mm	X	4	3	2 5 3 5 6 0 1 8 4 5 4 0 7
0-95-876*	FATMAX Adjustable Wrench 375 x 48 mm	X	4	3	2 5 3 5 6 0 1 9 5 8 7 6 3

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

SELF-TIGHTENING RATCHETING WRENCH



- No need to remove from fastener while tightening or loosening
- Easy to enlarge all sizes of fastening within size range
- Generously sized bi-material handle for enhanced comfort and performance

CODE	DESCRIPTION				PRICE
4-87-988*	Self-tightening ratcheting wrench 8 - 14 mm	X	10	3	2 5 3 5 6 4 1 8 7 9 8 8 0
4-87-989*	Self-tightening ratcheting wrench 13 - 19 mm	X	10	3	2 5 3 5 6 4 1 8 7 9 8 9 7
4-87-990*	Self-tightening ratcheting wrench 17 - 24 mm	X	10	3	2 5 3 5 6 4 1 8 7 9 9 0 3

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

RATCHETS

FATMAX® RATCHET 120T

STANLEY
FATMAX



- 120 tooth ratchet - with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low profile switch lever - prevents accidental switching and allows for easy, one-handed operation
- Quick release mechanism to release sockets quickly
- Bi-material handle for comfort, better grip and control

CODE	DESCRIPTION				PRICE
FMMT82676-0	FATMAX ratchet 1/4" 120T	X	4		
FMMT82677-0	FATMAX ratchet 3/8" 120T	X	4		
FMMT82678-0	FATMAX ratchet 1/2" 120T	X	8		

RATCHET 72T



- 72 tooth ratchet - fine toothing provides 5° increment
- Low profile switch lever - prevents accidental switching and allows for easy, one-handed operation
- Quick release mechanism to release caps quickly
- Bi-material handle for comfort, better grip and control

CODE	DESCRIPTION				PRICE
STMT82663-0	Ratchet 1/4" 72T	X	12		
STMT82664-0	Ratchet 3/8" 72T	X	12		
STMT82665-0	Ratchet 1/2" 72T	X	8		

FATMAX® RATCHET SET 1/4" 120T

STANLEY
FATMAX



- 120 tooth ratchet - with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low reversing lever - prevents accidental movement and allows one-handed operation
- Quick release mechanism to release caps quickly
- Bi-material handle for comfort, better grip and control
- Content:
Ratchet 1/4" 120T
Sockets 1/4" (12-point): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Bit holder 1/4"
Bits 1/4": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION				PRICE
FMMT82679-0	FATMAX Ratchet Set 1/4" 120T	X	8		

RATCHET SET 1/4" 72T 11 PCS



- 72 tooth ratchet - fine toothing provides 5° increment
- Bi-material handle for comfort, better grip and control
- Caps with 12 side
- Content:
Ratchet 1/4" 72T
Sockets 1/4" (12 side): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm

CODE	DESCRIPTION				PRICE
STMT82666-0	Ratchet set 1/4" 72T 11 pcs	X	8		

FATMAX® RATCHET SET 3/8" 120T

STANLEY
FATMAX



- 120 tooth ratchet - with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low reversing lever - prevents accidental movement and allows one-handed operation
- Quick release mechanism to release caps quickly
- Bi-material handle for comfort, better grip and control
- Content:
Ratchet 3/8" 120T
Sockets 1/4" (12-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm
Bit holder 3/8" for 1/4" bits
Bits 1/4": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION				PRICE
FMMT82680-0	FATMAX Ratchet Set 3/8" 120T	X	2		

RATCHET SET 3/8" 72T 11 PCS



- 72 tooth ratchet - fine toothing provides 5° increment
- Bi-material handle for comfort, better grip and control
- 12-points profile - on rail to hold sockets
- Content:
Ratchet 3/8" 72T
Sockets 3/8" (12-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm

CODE	DESCRIPTION				PRICE
STMT82670-0	Ratchet set 3/8" 72T 11 pcs	X	8		

FATMAX® RATCHET SET 1/2" 120T

STANLEY
FATMAX



- 120 tooth ratchet - with dual pawl mechanism for 2X better access in tight spaces vs. traditional 60T ratchet
- Low reversing lever - prevents accidental movement and allows one-handed operation
- Quick release mechanism to release caps quickly
- Bi-material handle for comfort, better grip and control
- Content:
Ratchet 1/2" 120T
Sockets 1/2" (12-point): 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm
Bit holder 1/2" for 5/16" bits
Bits 5/16": PH0 - PH1 - PH2 - Slot 3.5 - 4.5 - 8 - Torx 15 - 20 - 25 - 30

CODE	DESCRIPTION				PRICE
FMMT82681-0	FATMAX Ratchet Set 1/2" 120T	X	4		

RATCHET SET 1/2" 72T 10 PCS



- 72 tooth ratchet - fine toothing provides 5° increment
- Bi-material handle for comfort, better grip and control
- 12-points profile - on rail to hold sockets
- Content:
Ratchet 1/2" 72T
Sockets 1/2" (12-point): 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm


CODE	DESCRIPTION				PRICE
STMT82671-0	Ratchet set 1/2" 72T 10 pcs	X	4		

CHROME ROTATOR RATCHET SET - 1/4" & 3/8"



- Normal ratchet - twist handle for quick ratchet
- Easy to use top reverse switch
- Consumer friendly 'Try Me' packaging
- 1/4" Ratchet + 4 mm, 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 13mm sockets set (11 pcs set)
- 3/8" Ratchet + 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19mm sockets set (9 pcs set)

CODE	DESCRIPTION				PRICE
0-94-606	Chrome Rotator Ratchet Set 9 pcs	X	4	3253560946067	
0-94-607	Chrome Rotator Ratchet Set 11 pcs	X	4	3253560946074	



SOCKET SETS 1/4"

FATMAX® SOCKET SET 1/4" 42 PCS

STANLEY
FATMAX



- Content:
- Ratchet 1/4" 120T
- Sockets 1/4" (6-points profile): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Universal joint 1/4"
- Bit holder 1/4"
- Spinner handle 1/4"
- Sliding T-handle 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex: 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot: 4 - 5 - 6 - 7

CODE	DESCRIPTION				PRICE
FMMT82683-1	Socket set 1/4" 42 pcs	-	6		

SOCKET SET 1/4" 38 PCS



- Content:
- Ratchet 1/4" 72T
- Sockets 1/4" (6-points profile): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Bit holder 1/4"
- Spinner handle 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7
- Universal joint 1/4"

CODE	DESCRIPTION				PRICE
STMT82828-1	Socket set 1/4" 38 pcs	-	4		

COMPACT SOCKET SET 1/4" 37 PCS



- Compact box, easy to transport and store
- Content:
- Ratchet 1/4" 72T
- Sockets 1/4" (12-point): 4 - 4.5 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extension 1/4": 3"
- Bit holder 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - Hex 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION				PRICE
STMT82672-0	Compact socket set 1/4" 37 pcs	X	5		

SOCKET SETS 3/8"

FATMAX® SOCKET SET 3/8" 49 PCS

STANLEY
FATMAX



- Content:
- Ratchet 3/8" 120T
- Sockets 3/8" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 mm
- Extensions 3/8": 3" - 6"
- Sliding T-handle 3/8"
- Universal joint 3/8"
- Bit holder 3/8" for 1/4" bits
- Spark plug sockets 3/8": 16 - 21 mm
- Spinner handle 1/4"
- Bit holder 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION				PRICE
FMMT82684-1	FATMAX Socket set 3/8" 49 pcs	-	2		

SOCKET SET 3/8" 45 PCS



- Content:
- Ratchet 3/8" 72T
- Sockets 3/8" (6-points profile): 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm
- Extensions 3/8": 3" - 5"
- Universal joint 3/8"
- Bit holder 3/8" for 1/4" bits
- Spark plug sockets 3/8": 16 - 21 mm
- Spinner handle 1/4"
- Bit holder 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7

CODE	DESCRIPTION				PRICE
STMT82829-1	Socket set 3/8" 45 pcs	-	2		

SOCKET SET 1/2"

FATMAX® SOCKET SET 1/2" 26 PCS

STANLEY
FATMAX



- Content:
- Ratchet 1/2" 120T
- Sockets 1/2" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34 mm
- Extensions 1/2": 3" - 10"
- Sliding T-handle 1/2"
- Universal joint 1/2"

CODE	DESCRIPTION				PRICE
FMMT82685-1	FATMAX socket set 1/2" 26 pcs	-	2		

SOCKET SET 1/2" 24 PIECES



- Content:
- Ratchet 1/2" 72T
- Sockets 1/2" (6-points profile): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
- Extensions 1/2": 3"-10"
- Universal joint 1/2"

CODE	DESCRIPTION				PRICE
STMT82830-1	Socket set 1/2" 24 pcs	-	3		

SOCKET SETS MIXED

FATMAX® COMBINATION SET 1/4" + 1/2" 49 PCS

STANLEY
FATMAX



- Content:
- Ratchet 1/4" 120T
- Sockets 1/4" (6-points profile): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Universal joint 1/4"
- Sliding T-handle 1/4", Ratchet 1/2" 120T, Extensions 1/2": 3" - 10"
- Sockets 1/2" (6-points profile): 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
- Universal joint 1/2"
- Sliding T-handle 1/2"
- Combination wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

CODE	DESCRIPTION				PRICE
FMMT82827-1	FATMAX Combination set 1/4" + 1/2" 49 pcs	-	2		

COMBINATION SET 1/4" + 1/2" 41 PCS



- Content:
- Ratchet 1/4" 72T
- Sockets 1/4" (6-points profile): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Universal joint 1/4"
- Ratchet 1/2" 72T
- Sockets 1/2" (6 point): 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
- Extensions 1/2": 3" - 10"
- Universal joint 1/2"
- Combination wrenches: 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19mm

CODE	DESCRIPTION				PRICE
STMT82832-1	Combination set 1/4" + 1/2" + Combination wrenches 41-piece	-	2		

COMBINATION SET 1/4" + 1/2" 175 PCS



All parts are delivered in a molded plastic storage box

- 1/4" Drive 4mm Socket
- 1/4" Drive 5mm Socket
- 1/4" Drive 6mm Socket
- 1/4" Drive 7mm Socket
- 1/4" Drive 8mm Socket
- 1/4" Drive 9mm Socket
- 1/4" Drive 10mm Socket
- 1/4" Drive 11mm Socket
- 1/4" Drive 12mm Socket
- 1/4" Drive 13mm Socket
- 1/4" Drive 14mm Socket
- 1/2" Drive 15mm Socket
- 1/2" Drive 16mm Socket
- 1/2" Drive 17mm Socket
- 1/2" Drive 19mm Socket
- 1/2" Drive 20mm Socket
- 1/2" Drive 21mm Socket
- 1/2" Drive 22mm Socket
- 1/2" Drive 24mm Socket
- 1/2" Drive 27mm Socket
- 6mm Combination Spanner
- 8mm Combination Spanner
- 10mm Combination Spanner
- 12mm Combination Spanner
- 13mm Combination Spanner
- 14mm Combination Spanner
- 15mm Combination Spanner
- 17mm Combination Spanner
- 18mm Combination Spanner
- 19mm Combination Spanner
- 5mm Nut Driver
- 6mm Nut Driver
- 7mm Nut Driver
- 8mm Nut Driver
- 9mm Nut Driver
- 10mm Nut Driver
- 11mm Nut Driver
- 12mm Nut Driver
- 13mm Nut Driver
- 1/4" Drive Coupler
- 1/2" Drive 16mm Spark Plug Socket
- 1/4" Drive Spark Plug Socket
- 1/4" Drive Spinner Handle
- 1/4" Drive Extension Bar 2"
- 1/4" Drive Extension Bar 4"
- 1/2" Drive Extension Bar 5"
- 1/4" Drive Sliding T-Bar
- 1/4" Drive Universal Joint
- 10PC BIT RAIL 25MM
- 11PC BIT RAIL 25MM
- 11PC BIT RAIL 25MM
- 9PC BIT RAIL 25MM
- 10PC BIT RAIL 25MM
- 10PC BIT RAIL 25MM
- 80mm Magnetic Bit Holder
- Socket Adaptor 1/2" F x 3/8" M
- 1/4" Drive Socket - TORX-14E-4
- 1/4" Drive Socket - TORX-14E-5
- 1/4" Drive Socket - TORX-14E-6
- 1/4" Drive Socket - TORX-14E-7
- 1/4" Drive Socket - TORX-14E-8
- 3/8" Drive Socket - TORX-38E-10
- 3/8" Drive Socket - TORX-38E-11
- 3/8" Drive Socket - TORX-38E-12
- 3/8" Drive Socket - TORX-38E-14
- 3/8" Drive Socket - TORX-38E-16
- 3/8" Drive Socket - TORX-38E-18
- 1/2" Drive Socket - TORX-12E-20
- 1/2" Drive Socket - TORX-12E-22
- 8 Piece Folding Hex Key Set 1.5mm - 8mm Stanley SHT71800
- 1/4" Drive 72T Ratchet Handle
- 1/2" Drive 72T Ratchet Handle

CODE	DESCRIPTION				PRICE
STMT17380-1	1/4" + 1/2" + CW + HEX KEYS + BITS SET - 175 PCS	-	2	3253561173806	

FATMAX® SOCKET SET 1/4" + 1/2" 81 PCS

STANLEY
FATMAX



- Content:
- Ratchet 1/4": 120T
- Sockets 1/4" (6-points): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Long sockets 1/4" (6-points): 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Universal joint 1/4"
- Bit holder 1/4"
- Spinner handle 1/4"
- Sliding T-handle 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5-6-7
- Ratchet 1/2" 120T
- Sockets 1/2" (6-points): 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34mm
- Spark plug sockets 1/2": 16 - 21 mm
- Extensions 1/2": 3" - 5"
- Sliding T-handle 1/2"
- Universal joint 1/2"

CODE	DESCRIPTION				PRICE
FMMT82826-1	FATMAX socket set 1/4" + 1/2" 81 pcs	-	2	3 2535611828263	

SOCKET SET 1/4" + 1/2" 72 PCS



- Content:
- Ratchet 1/4" 72T
- Sockets 1/4" (6-points): 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Long sockets 1/4" (6-points): 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- Extensions 1/4": 3" - 6"
- Universal joint 1/4"
- Bit holder 1/4"
- Spinner handle 1/4"
- Bits 1/4": PZ1 - PZ2 - PZ3 - PH1 - PH2 - PH3 - 6 side 3 - 4 - 5 - 6 - 7 - Torx 10 - 15 - 20 - 25 - 27 - 30 - 40 - Slot 4 - 5 - 6 - 7
- Ratchet 1/2" 72T
- Sockets 1/2" (6-points): 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
- Spark plug sockets 1/2": 16 - 21 mm
- Extensions 1/2": 3" - 10"
- Universal joint 1/2"

CODE	DESCRIPTION				PRICE
STMT82831-1	Socket set 1/4" + 1/2" 72 pcs	-	2	3 2535611828317	

SOCKET SET 1/4" & 1/2" - 96 PIECES




- 1/2" Sockets x 16
- 1/2" Ratchet Handle x 1
- 1/2" SPK 21mm x 1
- 1/2" SPK 16mm x 1
- 1/2" Extension Bar 250mm x 1
- 3-Way 38F*12M Adapter x 1
- 1/2" Universal joint x 1
- 1/2" 6 Pt. Deep Sockets x 8
- 1/4" Ratchet Handle x 1
- 1/4" Spinner Handle x 1
- Bits (1/4") x 41
- 1/4" Extension Bar 100 mm x 1
- 1/4" 6 Pt. sockets x 14
- 1/4" Bit Adapter x 1
- 1/4" Universal Joint x 1
- 1/4" T-Handle x 1
- 1/4" Deep Socket x 5

CODE	DESCRIPTION				PRICE
STMT17379-1	Socket set 1/4" + 1/2" 96 pcs	-	2	3253561173790	

1/2" MAXIDRIVE SOCKETS

FATMAX® 1/2" X-PROFILE MAXIDRIVE SOCKETS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMMT17093-0	FATMAX 1/2" Socket kit 14, 15, 16 mm	3253560170936			
FMMT17094-0	FATMAX 1/2" Socket kit 17, 18, 19 mm	3253560170943			
FMMT17095-0	FATMAX 1/2" Socket kit 21, 22, 24 mm	3253560170950			
FMMT17227-0*	FATMAX 1/2" Socket 6P 8mm		X	6	3 2535601172275
FMMT17228-0*	FATMAX 1/2" Socket 6P 9mm		X	6	3 2535601172282
FMMT17229-0*	FATMAX 1/2" Socket 6P 10mm		X	6	3 2535601172299
FMMT17230-0*	FATMAX 1/2" Socket 6P 11mm		X	6	3 2535601172305
FMMT17231-0*	FATMAX 1/2" Socket 6P 12mm		X	6	3 2535601172312
FMMT17232-0*	FATMAX 1/2" Socket 6P 13mm		X	6	3 2535601172329
FMMT17233-0*	FATMAX 1/2" Socket 6P 14mm		X	6	3 2535601172336
FMMT17234-0*	FATMAX 1/2" Socket 6P 15mm		X	6	3 2535601172343
FMMT17235-0*	FATMAX 1/2" Socket 6P 16mm		X	6	3 2535601172350
FMMT17236-0*	FATMAX 1/2" Socket 6P 17mm		X	6	3 2535601172367
FMMT17237-0*	FATMAX 1/2" Socket 6P 18mm		X	6	3 2535601172374
FMMT17238-0*	FATMAX 1/2" Socket 6P 19mm		X	6	3 2535601172381
FMMT17239-0*	FATMAX 1/2" Socket 6P 20mm		X	4	3 2535601172398
FMMT17240-0*	FATMAX 1/2" Socket 6P 21mm		X	4	3 2535601172404
FMMT17241-0*	FATMAX 1/2" Socket 6P 22mm		X	4	3 2535601172411
FMMT17242-0*	FATMAX 1/2" Socket 6P 23mm		X	4	3 2535601172428
FMMT17243-0*	FATMAX 1/2" Socket 6P 24mm		X	4	3 2535601172435
FMMT17244-0*	FATMAX 1/2" Socket 6P 27mm		X	4	3 2535601172442
FMMT17245-0*	FATMAX 1/2" Socket 6P 30mm		X	2	3 2535601172459
FMMT17246-0*	FATMAX 1/2" Socket 6P 32mm		X	2	3 2535601172466
FMMT17247-0*	FATMAX 1/2" Socket 6P 34mm		X	2	3 2535601172473

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

PRO STACK SOCKET SET FOAM INLAYS

FATMAX® PRO-STACK SOCKET SET FOAM INLAY 1/2" 20 PCS

STANLEY
FATMAX



- P9 Ratchet wrench 1/2" with bi-material handle, 53T, 5°
- 1/2" Extension 127mm
- 1/2" Universal joint
- Spark plug sockets 18, 21 mm
- 1/2" 6-point sockets 10-24 mm

CODE	DESCRIPTION				PRICE
FMHT0-74297	FATMAX PRO-STACK Socket set foam inlay 1/2" - 20 pcs	-	2	3 253560 742973	

FATMAX® PRO-STACK COMBINATION WRENCH SET FOAM INLAY

STANLEY
FATMAX



· Combination spanners 10 - 19 mm

CODE	DESCRIPTION				PRICE
FMHT0-74298	FATMAX PRO-STACK Combination wrench set foam inlay 10 pcs	-	2	3 253560 742980	

FATMAX® PRO-STACK SOCKET SET FOAM INLAY 3/8" 38 PIECES

STANLEY
FATMAX



- P9 Ratchet wrench 3/8" with bi-material handle, 53T, 5°
- 3/8" Extension 76.2mm
- 3/8" Extension 152.4mm
- 3/8" Universal joint
- 14 pcs key set: Hex 1.5, 2, 2.5, 3, 4, 4.5, 5, 6 and 7 mm
- 3/8" sockets (6-points profile) 10-19 mm
- 3/8" long sockets (6-points profile) 10-19 mm

CODE	DESCRIPTION				PRICE
FMHT0-74296	FATMAX PRO-STACK Socket set foam inlay 3/8" 38 pcs	-	2	3 253560 742966	

FATMAX® PRO-STACK INSERT SOCKET SET 1/4" 48 PCS

STANLEY
FATMAX



- P9 Ratchet wrench 1/4" with bi-material handle, 53T, 5°
- 1/4" Extension 76.2mm
- 1/4" Extension 152.4mm
- 1/4" Universal Universal joint
- Handle 1/4"
- Bit adapter 1/4"
- 20-piece bit set: Slot: 4, 6 and 8 – Phillips: PH0, PH1, PH2 and PH3 – Pozidriv: PZ1, PZ2 and PZ3 – Hex: 3, 4, 5, 6 and 8 – Torx: T10, T15, T20, T25 and T30
- 1/4" hexagonal sockets 4-14 mm
- 1/4" long sockets 6-point 4-14 mm

CODE	DESCRIPTION				PRICE
FMHT0-74295	FATMAX PRO-STACK Insert Socket Set 1/4" 48 pcs	-	2	3 253560 742959	

FATMAX® PRO-STACK® SOCKET SETS

FATMAX® PRO-STACK SOCKET SET 1/2" 26 PCS

STANLEY
FATMAX



- Transparent lid for full visibility
- Durable, robust design
- Content:
 - 1x 1/2" 120T bi-material ratchet
 - 12x 1/2" sockets (6-point): 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 34 mm
 - 2x 1/2" extensions: 3" - 10"
 - 1x 1/2" Universal joint
 - 1x 1/2" 3-WAY Adapter for Sliding T-handle
- Can be combined with PRO-STACK and TSTAK
- Size: large

CODE	DESCRIPTION				PRICE
FMMT98103-1	FATMAX PRO-STACK Socket set 1/2" 26 pcs	-	2		

FATMAX® PRO-STACK SOCKET SET 1/4" 37 PCS

STANLEY
FATMAX



- Transparent lid for full visibility
- Durable, robust design
- Content:
 - 1x 1/4" ratchet wrench
 - 11x 1/4" sockets (6-points profile): 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
 - 1x 1/4" socket
 - 30x 1/4" bits: Pozidriv: 1 - 2 - 3
Phillips: 1 - 2 - 3
Hex: 3 - 4 - 5 - 5.5 - 6 - 7
Slotted: 3 - 4 - 5 - 6 - 7 - 8
Tamperproof torx: 10 - 15 - 20 - 25 - 27 - 30
- Can be combined with PRO-STACK and TSTAK
- Size: small

CODE	DESCRIPTION				PRICE
FMMT19101-0	FATMAX PRO-STACK Socket set 1/4" 37 pcs	-	2		

FATMAX® PRO-STACK SOCKET SET 3/8" 18 PCS

STANLEY
FATMAX



- Transparent lid for full visibility
- Durable, robust design
- Content:
 - 1x 3/8" 120T bi-material ratchet
 - 15x 1/4" sockets (6 point): 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
 - 1x 1/4" extensions: 3"
 - 1x 1/4" Universal joint
- Can be combined with PRO-STACK and TSTAK
- Size: medium

CODE	DESCRIPTION				PRICE
FMMT98102-0	FATMAX PRO-STACK Socket set 3/8" 18 pcs	X	5		

FATMAX® PRO-STACK SOCKET SET 1/4" 48 PCS

STANLEY
FATMAX



- Transparent lid for full visibility
- Durable, robust design
- Content:
 - 1x 1/4" 120T bi-material ratchet
 - 12x 1/4" sockets (6 point): 4 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
 - 2x 1/4" extensions: 3" - 6"
 - 1x 1/4" bit holder
 - 1x 1/4" Universal joint
 - 1x 1/4" spinner
 - 30x 1/4" bits
- Can be combined with PRO-STACK and TSTAK
- Size: medium

CODE	DESCRIPTION				PRICE
FMMT98101-0	FATMAX PRO-STACK Socket wrench set 1/4" 48 pcs	X	5		

FATMAX® PRO-STACK COMBINATION WRENCH SET 12 PCS

STANLEY
FATMAX



- Transparent lid for full visibility
- Durable, robust design
- Content:
 - 12x Anti-slip combination wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm
- Can be combined with PRO-STACK and TSTAK
- Size: medium

CODE	DESCRIPTION				PRICE
FMMT98104-0	FATMAX PRO-STACK Combination spanner set 12 pcs	X	4		

FATMAX® PRO-STACK 3 DRAWER SET 126 PCS

STANLEY
FATMAX



- DRAWER 1
 - 1x 1/4" 120T bi-material ratchet
 - 13x 1/4" sockets (6-points): 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
 - 11x 1/4" deep sockets (6-points): 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
 - 1x Hex Key Set (14pcs) 2x 1/4" extensions: 3" - 6"
 - 1x 1/4" bit holder
 - 1x 1/4" universal joint
 - 1x 1/4" Sliding T-handle
 - 1x 1/4" spinner
 - 44x 1/4" bits:
 - Rail #1 POZIDRIV PZ1x2 - PZ2x2 - PZ3 | PHILIPPS: PH1x2 - PH2x2 - PH3x2
 - Rail #2 HEX: 1.5 - 2 - 2.5 - 3 - 4 - 5x2 - 5.5 - 6 - 7 - 8
 - Rail #3 RESISTORX: TT10 - TT15x2 - TT20x2 - TT25x2 - TT27x2 - TT30 - TT40
 - Rail #4 SLOTTED: 3 - 4 - 4.5 - 5 - 5.5x2 - 6 - 6.5x2 - 7 - 8
- DRAWER 2
 - 14x 1/4" Anti-Slip Combination Wrenches: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19
- DRAWER 3
 - 1x 1/2" 120T bi-material ratchet
 - 15x 1/2" sockets (6-points): 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 mm
 - 3x 1/2" spark plug sockets: 16 - 19 - 21 mm
 - 2x 1/2" extensions: 3" - 10" 1x 1/2" universal joint
 - 1x 1/2" 3-WAY Adapter for Sliding T-handle

CODE	DESCRIPTION				PRICE
FMMT98107-1	FATMAX PRO-STACK 3 drawer kit - 126 pcs	X	4		

TRANSMODULE SYSTEM

FATMAX® PLIERS SET DYNAGRIP 4 PCS

STANLEY
FATMAX



- Needle Nose Plier 200 mm
- Side cutter 150 mm
- Combination plier 180 mm
- Wire stripping plier 150 mm

CODE	DESCRIPTION				PRICE
STMT1-74179	FATMAX Transmodule Pliers Set Dynagrip 4 pcs	X	4		

FATMAX® PLIERS SET CIRCLIPS 4 PCS

STANLEY
FATMAX



- Circlip bar straight internal 1800 mm
- Circlip bar straight external 1800 mm
- Circlip bar curved internal 1800 mm
- Circlip rod bent external 1800 mm

CODE	DESCRIPTION				PRICE
STMT1-74180	FATMAX Transmodule Pliers set Circlips 4 pcs	X	4		

FATMAX® SOCKET SET 1/2" - 23 PCS

STANLEY
FATMAX



- 18 sockets (6-points profile): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 1 ratchet NP9
- 1 L handle 90°
- 2 extensions: 125 + 250 mm
- 1 Universal joint

CODE	DESCRIPTION				PRICE
STMT1-74173	FATMAX Transmodule Socket set 1/2" 6-points profile	X	4		

FATMAX® SOCKET SET 1/2" - 23 PCS

STANLEY
FATMAX



- 18 sockets (12-points profile): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 1 ratchet NP9
- 1 L handle 90°
- 2 extensions: 125 + 250 mm
- 1 Universal joint

CODE	DESCRIPTION				PRICE
STMT1-74726	FATMAX Transmodule Socket set 1/2" 12-points 23 pcs	X	4		

FATMAX® TORX BITSET 1/2" PROFILE 24 PCS

STANLEY
FATMAX



- 9 Torx socket bits: T20, T25, T27, T30, T40, T45, T50, T55, T60
- 6 Torx long socket bits: T30, T40, T45, T50, T55, T60
- 9 Torx sockets (6-points profile): E10, E11, E12, E14, E16, E18, E20, E22, E24

CODE	DESCRIPTION				PRICE
STMT1-74176	FATMAX Transmodule Torx Bitset 1/2" - 24-piece	X	4		

FATMAX® SOCKET SET 3/8" - 36 PCS

STANLEY
FATMAX



- 14 sockets (12-points profile): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 13 long sockets (6-points profile): 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- 3 hex bit sockets: 4, 5, 6 mm
- 3 Torx bit sockets: T25, T30, T40
- 1 extension 125 mm
- 1 Universal joint
- 1 ratchet NP9

CODE	DESCRIPTION				PRICE
STMT1-74174	FATMAX Transmodule Socket set 3/8" 36 pcs	X	4		

FATMAX® SOCKET SET 1/4" 60 PCS

STANLEY
FATMAX



- 13 sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 13 long sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 3 slotted bits: 4, 5.5, 7mm
- 3 PZ bits: PZ1, PZ2, PZ3
- 3 PH bits: PH1, PH2, PH3
- 3 Hex bits: 2, 2.5, 3, 4, 5, 6mm
- 8 Torx bits: T6, T7, T8, T9, T10, T15, T20, T25
- 6 Torx sockets: E4, E5, E6, E7, E8, E10
- 1 ratchet NP9
- 1 spinner
- 2 extensions: 50, 100 mm
- 1 extension joint 125 mm
- 1 Universal joint
- 1 T handle

CODE	DESCRIPTION				PRICE
STMT1-74175	FATMAX Transmodule Socket set 1/4" 60 pcs	X	4	3 2535611741753	

FATMAX® OFFSET DOUBLE RING WRENCH SET - 10 PCS

STANLEY
FATMAX



- 10 ring wrenches: 6 x 7 mm, 8 x 9 mm, 10 x 12 mm, 11 x 13 mm, 12 x 14 mm, 14 x 15 mm, 16 x 17 mm, 18 x 19 mm, 21 x 23 mm, 22 x 24mm

CODE	DESCRIPTION				PRICE
STMT1-74177	FATMAX Transmodule Ring wrench set 10 pcs	X	4	3 2535611741777	

FATMAX® COMBINATION WRENCH SET 10 PCS

STANLEY
FATMAX



- 16 combination wrenches: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 22mm, 24mm

CODE	DESCRIPTION				PRICE
STMT1-74178	FATMAX Transmodule Combination wrench Set	X	4	3 2535611741784	

FATMAX® CUSHIONGRIP SCREWDRIVER SET 8 PCS

STANLEY
FATMAX



- 4 Cushion Grip Slotted Screwdrivers: 3x100mm, 5x150mm (parallel), 6.5x150mm, 8x200mm
- 4 Cushion Grip Phillips screwdrivers: PH0 x 60mm, PH1 x 100mm, PH2 x 125mm, PH3 x 150mm

CODE	DESCRIPTION				PRICE
STMT1-74181	FATMAX Transmodule Cushiongrip Screws wrench set 8 pcs	X	4	3 2535611741814	

FATMAX® CUSHION GRIP SCREWDRIVER SET TORX 6 PCS

STANLEY
FATMAX



- 6 Cushion Grip Screwdrivers Torx: T10 x 80mm, T15 x 80mm, T20 x 120mm, T25 x 120mm, T30 x 120mm, T40 x 120mm

CODE	DESCRIPTION				PRICE
STMT1-74182	FATMAX Transmodule Cushiongrip Screws wrench set Torx 6 pcs	X	4	3 2535611741821	

TOOL CABINET WITH 7 DRAWERS

STANLEY
FATMAX



- 2 medium and 5 shallow drawers for organizing your tools and accessories
- Durable work surface, ideal for storing small parts and accessories
- Worktop with integrated handles
- Durable drawers with ball bearing slides, also for storing heavier tools
- With non-slip drawer lining
- Lockable with key on the side for safe storage of the tool
- Lockable wheels for easy mobility and safety
- Made in France
- Load capacity: 300kg total, 20kg per drawer
- Dimensions: L73.5 x H89 x W51.5 cm

CODE	DESCRIPTION				PRICE
STST74305-1	FATMAX Tool Cabinet with 5 drawers	-	1		
STST74306-1	FATMAX Tool Cabinet with 7 drawers	-	1	3 2535611743061	

NIEUW

PRACTICAL INFO

OUR ASSORTIMENT

STANLEY	STANLEY DYNAGRIP	STANLEY FATMAX	
			POWER 
			MULTI-USE 
			MINI 
			VDE 

Carbon steel
Hardened jaws
Polished head

Carbon steel
Bi-material handle for comfort
Induction hardened jaws
Polished and clear lacquered head

Carbon steel construction
Bi-material handle for comfort
Induction hardened jaws and
lacquered basin
DIN / ASO / ANSI standards
"Precision Machined Finish"

FATMAX® PLIERS

FATMAX® COMBINATION PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-70813	FATMAX Combination Plier 215 mm	X	6	3 253560 708139	

FATMAX® SIDE CUTTER - END CUTTER - LONG NOSE PLIERS -

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-70814	FATMAX Side Cutter 200 mm	X	6	3 253560 708146	
FMHT0-71851	FATMAX End Cutter 190 mm	X	6	3 253560 718510	
FMHT0-70812	FATMAX Long Nose Pliers 205 mm	X	6	3 253560 708122	

FATMAX® DIAGONAL CUTTING PLIERS 5-IN-1

STANLEY
FATMAX

Crimping: 1.5 mm² - 2.5 mm³
Wire stripping: 1.5 mm² - 2.5 mm³
Bolt Cutter: M3 and M4
Side cutter for precise cutting of soft materials
Side cutter suitable for 1.8 mm piano wire




CODE	DESCRIPTION				PRICE
FMHT0-75468*	FATMAX Diagonal Cutting Pliers 5in1 180mm	X	2	3 253560 754686	

**Not in the Nordic assortment - special order required. Minimum order quantity applied.*

FATMAX® MINI COMBINATION PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-80516	FATMAX Mini Combination Pliers 190 mm	X	6	3 253560 805166	

FATMAX® UNIVERSAL PLIERS 6-IN-1

STANLEY
FATMAX

Wire stripper: 2.5 mm², 4 mm², 6 mm²
Universal side cutter: designed to cut wires up to and including 2.0mm Piano Wire
Bolt Cutter: M3 and M4
Combination pliers
Wrench feature - multi-point grip to tighten nuts and bolts with a hexagonal head



CODE	DESCRIPTION				PRICE
FMHT0-75469*	FATMAX Universal pliers 6in1 200 mm	X	2	3 253560 754693	

**Not in the Nordic assortment - special order required. Minimum order quantity applied.*

FATMAX® MINI LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-80517	FATMAX Mini Long nose Pliers 125 mm	X	6	3 253560 805173	

FATMAX® MINI SIDE CUTTER

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-80518	FATMAX Mini Side Cutter 120 mm	X	6	3 253560 805180	

FATMAX® MINI END CUTTER

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-80519	FATMAX Mini End Cutter 190 mm	X	6	2 5 3 5 6 0 8 0 5 1 9 7	

FATMAX® COMBINATION PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-866	FATMAX Combination pliers Maxsteel 160 mm	X	10	2 5 3 5 6 0 8 9 8 6 6 3	
0-89-867	FATMAX Combination pliers Maxsteel 180 mm	X	10	2 5 3 5 6 0 8 9 8 6 7 0	
0-89-868	FATMAX Combination pliers Maxsteel 200 mm	X	8	2 5 3 5 6 0 8 9 8 6 8 7	

FATMAX® MINI LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
FMHT0-80520	FATMAX Mini Long Nose Pliers 190 mm	X	6	2 5 3 5 6 0 8 0 5 2 0 3	

FATMAX® POWER DIAGONAL CUTTERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-860	FATMAX Power Diagonal Cutter Maxsteel 160 mm	X	10	2 5 3 5 6 0 8 9 8 6 0 1	
0-89-861	FATMAX Power Diagonal Cutter Maxsteel 200 mm	X	10	2 5 3 5 6 0 8 9 8 6 1 8	

FATMAX® DIAGONAL CUTTERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-858	FATMAX Diagonal Cutter Maxsteel 160 mm	X	10	2 5 3 5 6 0 8 9 8 5 8 8	
0-89-859	FATMAX Diagonal Cutter Maxsteel 200 mm	X	10	2 5 3 5 6 0 8 9 8 5 9 5	

FATMAX® END CUTTER

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-875	FATMAX End cutter Maxsteel 160 mm	X	10	2 5 3 5 6 0 8 9 8 7 5 5	

FATMAX® STRAIGHT LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-869	FATMAX Straight Long nose Pliers Maxsteel 160 mm	X	10		
0-89-870	FATMAX Straight Long nose Pliers Maxsteel 200 mm	X	10		

FATMAX® CURVED LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-871	FATMAX Curved Long nose Pliers Maxsteel 160 mm	X	4		
0-89-872	FATMAX Curved Long nose Pliers Maxsteel 200 mm	X	10		

FATMAX® FLAT LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-84-495	FATMAX flat long nose pliers 160 mm	X	10		

FATMAX® ROUND LONG NOSE PLIERS

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-84-496	FATMAX Round Long nose pliers 160 mm	X	10		

FATMAX® WIRE STRIPPER

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-873	FATMAX Wire Stripper Maxsteel 160 mm	X	10		

FATMAX® CABLE CUTTER

STANLEY
FATMAX



CODE	DESCRIPTION				PRICE
0-89-874	FATMAX Cable cutter Maxsteel 215 mm	X	4		

FATMAX® WATER PUMP PLIERS PUSHLOCK

STANLEY
FATMAX



- Easy to use patented PUSHLOCK™ adjustment button
- Fully adjustable in 17 positions
- Optimised jaw geometry for multiple gripping applications
- Induction hardened jaws
- Ergonomic bi-material handle
- Jaw Capacity: 200mm to 50mm, 250mm to 62mm, 300mm to 75mm

CODE	DESCRIPTION				PRICE
0-84-647	FATMAX Water pump pliers 200 mm	X	4		
0-84-648	FATMAX Water pump pliers 250 mm	X	4		
0-84-649	FATMAX Water pump pliers 300 mm	X	4		

FATMAX® MOTOR PLIERS

STANLEY
FATMAX




- Easy to use patented PUSHLOCK™ adjustment button
- 3 lockable positions
- Laser marking for identification 3 positions
- Induction hardened jaws
- Ergonomic bi-material handles

CODE	DESCRIPTION				PRICE
0-84-645*	FATMAX Motor Pliers 150 mm	X	4		
0-84-646*	FATMAX Motor Pliers 200 mm	X	4		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

DYNAGRIP® PLIERS

DYNAGRIP® COMBINATION PLIERS



CODE	DESCRIPTION				PRICE
STHT0-74456	Dynagrip Combination Pliers 150 mm	X	12	3 253560 744564	
STHT0-74454	Dynagrip Combination pliers 180 mm	X	12	3 253560 744540	
STHT0-74367*	Dynagrip Combination Pliers 200 mm	X	12	3 253560 743673	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

DYNAGRIP® WATER PUMP PLIERS 250 MM



CODE	DESCRIPTION				PRICE
STHT0-74361	Dynagrip Water pump pliers 250 mm	X	6	3 253560 743611	

DYNAGRIP® SIDE CUTTER



CODE	DESCRIPTION				PRICE
STHT0-74362	Dynagrip Side Cutter 150 mm	X	12	3 253560 743628	
STHT0-74455	Dynagrip Side Cutter 180 mm	X	12	3 253560 744557	

DYNAGRIP® END CUTTER - 150 MM



CODE	DESCRIPTION				PRICE
STHT0-75067*	Dynagrip Head cutter 150 mm	X	12	3 253560 750671	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

DYNAGRIP® WIRE STRIPPER - 150 MM



CODE	DESCRIPTION				PRICE
STHT0-75068	Dynagrip stripping tool 150 mm	X	12	3 253560 750688	

DYNAGRIP® LONG NOSE PLIERS



CODE	DESCRIPTION				PRICE
STHT0-74363	Dynagrip Long nose Pliers 150 mm	X	12	3 253560 743635	
STHT0-74364	Dynagrip Long nose Pliers 200 mm	X	12	3 253560 743642	

WATERPUMP PLIER - 240MM




- Black phosphate finish
- Brownd head
- Branches sheathed with yellow PVC
- Equipped with a safety stop
- finger guard for better control & added user safety
- Interlocking joint assembly for smooth cutting
- Interposed hinge and double adjustment - 7 positions

CODE	DESCRIPTION				PRICE
2-84-017	WATERPUMP PLIER 240MM	X	12	3253562840172	

VDE PLIERS

VDE COMBINATION PLIERS



CODE	DESCRIPTION				PRICE
0-84-000*	VDE 1000 V Combination pliers 160 mm	X	10	3 253560 840006	
0-84-001*	VDE 1000 V Combination pliers 180 mm	X	10	3 253560 840013	
0-84-002*	VDE 1000 V Combination pliers 200 mm	X	8	3 253560 840020	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE POWER SIDE CUTTER



CODE	DESCRIPTION				PRICE
0-84-003	VDE 1000 V Power side cutter 180 mm	X	4	3 253560 840037	
0-84-004*	VDE 1000 V Power side cutter 195 mm	X	4	3 253560 840044	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE LONG NOSE PLIERS



CODE	DESCRIPTION				PRICE
0-84-006*	VDE 1000V Long nose 160 mm	X	4	3 253560 840068	
0-84-007	VDE 1000 V Long nose pliers 200 mm	X	4	3 253560 840075	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

VDE CURVED LONG NOSE PLIERS



CODE	DESCRIPTION				PRICE
0-84-008	VDE 1000 V Curved Long nose Pliers 200 mm	X	10	3 253560 840082	

VDE SIDE CUTTER



CODE	DESCRIPTION				PRICE
0-84-009	VDE 1000 V Side cutter 160 mm	X	10	3 253560 840099	

VDE WIRE STRIPPER



CODE	DESCRIPTION				PRICE
0-84-010	VDE 1000 V Wire stripper 170 mm	X	10	3 253560 840105	

VDE END CUTTER



CODE	DESCRIPTION				PRICE
0-84-016*	VDE 1000 V End cutter 160 mm	X	10	3 253560 840167	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

PLIERS SET

FATMAX® POWER TONGS SET - 40% MORE POWER 3 PCS

STANLEY
FATMAX

- Double hinge construction for more cutting power
- Additional power transmission
- Carbon steel construction
- Conforms to ANSI specifications
- Bi-material handle
- 40% more power than regular pliers



CODE	DESCRIPTION				PRICE
FMHT0-72415	FATMAX Power tongs set 3-piece	X	6	3 2535601724153	

FATMAX® MINI PLIERS SET 3 PCS

STANLEY
FATMAX

- Very compact model for work on small workpieces or in confined spaces
- Ergonomic bi-material handle
- Opening spring to operate float
- Precision cutting edges



CODE	DESCRIPTION				PRICE
FMHT0-80524	FATMAX Mini Pliers Set 3 pcs	X	6	3 2535601805241	

FATMAX® PLIERS SET 3 PCS

STANLEY
FATMAX

- Contents: Straight Long nose Pliers 160 mm, Combination Pliers 180 mm, Side Cutter 160 mm



CODE	DESCRIPTION				PRICE
4-84-488	FATMAX Pliers Set 3 pcs	X	6	3 2535641844888	



FATMAX® MINI PLIERS SET 6 PCS

STANLEY
FATMAX

- Very compact model for work on small workpieces or in confined spaces
- Ergonomic bi-material handle
- Opening spring to operate float
- Precision cutting edges



CODE	DESCRIPTION				PRICE
FMHT0-80541	FATMAX Mini Pliers Set 6 pcs	X	6	3 2535601805418	

VDE PLIERS SET 4 PCS

- Contents: combination pliers 160 mm, side cutter 175 mm, Long nose pliers 160 mm, stripping pliers 170 mm



CODE	DESCRIPTION				PRICE
4-84-489	VDE pliers set 4 pcs	X	4	3 2535641844895	



DYNAGRIP® PLIERS SET WATER PUMP PLIERS 3-PIECE



· Contents: combination pliers 150 mm, side cutter 150 mm, water pump pliers 250 mm

CODE	DESCRIPTION				PRICE
STHT0-74471	Dynagrip Pliers Set CG Water Pump Pliers 3-piece	X	6	2 5 3 5 6 0 1 7 4 4 7 1 7	

DYNAGRIP® PLIERS SET CG 150 MM 3 PCS



· Contents: combination pliers 150 mm, side cutter 150 mm, Long nose pliers 150 mm

CODE	DESCRIPTION				PRICE
STHT0-75094	Dynagrip Pliers Set CG 150 mm 3 pcs	X	12	2 5 3 5 6 0 1 7 5 0 9 4 7	

LOCKING PLIERS

LOCKING PLIERS CURVED JAW



- Anti-rust chrome housing
- Accurately machined jaw
- Clamping force adjustable with screw
- Quick release lever

CODE	DESCRIPTION				PRICE
0-84-809	Locking Pliers Curved Jaws 225 mm (L) 53 mm (Jaw)	-	4	2 5 3 5 6 0 1 8 4 8 0 9 5	

LOCKING PLIERS STRAIGHT JAW



- Anti-rust chrome housing
- Accurately machined jaw
- Clamping force adjustable with screw
- Quick release lever

CODE	DESCRIPTION				PRICE
0-84-810	Locking Pliers Straight Jaws 190 mm (L) 38 mm (Jaw)	-	4	2 5 3 5 6 0 1 8 4 8 1 0 1	
0-84-811	Locking Pliers Straight Jaws 225 mm (L) 50 mm (Jaw)	-	4	2 5 3 5 6 0 1 8 4 8 1 1 8	

LOCKING PLIERS LONG JAW



- Anti-rust chrome housing
- Accurately machined jaw
- Clamping force adjustable with screw
- Quick release lever

CODE	DESCRIPTION				PRICE
0-84-812	Locking Pliers Long Jaws 170 mm (L) 62 mm (Jaw)	-	4	2 5 3 5 6 0 1 8 4 8 1 2 5	
0-84-813*	Locking Pliers Long Jaws 215 mm (L) 75 mm (Jaw)	-	4	2 5 3 5 6 0 1 8 4 8 1 3 2	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

LOCKING PLIERS "V" JAW



- Anti-rust chrome housing
- Accurately machined jaw
- Tothing all over the mouth
- Clamping force adjustable with screw
- Quick release lever

CODE	DESCRIPTION				PRICE
0-84-814*	Locking Pliers "V" Jaws 225 mm (L) 47 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 4 9	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

LOCKING PLIERS "C" JAW



- Anti-rust chrome housing
- Accurately machined jaw
- Tothing all over the mouth
- Clamping force adjustable with screw
- Quick release lever

CODE	DESCRIPTION				PRICE
0-84-816*	Locking Pliers "C" Jaws 285 mm (L) 90 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 6 3	
0-84-815	Locking Pliers "C" Jaws 170 mm (L) 45 mm (Jaw)	-	4	3 2 5 3 5 6 0 8 4 8 1 5 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

LOCKING PLIERS WITH LARGE JAW



- Forged combined straight and curved jaws for clamping to a variety of shaped surfaces throughout the industry
- Wide opening jaws with 4 positions
- Acts as a "third man" in many applications
- Knurled adjusting nut to adjust the clamping pressure
- Quick release lever
- Nickel-coated pressed steel handles
- Textured handle to improve grip even with oily hands

CODE	DESCRIPTION				PRICE
1-84-199*	Locking pliers Large Jaw 250 mm	-	1	3 2 5 3 5 6 1 8 4 1 9 9 6	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

FATMAX® LOCKING PLIERS

FATMAX® LOCKING PLIERS CURVED JAWS

STANLEY
FATMAX



- Easy release - when the TRULOCK is disengaged the squeeze to release
- Security - no accidental release due to TRULOCK
- Eyebolts for higher torque tightening and faster winding
- Firm grip - optimised jaw and tooth geometry design
- New rust resistant black finish on high-performance steel for a longer life
- Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION				PRICE
FMHT0-74886	FATMAX Locking Pliers Curved Jaws 250 mm	-	2	3 2 5 3 5 6 0 7 4 8 8 6 9	

FATMAX® LOCKING PLIERS STRAIGHT JAWS

STANLEY
FATMAX



- Easy release - when the TRULOCK is disengaged the squeeze to release
- Security - no accidental release due to TRULOCK
- Eyebolts for higher torque tightening and faster winding
- Firm grip - optimised jaw and tooth geometry design
- New rust resistant black finish on high-performance steel for a longer life
- Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION				PRICE
FMHT0-75467	FATMAX Locking Pliers Straight Jaws 180 mm	X	4	3 2 5 3 5 6 0 7 5 4 6 7 9	

FATMAX® LOCKING PLIERS LONG JAWS

STANLEY
FATMAX



- Easy release - when the TRULOCK is disengaged the squeeze to release
- Security - no accidental release due to TRULOCK
- Eyebolts for higher torque tightening and faster winding
- Firm grip - optimised jaw and tooth geometry design
- New rust resistant black finish on high-performance steel for a longer life
- Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION				PRICE
FMHT0-74888	FATMAX Grip Pliers Long Jaws 220 mm	-	2	3 2 5 3 5 6 0 7 4 8 8 8 3	

FATMAX® LOCKING PLIERS "C" JAW

STANLEY
FATMAX



- Easy release - when the TRULOCK is disengaged the squeeze to release
- Security - no accidental release due to TRULOCK
- Eyebolts for higher torque tightening and faster winding
- Firm grip - optimised jaw and tooth geometry design
- New rust resistant black finish on high-performance steel for a longer life
- Induction hardened CR-V Jaws for long-life

CODE	DESCRIPTION				PRICE
FMHT0-75408	FATMAX Grip Pliers "C" Jaw 150 mm	X	4	3 2 5 3 5 6 0 7 5 4 0 8 2	
FMHT0-74892	FATMAX Grip Pliers "C" Jaw 280 mm	-	2	3 2 5 3 5 6 0 7 4 8 9 2 0	

SPECIFIC PLIERS

FATMAX® AUTOMATIC WIRE STRIPPER

STANLEY
FATMAX

- Automatically adjustable wire stripper
- Suitable for stripping copper and aluminum wire up to 10 mm² (multiple wire) and up to 6 mm² (single wire)
- Ergonomic non-slip handle



CODE	DESCRIPTION				PRICE
FMHT0-96230	FATMAX Automatic Wire Stripper	-	6	3 2 5 3 5 6 0 4 9 6 2 3 0 2	

CRIMPING PLIER 220 MM - DIPPED HANDLE

- Crimping: 1.5 / 2.5 / 6 mm²
- Wire stripper: 0.75 - 6 mm²
- Bolt cutter
- Black finish
- Ergonomic handle
- Fast and smooth use



CODE	DESCRIPTION				PRICE
STHT0-75414	Crimping plier 220 mm	-	2	3 2 5 3 5 6 0 1 7 5 4 1 4 3	

STUD CRIMPING TOOL 260 MM

- Connects metal profiles without screws or nails



CODE	DESCRIPTION				PRICE
1-69-100	Stud crimping tool 260 mm	-	1	3 2 5 3 5 6 1 1 6 9 1 0 0 3	

FATMAX® RUSSIAN END NIPPERS

STANLEY
FATMAX

- Accurate cutting surfaces
- Long service life of the cutting edges due to high-frequency treatment up to 60 HRC
- Ergonomic handles, rounded for easy handling
- Pivot point close to the cutting edge for optimum transmission with minimal effort
- Cutting capacity: up to 4.5 mm at 80 kg/mm² and up to 1.6 mm at 160 kg/mm²



CODE	DESCRIPTION				PRICE
4-95-098*	FATMAX Russian end nippers 250 mm	X	2	3 2 5 3 5 6 4 1 9 5 0 9 8 5	
4-95-100*	FATMAX Russian end nippers 300 mm	X	2	3 2 5 3 5 6 4 1 9 5 1 0 0 5	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

RUSSIAN END NIPPERS

- High alloy steel
- Induction hardened cutting edges
- Complies with ISO 9242 - DIN 5242 standards
- Blank finished surfaces of the clamps with chemically blackened and lacquered handle for protection
- Very common in concrete work for twisting and cutting tie wires on reinforcement bars or rebars



CODE	DESCRIPTION				PRICE
1-84-182*	Russian End nippers 280 mm	-	6	3 2 5 3 5 6 1 1 8 4 1 8 2 8	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

END NIPPERS - DIPPED HANDLE

- High alloy steel
- Induction hardened cutting edges
- Complies with ISO 9242- DIN 5242 standards
- Blank finished surfaces of the clamps with chemically blackened and handle with yellow plastic cover for protection
- Very common in concrete work for twisting and cutting tie wires on reinforcement bars or rebars



CODE	DESCRIPTION				PRICE
2-84-208	End nippers plastic 250 mm	X	6	3 2 5 3 5 6 2 1 8 4 2 0 8 4	

CARPENTER'S PINCERS



- High alloy steel with precision broached jaws and cutting edges
- Flat handle for comfortable use
- Complies with ISO 9243 and DIN 5241 standards
- Black lacquered polished head for long life

CODE	DESCRIPTION				PRICE
2-84-183	Carpenter's Pincers 180 mm	X	6		
2-84-184	Carpenter's Pincers 225 mm	X	6		
2-84-185*	Carpenter's Pincers 250 mm	X	6		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

HOLE PUNCH PLIERS



- Hole punch: 2-3, 3-3, 5-4, 5-5
- Durable chrome finishing
- Ergonomic handle
- Locking trigger for safety

CODE	DESCRIPTION				PRICE
STHT0-75044	Hole Punch Pliers	X	15		

AVIATION SNIPS

FATMAX® ERGO AVIATION SNIPS - 250 MM - LEFT CUTTING

STANLEY
FATMAX



- Improved Pivot Bolt Design for increased durability - low profile
- Precision Cut Blade Markings for precise cuts
- Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- US ERGO Certified Handle
- Improved Latch Design for quick, one-handed opening/closing
- Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION				PRICE
FMHT73755-0	FATMAX Ergo Aviation Snips - 250mm Left Cutting	X	4		

FATMAX® ERGO AVIATION SNIPS - 250 MM - STRAIGHT CUTTING

STANLEY
FATMAX



- Improved Pivot Bolt Design for increased durability - low profile
- Precision Cut Blade Markings for precise cuts
- Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- US ERGO Certified Handle
- Improved Latch Design for quick, one-handed opening/closing
- Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION				PRICE
FMHT73756-0	FATMAX Ergo Aviation Snips - 250 mm Straight Cutting	X	4		

FATMAX® ERGO AVIATION SNIPS - 250 MM - RIGHT CUTTING

STANLEY
FATMAX



- Improved Pivot Bolt Design for increased durability - low profile
- Precision Cut Blade Markings for precise cuts
- Slim / Flush Hardware Allows for quick and easy access in and out of the work pouch/holster
- US ERGO Certified Handle
- Improved Latch Design for quick, one-handed opening/closing
- Cutting capacity: 18swg/1.2mm plain steel, 22swg/0.8mm stainless steel

CODE	DESCRIPTION				PRICE
FMHT73557-0	FATMAX Ergo Aviation Snips - 250mm Right Cutting	X	4		

STANLEY® FATMAX® AVIATION SNIPS STRAIGHT CUT COMPOUND ACTION

STANLEY
FATMAX



- Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather and copper
- Exceeds ANSI standards for cutting performance and durability
- High leverage, compound cutting design cuts up to 18 gauge steel
- Made from forged alloy steel for strength and durability
- Patented hinge plate for easy product function identification
- Permanent identification plate for the direction of cutting
- Serated cutting edges prevent slippage when cutting
- Twin spiral spring for increased longevity

CODE	DESCRIPTION	☐	☒	☐	PRICE
2-14-563	FATMAX Tin Scissors Narrow Beak Straight	X	6	3	2 5 3 5 6 2 1 4 5 6 3 5

FATMAX® AVIATION SNIPS COMPOUND ACTION - LEFT & RIGHT CUT

STANLEY
FATMAX



- Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather and copper
- Exceeds ANSI standards for cutting performance and durability
- High leverage, compound cutting design cuts up to 18 gauge steel
- Made from forged alloy steel for strength and durability
- Patented hinge plate for easy product function identification
- Permanent identification plate for the direction of cutting
- Serated cutting edges prevent slippage when cutting
- Twin spiral spring for increased longevity

CODE	DESCRIPTION	☐	☒	☐	PRICE
2-14-562	FATMAX Aviation Snips Compound action - Left	X	6	3	2 5 3 5 6 2 1 4 5 6 2 8
2-14-564	FATMAX Aviation Snips Compound action - Right	X	6	3	2 5 3 5 6 2 1 4 5 6 4 2

STANLEY® FATMAX® MAXSTEEL™ AVIATION SNIPS

STANLEY
FATMAX




- Bi-material easy grip handles
- Double pivot action for high cutting power
- Cuts up to 18 gauge mild steel 0.7 to 1.2mm
- Also suitable for cutting aluminum, UPVC sheet, wire mesh, leather, copper and plastic
- One handed automatic latch release
- Made from forged alloy steel for strength and durability
- Meets or exceeds ANSI standards
- Serated cutting edges prevent slippage when cutting

CODE	DESCRIPTION	☐	☒	☐	PRICE
2-14-567	FATMAX® MaxSteel™ Aviation Snips Left	X	6	3	2 5 3 5 6 2 1 4 5 6 7 3
2-14-568	FATMAX® MaxSteel™ Aviation Snips Right	X	6	3	2 5 3 5 6 2 1 4 5 6 8 0

BOLT CUTTERS

BOLT CUTTERS - TUBULAR HANDLES




- Strong & durable material: forged molybdenum steel
- Maximum cutting capacity: 10 mm at 160 kg/mm²
- GSA AA-3047 compliant
- Ergonomic handles
- Adjustable jaws (sold separately)
- Supplied with technical info card

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-17-750*	Bolt cutters 350 mm / 14" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 0 7
1-17-751*	Bolt cutters 450 mm / 18" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 1 4
1-17-752*	Bolt cutters 600 mm / 24" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 2 1
1-17-753*	Bolt cutters 750 mm / 30" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 3 8
1-17-754*	Bolt cutters 900 mm / 36" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 4 5
1-17-755*	Bolt cutters 1050 mm / 42" tubular handles	-	1	3	2 5 3 5 6 1 1 7 7 5 5 2

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

BOLT CUTTERS - FORGED HANDLES



- Strong & durable material: forged molybdenum steel
- Maximum cutting capacity: 10 mm at 160 kg/mm²
- GSA AA-3047 compliant
- Ergonomic handles
- Adjustable jaws (sold separately)
- Supplied with technical info card

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-564	Bolt cutters 450mm / 18" forged handles	-	1	3	2 5 3 5 6 1 9 5 5 6 4 8
1-95-566	Bolt cutters 750 mm / 30" forged handles	-	1	3	2 5 3 5 6 1 9 5 5 6 6 2
1-95-567	Bolt cutters 900 mm / 36" forged handles	-	1	3	2 5 3 5 6 1 9 5 5 6 7 9

REPLACEMENT JAWS FOR BOLT CUTTERS



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-17-756*	Replacement jaws for 1-17-750 (350mm)	-	1	3	2 5 3 5 6 1 1 7 7 5 6 9
1-17-757*	Spare jaws for 1-17-751 and 1-95-564 (450mm)	-	1	3	2 5 3 5 6 1 1 7 7 5 7 6
1-17-758*	Spare jaws for 1-17-752 and 1-95-565 (600mm)	-	1	3	2 5 3 5 6 1 1 7 7 5 8 3
1-17-759*	Spare jaws for 1-17-753 and 1-95-566 (750mm)	-	1	3	2 5 3 5 6 1 1 7 7 5 9 0
1-17-760*	Spare jaws for 1-17-754 and 1-95-567 (900mm)	-	1	3	2 5 3 5 6 1 1 7 7 6 0 6
1-95-569*	Spare jaws for 1-17-755 (1050mm)	-	1	3	2 5 3 5 6 1 9 5 5 6 9 3

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

A COMPLETE STORAGE RANGE

A range of possibilities

STANLEY offers a complete range of tool trolleys for the construction sites, with a capacity of 50 to 190 liters and with a frame in polypropylene and metal. All high-quality and robust storage systems, suitable for professional use. Different storage options: toolboxes, boxes for power tools and organizers with different compartments. Large choice of sizes, colours, materials (bimaterial or not), with or without different compartments, with metal or synthetic closing hooks, etc.

Wide range of robust and easy to move trestles. Due to their polypropylene construction, these trestles have the best weight/strength ratio on the market. Large options from simple folding trestles to telescopic trestles with a high load capacity.



STANLEY MOBILE STORAGE 50L

Time saving

We understand that time-saving products are an important asset for craftsmen. That is why we designed a new tool trolley, the STANLEY® tool trolley 50L with storage compartments in the lid, a removable case for small hand tools and a lock that can be opened and closed with one hand. Everything you need is easy to find and easily accessible. Thanks to the telescopic handle and large wheels, this spacious tool trolley is also easy to move.

ROLLING WORKSHOPS

STANLEY® FATMAX® ROLLING WORKSHOP CANTILEVER - METAL/PLASTIC

STANLEY
FATMAX



- 20" Detachable metal plastic Toolbox with removable tray
- Large metal rust proof latches with padlock eye
- 2 Deep 4" drawer with ball bearing slides
- Large metal storage bin that provides extra large capacity of portable tool storage
- Heavy duty 7" wheels
- Cantilever' system for instant access to all storage area's
- Telescopic handle and large wheels
- Outer Dimensions (cm WxDxH): 56.8 x 38.9 x 89.3
- Inner Dimension (cm WxDxH) Base: 48 x 24 x 34
Drawer: 48.5 x 24 x 9.5
20" toolbox: 48 x 23 x 26

CODE	DESCRIPTION				PRICE
1-95-622	FATMAX Rolling Workshop Metall/Plastic	-	1	3 253561 956225	

STANLEY® ROLLING WORKSHOP CANTILEVER METAL/PLASTIC



- 20" Detachable metal plastic Toolbox with removable tray
- Large metal rust proof latches with padlock eye
- Deep 4" drawer with ball bearing slides
- Large metal storage bin that provides extra large capacity of portable tool storage
- Cantilever' system for instant access to all storage area's
- Telescopic handle and large wheels
- Outer Dimensions (cm WxDxH): 56.8 x 38.9 x 73
- Inner Dimension (cm WxDxH) 20" toolbox: 48 x 23 x 26
Middle toolbox/Organiser: 48.5 x 24 x 9.5
Base/Deep bin: 48 x 24 x 34

CODE	DESCRIPTION				PRICE
1-95-621	Rolling Workshop Metall/Plastic	-	1	3 253561 956218	

STANLEY® FATMAX® ROLLING WORKSHOP CANTILEVER

STANLEY
FATMAX



- 3 in 1 extendable
- Extendable handle and robust wheels
- 2 side handles
- Automatic handles extendable parts
- Easy to unlock to slide open
- Toolbox lid includes integrated V-groove for work with lumbers and pipes
- Organizer with removable dividers
- Outer Dimensions (cm WxDxH): 55 x 41.2 x 73.3
- Inner Dimension (cm WxDxH) Top toolbox: 48 x 23 x 26
Middle organiser (x4): 10 x 27 x 11
Base toolbox: 45 x 25.5 x 37.5

CODE	DESCRIPTION				PRICE
1-94-210	FATMAX Rolling Workshop	-	1	3 253561 942105	

STANLEY® ROLLING WORKSHOP MODULAR 3 IN 1



- Aluminum telescopic back handle for easy elevation; handle can be lowered for storage
- Heavy duty 7" wheels for easy on-site maneuverability
- Heavy duty ball bearing slides for the drawers- quality drawer sliding system with better gripz and locking mechanism
- On top 19" toolbox
- Portable detachable containers with handle
- Outer Dimensions (cm WxDxH): 48.8 x 34.8 x 86.5
- Inner Dimension (cm WxDxH) Toolbox: 44 x 21 x 14.5
Small drawer: 34 x 20 x 4.5
Big drawer: 32.5 x 19.5 x 11.6
Tilt bin: 36 x 20 x 33

CODE	DESCRIPTION				PRICE
1-79-206	Rolling Workshop 3in1	-	2	3 253561 792069	

STANLEY® QUICKLINK ROLLING WORKSHOP 3 IN 1



- Full tower load capacity: 45kg / 80 liters
- Wide telescopic handle for extra comfort
- Easy attachment and detachment of the modules thanks to the Auto-Lock system
- Heavy duty 7" wheels for extra durability
- Front metal latches
- Modular Rolling Workshop
- Outer dimensions (cm WxDxH): 55 x 40 x 74
- Inner dimensions (cm WxDxH) Shallow toolbox: 46 x 26 x 9.5
Deep toolbox: 46 x 26 x 20.5
Deep open bin: 45 x 26 x 35

CODE	DESCRIPTION				PRICE
STST83319-1	Quicklink Rolling Workshop 3in1	-	1	3 253561 833199	

STANLEY® MODULAR ROLLING WORKSHOP WITH TOP ORGANISER 2 IN 1



- Modularity - Pro detachable Toolbox with detachable suitcase
- Clear lid suitcase for full visibility and easy access to small parts
- Detachable tote Toolbox - time saving
- Ball bearing slides for durable drawers and smooth operation
- Maneuverability – durable 7" wheels
- Outer Dimensions (cm WxDxH): 56.7 x 38.2 x 76.4

CODE	DESCRIPTION				PRICE
STST1-79231	Modular Rolling Workshop 2in1	-	2	3 253561 792311	

STANLEY® ROLLING WORKSHOP ESSENTIAL 3 IN 1



- Three toolboxes in one: Separates into three individual Toolboxes in a matter of seconds.
- Telescopic handle
- Durable 7" wheels
- Front metal latches and padlock loop
- Outer Dimensions (cm WxDxH): 47.5 x 28.3 x 63
- Inner Dimension (cm WxDxH) Base: 38 x 22.5 x 26.5
Drawer: 42 x 21.5 x 12
Case: 41 x 23 x 19.5

CODE	DESCRIPTION				PRICE
STST1-80151	Rolling Workshop Essential 3in1	-	2		

STANLEY® ROLLING WORKSHOP



- Detachable top Toolbox unit with small parts storage on top
- Detachable mid section for small parts and accessories
- Bottom bin with large 7" wheels
- Pull handle on top allows to conveniently maneuver
- Large metal latches connecting the units
- Huge storage volume for power tools, hand tools small parts and accessories
- Removable tray for essential tools
- 1-70-326 Outer Dimension (cm WxDxH): 47 x 29.5 x 61.9
Inner Dimension (cm WxDxH) Base: 41 x 24.5 x 33
Organizer: 43 x 24 x 5.8
Suitcase: 41 x 25 x 18
- 1-70-327 Outer Dimension (cm WxDxH): 47 x 29.5 x 57.3
Inner Dimension (cm WxDxH) Base: 41 x 24.5 x 33
Suitcase: 41 x 25 x 18

CODE	DESCRIPTION				PRICE
1-70-326	Mobile Work Center 3in1	-	2		
1-70-327	Mobile Work Center 2in1	-	2		

STANLEY® ROLLING WORKSHOP 2 IN 1



- 2in1 - quickly split into separate boxes
- Extra spacious Toolbox with removable tray
- Central organizer carousel and lid organizers
- Volume: 25L
- Capacity: 17kg
- Foldable handle
- Heavy duty wheels
- Durable 1 piece plastic construction
- Nickel plated metal latches
- Large metal latches on the sides with eye for padlock
- Outer dimensions (cm WxDxH): 47 x 29.5 x 61.9
- Inner Dimension (cm WxDxH) Base: 40 x 24 x 30
Organizer (x2): 16.5 x 7 x 5
Suitcase: 45 x 26 x 19.5

CODE	DESCRIPTION				PRICE
1-93-968	Mobile Work Center 2in1	-	2		

STANLEY® FATMAX® MOBILE JOB CHEST 240L

**STANLEY
FATMAX**



- Large job chest with a capacity of 240 litres
- Innovative top aluminum rails (attachment points)
- Dust and water resistant: IP65
- Heavy-duty 7" rubber wheels with a extra-wide bi-material telescopic handle for greater comfort and maneuverability
- Padlock loop and heavy duty metal latches and hinges for added durability
- Outer dimensions (cm WxDxH): 99 x 59 x 62
- Inner dimensions (cm WxDxH): 84 x 46 x 51

CODE	DESCRIPTION				PRICE
FMST1-75531	FATMAX Mobile job chest 240L	-	2		

STANLEY® FATMAX® MOBILE JOB CHEST 113L

**STANLEY
FATMAX**



- Capacity up to 113L
- Removable vertical tool organizer/divider
- Level and saw lock in mechanism - - Keeps tools accessible yet safely secured inside
- All round water seal - Keeps valuable contents safe
- Heavy duty wheels - For mobility on rough surfaces, stairs
- Portable tray - For hand tools and small parts
- Integrated Lock + Keys - - Keeps your tools protected
- Integrated V - Groove - For any on site sawing needs
- Telescopic handle - Slides in for storage
- Back end handle - Enables conveniently lifting onto vehicle by 2 people
- Outer Dimensions (cm WxDxH): 91 x 51.6 x 43.1
- Inner Dimension (cm WxDxH): 72 x 37.5 x 28.5

CODE	DESCRIPTION				PRICE
1-94-850	FATMAX Mobile Job chest 113L	-	1		

STANLEY® MOBILE JOB CHEST 190L



- Integrated key lock for added security
- Wide telescopic steel handle with soft grip
- Removable tote tray fits neatly into the telescopic handle
- Heavy duty wheels
- Butterfly screws on top lid for attaching level, hand saw and other accessories
- Extra large rust resistant metal latches and padlock loop for security
- Outer Dimensions (cm WxDxH): 94.6 x 58.7 x 57.8
- Inner dimensions (cm WxDxH): 87 x 48 x 52

CODE	DESCRIPTION				PRICE
1-93-278	Mobile Job chest 190L	-	2		

STANLEY® FATMAX® MOBILE JOB CHEST 90L

STANLEY
FATMAX



- Vertical storage divider: Ideal for storing smaller hand tools, such as knives and screwdrivers
- Strong metal latches & hinges - for extra durability
- Integrated V-groove: Located on the lid, suitable for sawing pipes and lumber
- Telescopic handle for easy transportation
- Outer Dimensions (cm WxDxH): 74.7 × 51.5 × 42.8
- Inner dimensions (cm WxDxH): 61 × 38.5 × 33.5

CODE	DESCRIPTION				PRICE
FMST1-73601	FATMAX Mobile job chest 90L	-	1		

STANLEY® MOBILE JOB CHEST 91L



- Wide telescopic steel handle with soft grip, suitable for use with gloved hands.
- Removable tote tray fits neatly into the telescopic handle
- Heavy duty road tested wheels
- Butterfly screws on top lid for attaching level, hand saw and other accessories
- Extra large rust resistant metal latches, durable and long lasting with padlock eyes for security
- Maximum storage and easy transportation for larger tools, general equipment and workshop materials
- Outer dimensions (cm WxDxH): 74 × 42 × 47.5
- Inner dimensions (cm WxDxH): 68 × 36.5 × 43.5

CODE	DESCRIPTION				PRICE
1-92-978	Mobile job chest 91L	-	2		

STANLEY® PRO - ONE-TOUCH LATCH MOBILE JOB CHEST 52L



- Strong and durable enables smooth closing & opening leaving one hand free
- 5,7" wheels for easy maneuverability on different surfaces
- IP43 water resistance - to help protect tools from water damage
- Three position tray - Organization of small parts inside or outside on extended handle, enables storage organization and accessibility to the tools in different working modes
- Telescopic pull handle - easy and comfortable carriage
- V-groove for pipe and timber support
- Outer dimensions (cm WxDxH): 62 x 42 x 40

CODE	DESCRIPTION				PRICE
STST33090-1	Stanley Pro - One Touch latch Mobile Job Chest 52L	-	2		

STANLEY® MOBILE JOB CHEST ESSENTIAL 50L



- Wide telescopic plastic handle
- Removable internal tray
- Heavy duty wheels
- Integrated V-groove: Located on the lid, suitable for sawing pipes and lumber
- Metal rust-proof latches - for extra durability
- Padlock eye for extra security
- Outer dimensions (cm WxDxH): 67 × 40.5 × 34.5
- Inner dimensions (cm WxDxH): 54 × 30 × 27.5

CODE	DESCRIPTION				PRICE
STST1-80150	Rolling Workshop Essential 50L	-	2		

STANLEY® ROLLING WORKSHOP 58L



- Removable organizer: Easy to remove and have all small parts organized and accessible
- Power tool easily accessible from portable tray or bottom bin
- Integrated V-groove: Located on the lid, suitable for sawing pipes and lumber
- 2/3 size portable tray allows for storage of larger/longer tools
- Outer dimensions (cm WxDxH): 62 × 37.5 × 42.5
- Inner dimensions (cm WxDxH): 57 × 31 × 29

CODE	DESCRIPTION				PRICE
1-97-503	Rolling Workshop 53L	-	2		



CANTILEVER TOOLBOX

Everything has its place

We often work with professionals. That's why we know you need to have the right tools at your fingertips to get the job done faster and easier. But small parts and accessories are easily lost at the bottom of the box. Everything remains visible in our popular cantilever model. That makes it easier to get the right tool when you need it. We were also told that it is essential that tools are not damaged. That is why this box is not only robust and sturdy, but also waterproof.

TOOLBOXES

STANLEY® FATMAX® STRUCTURAL FOAM TOOLBOX - 28"

STANLEY
FATMAX

- All round water seal for ultimate protection of equipment
- Constructed of structural foam for extra strength (IP53)
- Extra large storage capacity maximum volume utility (32L)
- Integrated V-Groove on top lid for sawing work needed, suitable for working with pipes and lumber
- 1-93-935 Outer Dimension (cm WxDxH): 71 x 29.4 x 32
Inner Dimension (cm WxDxH): 60 x 24.5 x 21.5
- 1-94-749 Outer Dimensions (cm WxDxH): 58 x 26.9 x 30.8
Inner Dimensions (cm WxDxH): 46.5 x 23 x 19.1



CODE	DESCRIPTION				PRICE
1-93-935	FATMAX Toolbox Heavy Duty 28"	-	3		
1-94-749	FATMAX Toolbox Heavy Duty 23"	-	3		

STANLEY® FATMAX® TOOLBOX ON WHEELS - 28"

STANLEY
FATMAX

- Ergonomic heavy weight mobility
- All round water seal for ultimate protection of equipment
- Ergonomic recessed incorporated in the body for hand carrying heavy tools
- Metal telescopic pull/push handle and wheels
- Portable tote tray so no need to carry all in toolbox
- Large metal rust proof latches with padlock loop
- Integrated V-groove for work with lumbers and pipes
- Outer dimensions (cm WxDxH): 71 x 30 x 32
- Inner Dimension (cm WxDxH): 60.2 x 21.5 x 22.7



CODE	DESCRIPTION				PRICE
FMST1-75761	FATMAX Toolbox with wheels 28"	-	3		

STANLEY® FATMAX® WATERPROOF TOOLBOX CANTILEVER 18"

STANLEY
FATMAX

- High performance seal for dust and water protection (IP53 water resistance)
- Long lasting and reliable product
- Plastic slides and robust metal latches
- Tool organization dividers (top and bottom drawers are the same)
- Dust and water resistant: IP53
- Outer dimensions (cm WxDxH): 46 x 23.5 x 31.5
- Inner Dimension (cm WxDxH): 37.5 x 22.5 x 11.3



CODE	DESCRIPTION				PRICE
FMST1-71219	FATMAX Waterproof toolbox Cantilever 18"	-	3		

STANLEY® FATMAX® TOOLBOX METALL/PLASTIC

STANLEY
FATMAX

- Ergonomic bi-material handle
- Innovative vertical storage unit for better organisation
- Large metal rust proof latches with padlock eye keep tools safe
- Portable tray is designed to carry tools and small parts
- Integrated V-groove for work with lumbers and pipes
- Combines the benefits of plastic with the sturdiness of metal for ultimate protection of equipment stored inside
- 1-95-615 Outer Dimension (cm WxDxH): 50 x 29.7 x 29.3
Inner Dimension (cm WxDxH): 48 x 24 x 23
- 1-95-616 Outer Dimension (cm WxDxH): 58 x 29.7 x 29.3
Inner Dimension (cm WxDxH): 56 x 23 x 24
- 1-95-617 Outer Dimension (cm WxDxH): 66.6 x 29.7 x 29.3
Inner Dimension (cm WxDxH): 64 x 23 x 24



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-615	FATMAX Toolbox Metall/Plastic 20"	-	3		
1-95-616	FATMAX Toolbox Metall/Plastic 23"	-	3		
1-95-617	FATMAX Toolbox Metall/Plastic 26"	-	3		

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL

- Ergonomic bi-material handle
- Large metal rust proof latches with padlock eye keep tools safe
- Portable tray designed to carry tools and small parts
- Integrated V-groove for work with lumbers and pipes
- Combines the benefits of plastic with the sturdiness of metal
- 1-95-612 Outer Dimension (cm WxDxH): 50 x 29.7 x 22.2
Inner Dimension (cm WxDxH): 48 x 24 x 18
- 1-95-613 Outer Dimension (cm WxDxH): 58 x 29.7 x 22.2
Inner Dimension (cm WxDxH): 56 x 23 x 18
- 1-95-614 Outer Dimension (cm WxDxH): 66.6 x 29.7 x 22.2
Inner Dimension (cm WxDxH): 63.5 x 22.5 x 17.2



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-612	Toolbox Metall/Plastic 20"	-	4		
1-95-613	Toolbox Metall/Plastic 23"	-	4		
1-95-614	Toolbox Metall/Plastic 26"	-	4		

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL

- Ergonomic bi-material handle
- Large metal rust proof latches with padlock eye keep tools safe
- Portable tray designed to carry tools and small parts
- Integrated V-groove for work with lumbers and pipes
- Combines the benefits of plastic with the sturdiness of metal
- 1-95-618 Outer Dimension (cm WxDxH): 50 x 29.7 x 22.2
Inner Dimension (cm WxDxH): 48 x 24 x 18
- 1-95-619 Outer Dimensions (cm WxDxH): 58 x 29.7 x 22.2
Inner Dimensions (cm WxDxH): 56 x 23 x 18
- 1-95-620 Outer Dimension (cm WxDxH): 66.6 x 29.7 x 22.2
Inner Dimension (cm WxDxH): 63.5 x 22.5 x 17.2



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-618	Toolbox Metall/Plastic Galva 20"	-	4		
1-95-619	Toolbox Metall/Plastic Galva 23"	-	4		
1-95-620	Toolbox Metall/Plastic Galva 26"	-	4		

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL - WITH DRAWER 20"

- Metal galvanized body and plastic frame
- Portable tote tray 3/4 length design to allow storage of large tools
- Large metal rust proof latches with padlock eye
- Ergonomic bi-material handle for carrying heavy loads
- Integrated V-grooves on top lid - suitable for pipes and lumber
- Deep 4" drawer for small parts organization or for power tool storage
- Ball bearing slides for heavy loads
- Outer Dimensions (cm WxDxH): 54.5 x 29.5 x 28
- Inner Dimension (cm WxDxH): 48.2 x 23.7 x 13.7



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-829	Toolbox Metall/Plastic with drawer 20"	-	2		

STANLEY® TOOLBOX - PLASTIC & GALVANIZED METAL - WITH DRAWER 20"

- Metal galvanized body and plastic frame
- Portable tote tray 3/4 length design to allow storage of large tools
- Large metal rust proof latches with padlock eye
- Ergonomic bi-material handle for carrying heavy loads
- Integrated V-grooves on top lid - suitable for pipes and lumber
- Deep 4" drawer for small parts organization or for power tool storage
- Ball bearing slides for heavy loads
- Outer Dimensions (cm WxDxH): 54.5 x 33.5 x 28
- Inner Dimension (cm WxDxH): 48.2 x 23.7 x 13.7



CODE	DESCRIPTION	☐	☒	☐	PRICE
1-95-830*	Toolbox Galva Metall/Plastic with drawer 20"	-	2		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® METAL CANTILEVER TOOLBOX - 18"



- Electro-powder coating to resist scratch and solvent markings
- Heavy duty metal for body construction and handle to provide ultimate durability
- Double latch for greater strength tray swing out for easy tool access
- Double handle for more comfort
- Outer Dimensions (cm WxDxH): 45 x 20.8 x 20.8

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-94-738	Toolbox Metal Cantilever 5 drawers	-	1	3	

STANLEY® TOOLBOX WITH ORGANIZER & OPEN TOTE 24"



- Toolbox with a removable organizer combines maximum tool storage with onsite maneuverability
- Heavy duty design, robust structure and structural foam look
- Long metal carry handle for the Tote for easy and better grip - locks in place for carrying; tilts down for storage
- Outer dimensions (cm WxDxH): 67 x 25 x 32
- Inner Dimension (cm WxDxH): 56.5 x 22.5 x 17

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-97-514	Toolbox with organizer & tote 24"	-	3	3	

STANLEY® TOOLBOX WITH ORGANIZER & OPEN TOTE 19"



- Toolbox with a removable organizer combines maximum tool storage with onsite maneuverability
- Heavy duty design, robust structure and structural foam look
- Long metal carry handle for the Tote for easy and better grip - locks in place for carrying; tilts down for storage
- Can be combined with Rolling Workshop 1-79-206
- Outer Dimensions (cm WxDxH): 55.6 x 24.9 x 32
- Inner Dimension (cm WxDxH): 47 x 22.5 x 16.7

CODE	DESCRIPTION	☐	☒	☐	PRICE
STST1-70317*	Toolbox with organizer & tote 19"	-	3	3	

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® FATMAX® TOOLBOX

STANLEY
FATMAX



- Unique tray design with removable cup compartments in various sizes and long space suitable for hand tools and accessories
- Long aluminium handle for a better grip which makes it easy and comfortable to carry and lift
- Cantilever sliding tray creates a two level work station
- Dust and water protection: IP 54
- FMST1-75792 Outer Dimension (cm WxDxH): 51.5 x 27.5 x 30
Inner Dimension (cm WxDxH): 45 x 23.5 x 19.2
- FMST1-75791 Outer Dimension (cm WxDxH): 67 x 27.5 x 30
Inner Dimension (cm WxDxH): 59.5 x 23 x 19.4

CODE	DESCRIPTION	☐	☒	☐	PRICE
FMST1-75792	FATMAX Pro Aluminum Cantilever Toolbox 20"	-	3	3	
FMST1-75791	FATMAX Pro Aluminum Cantilever Toolbox 26"	-	3	3	

STANLEY® TOOLBOX ONELATCH 24"



- 2/3 removable tray, allows enough space for larger tool to be stored underneath
- 24" tool box with one hand operation latch, allows easy opening when other hand is occupied
- Extra width soft grip handle on top for easy lifting
- Toolbox lid includes integrated V-groove for work with lumbers and pipes
- Outer Dimensions (cm WxDxH): 60.3 x 28.7 x 28.2

CODE	DESCRIPTION	☐	☒	☐	PRICE
1-97-510	Toolbox onelatch 24"	-	3	3	

STANLEY® TOOLBOX ONELATCH WITH DRAWER 19"



- 19" toolbox with One-latch operation
- Ball bearing slides drawer: versatile organization for various sizes of tools and small parts
- Heavy duty design for extra strength and durability
- Extra width soft grip handle on top for easy lifting
- 2/3 removable tray allows enough space for large tools to be stored underneath
- V-Groove on top lid for on-site sawing needs
- Integrated padlock eye for securing tools and contents
- Outer Dimensions (cm WxDxH): 48.3 x 27.9 x 28.7
- Inner Dimension (cm WxDxH) Suitcase: 48.3 x 27.9 x 28.7
Drawer: 45 x 34 x 20

CODE	DESCRIPTION				PRICE
1-70-316	Toolbox onelatch with Drawer 19"	-	3		

STANLEY® TOOLBOX 19"



- Keep everything to hand with the STANLEY® Cantilever Tool Box which features 3 levels of storage for hassle free access to your tools and accessories. The Tool Box has 2 internal trays which are designed for easy organisation of smaller hand tools as well as 2 lid organiser compartments, ideal for storing small fixings and accessories. Complete with a pull handle for easy closure of the tool box, as well metal latches for durability. The STANLEY® 3-Level Cantilever Tool Box is finished with a textured carry handle for comfort and easy transportation.
- Outer dimensions (cm WxDxH): 49 x 25.5 x 28.5 (closed)
- Inner Dimension (cm WxDxH): 43.5 x 21.4 x 11

CODE	DESCRIPTION				PRICE
STST83397-1	Toolbox Cantilever Essential 19"	-	2		

STANLEY® TOOLBOX WITH ORGANIZER CLICK & CONNECT



- Unique design that perfectly fits home surrounding
- Special proportions: size ,shape and proportions for easy access to tools and power tools
- Removable latches enable easy connecting and detaching, and full visibility and accessibility
- Removable dividers enable personal customization and organization of tools
- Lid organizers for small accessories, drills and bits storage
- STST1-71962 Outer Dimension (cm WxDxH): 50.5 x 24.5 x 31

CODE	DESCRIPTION				PRICE
STST1-71962*	toolbox with organizer Click & Connect	-	2		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® TOOLBOX ESSENTIAL WITH REMOVABLE ORGANISERS



- Ideal for storing smaller hand tools and features two removable organizers for quick and easy access to small materials and accessories
- Equipped with a removable tray for storing small parts
- Metal rustproof latch for durability
- Lockable with padlock (not included)
- STST75785-1 Outer Dimension (cm WxDxH): 40.6 x 19.5 x 20.5
Inner Dimension (cm WxDxH): 37 x 15 x 15
- STST75787-1 Outer Dimension (cm WxDxH): 48.2 x 25 x 25.4
Inner Dimension (cm WxDxH): 43 x 18 x 20

CODE	DESCRIPTION				PRICE
STST75785-1	Toolbox Essential 16" removable organizers	-	6		
STST75787-1	Toolbox Essential 19" removable organizers	-	6		



STANLEY® TOOL BOXES WITH METAL LATCHES



- Good solution the DIY'er or hobbyist
- Metal latches, professional quality/strength
- Storage tray for smaller items more frequently used
- Internal Tote Tray

CODE	DESCRIPTION				PRICE
1-92-064	Tool Box with Metal Latches 12,5"	-	6	3253561920646	
1-92-065	Tool Box with Metal Latches 16"	-	6	3253561920653	
1-92-066	Tool Box with Metal Latches 19"	-	6	3253561920660	
1-92-067	Tool Box with Metal Latches 24"	-	6	3253561920677	

STANLEY® TOOLBOX ONE-TOUCH



- Toolbox with ONE HAND OPERATION latch allows easy opening when other hand is occupied
- Lid with organizers
- Wide soft grip handle
- Removable Internal tray
- 1-79-216 Outer Dimension (cm WxDxH): 39.4 x 16.2 x 22
Inner Dimension (cm WxDxH): 36.5 x 15 x 11.7
- 1-79-217 Outer Dimension (cm WxDxH): 48.6 x 23.6 x 26.6
Inner Dimension (cm WxDxH): 46.5 x 20.5 x 22.6
- 1-79-218 Outer Dimension (cm WxDxH): 59.5 x 26 x 28.1
Inner Dimension (cm WxDxH): 56 x 23 x 20

CODE	DESCRIPTION				PRICE
1-79-216	Toolbox One-Touch 16"	-	6		
1-79-217	Toolbox One-Touch 19"	-	6		
1-79-218	Toolbox One-Touch 24"	-	3		

STANLEY® TOOLBOX ESSENTIAL



- Organizer for small parts
- Metal or plastic latches - lock guarantee, enables smooth closing and opening
- Removable Internal tray

CODE	DESCRIPTION	✉	✕	📊	PRICE
STST1-75514	Toolbox Essential 12.5" - plastic latches	-	6	3253561755149	
STST1-75515	Toolbox Essential 12.5" - metal latches	-	6	3 253561 755156	
STST1-75517	Toolbox Essential 16" - plastic latches	-	6	3253561755170	
STST1-75518	Toolbox Essential 16" - metal latches	-	6	3 253561 755187	
STST1-75520	Toolbox Essential 19" - plastic latches	-	6	3253561755200	
STST1-75521	Toolbox Essential 19" - metal latches	-	6	3 253561 755217	
STST82976-1	Toolbox Essential 26" - metal latches	-	3	3 253561 829765	
STST1-75772	Toolbox Essential - bundle 19" - 12.5" - metal latches	-	6	3253561757723	

FATMAX® TOOLBOX - 3-IN-1 - STEP STOOL, TOOL BOX, AND TOTE - 25"

STANLEY
FATMAX



- The STANLEY® FATMAX® 25" step stool toolbox provides a three-in-one solution: a toolbox, a step stool and a raised tote
- 30kg tool box load capacity for well-organized storage of small power tools and hand tools
- The tool box features an ergonomic carry handle for easy transportation
- 45cm working height and 150kg standing load capacity (Conforms to EN14183 step stool standards)
- The product features an integrated tote with dual use side latches. These latches clip the tote to the step stool to provide elevated height
- Outer Dimensions (cm WxDxH): 64 x 29.6 x 28.7
- Inner Dimension (cm WxDxH): 56 x 26.5 x 20
- Work surface dimensions (cm): 53 x 25

CODE	DESCRIPTION	✉	✕	📊	PRICE
FMST81083-1	FATMAX 3in1 Toolbox with Step stool 25"	-	2	3 253561 833151	

STORAGE TRAY



- Comfort handle structure
- Large open tote tray suitable for portable storage
- Maximum visibility and accessibility
- Outer Dimensions (cm WxDxH): 49.7 x 33.6 x 19.4
- Inner Dimension (cm WxDxH): 40 x 10 x 13.3 (x2)

CODE	DESCRIPTION	✉	✕	📊	PRICE
STST1-72359	Storage Tray	-	6	3 253561 723599	

TECHNICIANS CASES

STANLEY® FATMAX® TECHNICIAN CASE

STANLEY
FATMAX



- Accordion structure
- Enabling full visibility and accessibility
- Removable dividers for flexible customization & organization 1 long divider 4 short dividers 3 cups & covers
- Supporting legs for stability (no tipping over)
- Thick rubber coated handle for superior grip
- Tough metal latches
- Outer Dimensions (cm WxDxH): 50.1 x 20.3 x 40.5
- Inner Dimension (cm WxDxH): 47 x 31.3 x 11.3

CODE	DESCRIPTION	✉	✕	📊	PRICE
FMST1-71943	FATMAX Technicians Case - not filled	-	1	3 253561 719431	

FATMAX® TECHNICIANS CASE WITH WHEELS

STANLEY
FATMAX



- Accordion structure
- Enabling full visibility and accessibility
- Ergonomic tall aluminum telescopic handle and bearing skating wheels for smooth and easy mobility
- Glass fiber reinforced PP body and lid for durability
- Removable dividers for flexible customization & organization 1 long divider 4 short dividers 3 cups & covers
- Supporting legs for stability (no tipping over)
- Thick rubber coated handle for superior grip
- Tough metal latches
- Outer Dimensions (cm WxDxH): 54.3 x 40.5 x 24
- Inner Dimension (cm WxDxH): 47 x 31.3 x 11.3

CODE	DESCRIPTION	✉	✕	📊	PRICE
FMST1-72383	FATMAX Technicians Suitcase with wheels - not filled	-	1	3 253561 723834	



THE FATMAX® QUICK ACCESS BACKPACK

Tools at your fingertips

Many professionals told us that they spend a lot of time reorganizing their toolbox, depending on the job that is scheduled for the day. This was partly due to the inefficient use of space in their current toolbox. To remedy this, we made a tool bag in which the tools can be stored upright.

TOOL BAGS

STANLEY® FATMAX® QUICK-ACCESS BACKPACK

STANLEY
FATMAX



- Large open compartment for quick tool access intended for long tools/organisers/power tools/kit boxes
- Tool back pack- workstation with 4 compartments combines high strong flexible high quality tarpaulin with 600D
- Multiple pockets and tool holders for a wide variety of tools
- Rigid, water-proof plastic bottom
- Padded shoulder straps for heavy load carriage
- Ergonomic padded back with air mesh
- Laptop padded compartment
- Personal belongings compartment or all essentials: wallet, keys, cell phone
- Dimensions (cm WxDxH): 36 x 23 x 47

CODE	DESCRIPTION	✉	☒	📊	PRICE
FMST1-80144	FATMAX Backpack Quick Access	-	4	3 2 5 3 5 6 1 8 0 1 4 4 0	

STANLEY® FATMAX® BACKPACK WITH/WITHOUT WHEELS

STANLEY
FATMAX



- 600 x 600 durable denier fabric
- Easy access to personal items stored in a different compartment
- Dual zipper closure enables opening from every end
- Front see through compartment and multiple loops for extra loads enables quick access needs
- Loops provide additional fastening options
- Removable divider with multiple pockets for a wide variety of tools
- Rigid form that can stand in an open position enabling access to all tools
- Carrying capacity: 25kg
- Transporting handle used during rolling carriage of tools
- 1-79-215 dimensions (cm WxDxH): 36 x 21 x 54
- 1-95-611 dimensions (cm WxDxH): 36 x 21 x 49.5

CODE	DESCRIPTION	✉	☒	📊	PRICE
1-79-215	FATMAX Tool backpack with wheels	-	2	3 2 5 3 5 6 1 7 9 2 1 5 1	
1-95-611	FATMAX Tool backpack without wheels	-	2	3 2 5 3 5 6 1 9 5 6 1 1 9	

STANLEY® BACKPACK WITH/WITHOUT WHEELS



- Transport heavy loads on wheels using the telescopic handle or carry comfortably on your back using the two ergonomic shoulder straps
- Made from 600-denier fabric for long lasting durability
- Two ergonomic, padded shoulder straps spread the weight distribution
- Wide opening zip design for easy access
- Removable tool divider system
- Side pockets for convenient access
- Comfortable telescopic handle for use on wheels
- STST83307-1 dimensions (cm WxDxH): 34 x 20 x 57
- STST1-72335 dimensions (cm WxDxH): 30.5 x 18.5 x 47.5

CODE	DESCRIPTION	✉	☒	📊	PRICE
STST83307-1	Tool backpack with wheels	-	4	3 2 5 3 5 6 1 8 3 3 0 7 6	
STST1-72335	Tool backpack without wheels	-	4	3 2 5 3 5 6 1 7 2 3 3 5 3	

STANLEY® FATMAX® LAPTOP BAG

STANLEY
FATMAX



- Waterproof bottom
- 600 × 600 denier
- Front opening for easy access to tools
- Protected compartment for laptop, tablet or documents
- Inner and outer pockets for maximum storage capacity
- Padded shoulder straps
- Ergonomic handle
- Can be combined with the FATMAX tool bag on wheels thanks to the handy strap on the back
- Dimensions (cm WxDxH): 42.5 × 15 × 32

CODE	DESCRIPTION				PRICE
FMST1-80149	FATMAX Laptop Bag	-	4	3 2535611801495	

STANLEY® FATMAX® TOOL BAG WITH WHEELS

STANLEY
FATMAX



- Telescopic handle and wheels
- Large storage capacity (xL)
- Inner and outer pockets for maximum storage capacity
- Removable tool carrier
- 600×600 denier
- Dimensions (cm WxDxH): 45 × 25.5 × 33

CODE	DESCRIPTION				PRICE
FMST1-80148	FATMAX Tool Bag with Wheels	-	2	3 2535611801488	

STANLEY® FATMAX® QUICK-ACCESS TOTE 20"

STANLEY
FATMAX



- Open tool tote with a compartment pocket on the outside
- Robust, steel handle and padded shoulder strap
- 600 × 600 denier in combination with tarpaulin
- Waterproof bottom
- Dimensions (cm WxDxH): 50 × 30 × 36

CODE	DESCRIPTION				PRICE
FMST1-80146	FATMAX Open Tote Quick Access	-	4	3 2535611801464	

STANLEY® FATMAX® DOUBLE-SIDED TOOL BAG

STANLEY
FATMAX



- Extra Sturdily, double-sided construction for quick and easy access to tools and small parts
- Two deep compartments with large storage space for power tools
- Features multiple internal and external compartments Supplied with shoulder strap for maximum comfort
- Dimensions (cm WxDxH): 43 × 28 × 31

CODE	DESCRIPTION				PRICE
FMST1-73607	FATMAX Double Sided Tool Bag	-	4	3 2535611736070	

STANLEY® FATMAX® TOOL BAG QUICK ACCESS

STANLEY
FATMAX



- Tool bag with 3 large compartments
- Inner and outer pockets for maximum storage capacity
- 600 × 600 denier in combination with tarpaulin
- Padded shoulder strap
- Waterproof bottom
- Dimensions (cm WxDxH): 48.3 × 28.5 × 35

CODE	DESCRIPTION				PRICE
FMST1-80147	FATMAX Tool Bag Quick Access	-	4	3 2535611801471	

STANLEY® FATMAX® LARGE TOOL BAG ON WHEELS

STANLEY
FATMAX



- Extra large tool bag with wheels, telescopic handle, separate storage compartments for power tools, hand tools and accessories
- Sturdily 600 × 600 denier fabric
- Large zippered opening for easy access
- Handy storage compartment reachable from the outside
- Dimensions (cm WxDxH): 70 × 31.8 × 30.5

CODE	DESCRIPTION				PRICE
FMST82706-1	FATMAX Large Tool Bag on Wheels	-	2	3 2535611827068	

FATMAX® LARGE TOOL BAG 18"

STANLEY
FATMAX



- Made from durable materials for maximum wear protection
- Polypropylene base for protection against moisture and dirt
- Large opening and handy compartments
- Vertical compartments for quick access to all tools and small parts
- Ergonomic design with comfortable shoulder strap and rubber handle
- Made from durable materials for maximum wear protection
- Large capacity - round opening offers more storage options than traditional tool bags
- Ergonomic design with comfortable shoulder strap and rubber handle
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 50 x 23 x 27

CODE	DESCRIPTION				PRICE
FMST1-71180	FATMAX Large Tool Bag 18"	-	2		

FATMAX® ROUND TOOL BAG 18"

STANLEY
FATMAX



- Made from durable materials for maximum wear protection
- Large capacity - round opening offers more storage options than traditional tool bags
- Vertical compartments for quick access to all tools and small parts
- Ergonomic design with comfortable shoulder strap and rubber handle
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 50 x 26 x 31

CODE	DESCRIPTION				PRICE
FMST1-70749	FATMAX Round Tool Bag 18"	-	2		

FATMAX® PLUMBERS BAG 19"

STANLEY
FATMAX



- Can be fully unfolded
- Double opening for separate access to materials and tools
- Durable protective material for sides anti moisture and dirty surfaces
- Suitable for storing pipe cutters, pipe benders, wrenches, etc.
- Outer and inner pockets for neatly storing tools
- Vertical compartments for quick access to all tools and small parts
- Polypropylene base for protection against moisture and dirt
- Comfortable shoulder strap
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 48.5 x 24 x 30

CODE	DESCRIPTION				PRICE
FMST1-70719	FATMAX Plumbers bag	-	2		

FATMAX® TOOL ORGANIZER

STANLEY
FATMAX



- Ergonomic bag with shoulder strap and two handles that can be attached together in one rigid rubber handle
- Reinforced frame and plastic supports: protection against moisture
- Velcro on both sides to keep the bag open: tools 100% visible
- Contrasting background
- Carrying capacity: 20kg
- Dimensions (cm WxDxH): 49 x 23 x 27

CODE	DESCRIPTION				PRICE
1-94-231	FATMAX Organizer Bag	-	2		

FATMAX® TOOL BAG

STANLEY
FATMAX



- Large handles for comfortable grip
- Heavy duty shoulder strap
- Reinforced handle attachment points
- Handy zipper
- Reinforced corners and other critical points
- Inner and outer pockets and elastic bands for maximum storage capacity
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 46 x 21 x 31

CODE	DESCRIPTION				PRICE
1-93-950	FATMAX Tool Bag 18"	-	4		

FATMAX® OPEN TOTE 18"

STANLEY
FATMAX



- Robust steel handle with rubber grip
- Heavy duty shoulder strap
- Saw compartments with adhesive tape closure
- Non-slip rubber holder for spirit level
- Large side pocket for extension cable
- Closed compartments for bits & bitsholders
- Elastics for maximum organization
- Tape measure holder - steel
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 47 x 20 x 34.5

CODE	DESCRIPTION				PRICE
1-93-951	FATMAX Open Tote 18"	-	4		

FATMAX® OPEN TOOL BAG 20"

STANLEY
FATMAX



- Inner and outer pockets for maximum storage capacity
- Made from tough 600 denier and ballistic nylon fabric
- Outside pocket with zipper
- Spacious Sturdily polypropylene frame
- Fold-away handle over the full length of the bag
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 49 x 25 x 29.5

CODE	DESCRIPTION				PRICE
1-79-213	FATMAX Open Tool Bag FP - lockable	-	4		

TOOL BAG WITH WHEELS 18"



- 600x600 denier fabric
- Sturdily frame
- Telescopic handle and wheels
- Inner and outer pockets
- Removable partition
- Dimensions (cm WxDxH): 44.5 x 25.5 x 42

CODE	DESCRIPTION				PRICE
1-97-515	Tool Bag with Wheels 18"	-	2		

FATMAX® TECHNICIAN TOTE 10"

STANLEY
FATMAX



- Ergonomic rubber handle
- Heavy duty shoulder strap
- Removable divider with tool holders and belt clip
- Inner and outer pockets for maximum storage capacity
- Steel holders for insulating tape and tape measure
- Closed compartments for bit holders
- Carrying capacity: 25kg
- Dimensions (cm WxDxH): 26 x 26 x 26

CODE	DESCRIPTION				PRICE
1-93-952	FATMAX Technician Tote 10"	-	4		

OPEN TOOL TOTE 16"



- Sturdily 600 x 600 denier fabric
- Open structure
- Adjustable shoulder strap
- Reinforced plastic bottom
- Several inner and outer pockets
- Sturdily handle
- Dimensions (cm WxDxH): 42 x 22 x 26.5

CODE	DESCRIPTION				PRICE
1-96-182	Open Tool Tote 16"	-	4		

STANLEY® FATMAX® SOFT TOOL ORGANISER

STANLEY
FATMAX



- Soft Tool Organiser features multiple layers of pockets for maximum organisation and easy access to tools
- Rigid waterproof plastic base: Enables the bag to stand on its own and protects the bag contents from dirt and moisture
- Base is compatible with STANLEY® FATMAX® Power Tool Accessory cases & PRO-STACK
- Integrated tape holder
- Padded shoulder strap
- Integrated hammer compartment
- Carrying capacity: 18kg

CODE	DESCRIPTION				PRICE
FMST17624-1	STANLEY® FATMAX® Soft Tool Organiser	-	4		

STANLEY® ESSENTIAL RIGID MULTIPURPOSE TOOL BAG 16"



- Sturdily 600 x 600 denier fabric
- Several inner and outer pockets
- Adjustable shoulder strap
- Reinforced plastic bottom
- Reinforced corners
- Transparent document holder
- Dimensions (cm WxDxH): 43 x 25 x 26

CODE	DESCRIPTION				PRICE
1-96-193	Sturdily Tool Bag 16"	-	4		

NEW

STANLEY® TOOL BAG 300 MM



- Reinforced plastic bottom
- 8 inner pockets and 2 outer pockets
- Sturdily 600 × 600 denier fabric
- Dimensions (cm W×D×H): 30 × 13 × 25

CODE	DESCRIPTION				PRICE
1-93-330*	Tool bag 300 mm	-	2		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® OPEN TOTE 18"



- 600 × 600 denier fabric, hardwearing, strong and durable
- Adjustable shoulder strap
- Covered front pocket provides secure storage of small parts or personal items
- Internal and external pockets provides maximum organization
- Open bulky structure design allows easy access and visibility to tools
- Strong metal handle for easy grip
- Side straps for level holder

CODE	DESCRIPTION				PRICE
STST1-70712	Tool pouch	-	12		

STANLEY® TOOL BAG 16"



- Reinforced plastic bottom
- Several inner and outer pockets
- Sturdily 600 × 600 denier fabric
- Dimensions (cm W×D×H): 43 × 23.5 × 27.5

CODE	DESCRIPTION				PRICE
1-96-183	Tool bag 16"	-	4		

STANLEY® TOOL POUCH



- Strong, durable
- 12 compartments
- Dimensions (cm W×D×H): 64.5 × 38.5 × 0.5

CODE	DESCRIPTION				PRICE
1-93-601*	Tool pouch	-	12		

*Not in the Nordic assortment - special order required. Minimum order quantity applied.

STANLEY® OPEN TOOL BAG 12"



- Open design for easy access to all tools
- Vertical compartments for maximum organization
- Small compartments for screwdriver bits and other small parts
- Dimensions (cm W×D×H): 30 × 18 × 25

CODE	DESCRIPTION				PRICE
STST1-70718	Open Tool Bag 12"	-	4		

STANLEY® PERSONAL BELT BAG



- Sturdily 600 × 600 denier fabric
- Large zippered storage space
- Handy storage bag for personal items & mobile phone pocket
- Dimensions (cm W×D×H): 24 × 6 × 15.5

CODE	DESCRIPTION				PRICE
1-96-179	Personal Tool Bag	-	4		